

HELICOPTER LIFT OPERATIONS SAFETY BRIEF CHECKLIST

PRIOR TO BEGINNING ANY HELICOPTER OPERATION A THOROUGH SAFETY BRIEF
WILL BE CONDUCTED UTILIZING THE FOLLOW CHECKLIST: 9-27-7019
SAFETY BRIEF SIGN IN Crestline / ARROwhead
GHI CREW INTRODUCTION (7) 55 CL (2500 LBS
☐ IS A TRANSLATOR REQUIRED NON-CAP
■ WORK STOP AUTHORITY To 139 7384
☐ DESIGNATE A 911 CALLER
□ IDENTIFY CLOSEST EMERGENCY MEDICAL SERVICES
☐ CREW FATIGUE AND HYDRATION
☐ HELICOPTER LIFT LIMITATIONS
☐ HAZMAT WILL OR WILL NOT BE CARRIED ON THE HOOK
□ NON GHI EMPLOYEES WILL NOT APPROACH HELICOPTER WITH ROTORS ENGAGED
☐ HELICOPTER HAZARD AREA (TAIL/MAIN ROTOR)
☐ EFFECT OF ROTOR DOWN WASH ON LOAD
DUST MASK: BURN AREA, DUST, POLLEN EXPOSURE
☐ HELICOPTER DOOR REMOVAL AND FIRE EXTINGUISHER LOCATION
☐ PPE REQUIREMENTS (GLOVES, EYE PROTECTION, HARD HAT WITH CHIN STRAP
☐ PILOT/GROUND CREW COMMUNICATIONS/ LOST COMMUNICATIONS
PROCEDURES
□ POTENTIAL STATIC CHARGE CAUSED BY HELICOPTER
☐ SITE PLAN /FLIGHT PATH
☐ FALL, PINCH, CRUSH DANGER POINTS
☐ RIGGING OPERATIONS CONNECTING AND DISCONNECTING CRANE HOOK AND
SPREADER BAR HOOK
PROPER SECURING OF EQUIPMENT / TOOLS IN SUPER SACK AND ON LONG LINE
☐ STREET CLOSURE / EVACUATION USE DIAGRAM TO ENSURE ALL HOMES ARE
CLEAR
□ NO CELL PHONES OR CAMERA USED BY GROUND CREW



Non-compliance with established procedures may result in your removal from the mission

Pilot:						
Support Cro	ew:					
Location:						
Mission:						
Aircraft:		2				
Note: By signir	Note: By signing this document you acknowledge you understood all items briefed to you and that you are responsible for insuring all loose items are secured when working under a helicopter.					
DATE PRINT NAME SIGNATURE COMPANY						
			A			
	,					

Tailboard Briefing Guide Updated: January 17, 2019

AIRCRAFT	ENVIRONMENT	EXTERNAL LOAD
 □ Approach and departure □ Main/tail rotor hazards □ Safe cargo loading/ unloading □ Loose articles:	Weather conditions Wind direction Fuel Gross weight Terrain Landing zone hazards Density altitude Noise abatement Congested area plan Traffic/crowd control COMMUNICATION IS CRITICAL Standardized language "Code Red" phrases Sterile cockpit Flight following/radio procedures Possible tasks for crew, e.g., switch/tune radios, maps Hazard awareness, e.g., birds, other hazards STOP work policy Re-brief in case scope changes MSAFE Acronym Pilot fatigue mitigation must be briefed prior to work	Ground crew PPE Long Line & Rigging Equipment Inspection Communication: Use of headset for lineman communicating with pilot Head/Hand Signals Pole set procedures: Brief how pole will be secured: 1) Taglines 2) Pikes 3) fill dirt Steps on pole Remote hook operations Ground crew hook up procedures Static discharge Emergency flyaway procedures Long line clearance (6'- 25'- 150% rule) No person under load Ground crew safety zone Pole removal with potential snag issues must be discussed Nylon straps (wood vs. glass) Load ratings (7:1 minimum) Dry Run/Play by play pole set Procedures Induced Voltage from: - Adjacent circuits, Underbuild, Parallel circuits etc. In case of Non-Company ground crew: Rigging procedures must be briefed No cell phone/camera use during external loads Essential crew only



SCE Aircraft Operations Flight Request Form

Instructions: Please complete this form in its entirety and email to: <u>airops@sce.com</u> or fax to 909-974-4678. Once this form is received by Aircraft Operations, you will receive a response within 24 hours. For questions call SCE Aircraft Operations Dispatch at PAX 11676.

Requestor Information

Fligh	t requested by:*	Rey Ruiz					
Depa	rtment:*	Contract CC					
Pax:*	k						
Cell I	Number:*	714-402-2328					
Emai	l Address:*	ruizr@proe.ser	rvices				
SAP	Accounting Number*	multiple TDs li	sted below for 15	poles			
			Elicht Dog	aulatian			
DI	v		Flight Des	cription			
Pleas	e choose a mission type	e:					
	Camera – HD/IR		Line Strii	10	×	Pole-set	
	Crew support		Passenger	•		Recon	
	External Load		Patrol			Training	
	HEC		Photo			Need more info, please	contac
	HEC	Ц	THOTO		_	v	
Missi	ion specific details (ex:	Passenger i	name, pole siz	ze/weight, e	xterna	l load type, etc):	
TD1	A21051 1421020 138	7752 1345	517 1464880	1470505	13973	84,1385960,1345517,	
	5284.1456409		APS INCLU				
1400	7204, 1400400	TILL TO I	IV TO TITUE				
Gene	ral Operating Location	n	Arrowhead Lake	1			
			40				
LZ C	LZ Coordinates (if known) TBD						
Pick-	Pick-up location for passenger flights TBD						
Drop	Drop-off location for passenger flights TBD						
Date((s) for which service is	requested	8-12-19 through	8-23-19			
Time of Pick-up		8am				19	
Approx. mission duration (if known)		6-8 hrs					
Back	-up date for mission (if	f known)					
8							
Auth	orizer						
Auth	orizer PAX and cell nu	ımber					
*requ	uired information					Click to e-mail form	
For o	ffice use only						
Date I	Date Received by Aircraft Operations: Date Initial Contact Made:						
Refer	red to contractor: No	Yes, Date:					
Follow up status: Week 1							
	□ Week 3						



SECTION 7

Part 135 GH 4A Part 133 GH 4L

NON Congested Area Plan

Operator:

Guardian Helicopters, Inc

67 D STREET

Fillmore CA. 93015 Phone (818) 442-9904 FAX (818) 442-9901

FAX (818)			
FAX (818) 442-9901 PROJECT: EDISON POLE REPLACEMENT WORK ORDER #: TD 1397384			
	DAD : CREST		07
	DE 34°13'25.47"N LONGIT		
I Z STAGING AREA I.A'	TITUDE 34°11'20.80"N L	ONGITUDE 117° 5'34.20"W	•
HERAME LATITUDE 349	211'4 36"N LONGITUDE 1	117° 5'43.25"W (2) 55 CL 1	2500 LBS
CONTRACTOR'S REY R	UIZ PHON	NE#: 714-402-2328	
CONTACT AT SITE: PR	OENERGY PHON	NE#: 909-518-5921	
PILOT'S NAME(S): 1. Jo	OHN OLSON	CERT #: 2769166	
	UCKEY MACKAY		
	ARTIN RODRIGUEZ		
	ICHAEL KLINK		
		IGH A/C CATEGORY: RE	STRICTED
		/C CATEGORY: RESTRIC	
		C CATEGORY: STANDA	
BEL	L 205A1 N# N216GH A	C CATEGORY: STANDA	RD
AS3	50 B2 N# <u>N498PT</u> A	CATEGORY: STANDA	RD
AS3	<u>50 B3</u> N# <u>N718GH</u> A	C CATEGORY: STANDA	RD
AS3	50 B3 N# <u>N215GH</u> A	/C CATEGORY: STANDA	RD
TYPE OF ITEM LIFTING	: POLE	AMIC 🗹 NON- AERODYI	NAMIC
IF SAFETY DICTATES	AND OR THE CUSTOM	ER REQUESTS ADDITION	ONAL LIFTS THE LIFTS
WILL BE CONDUCTED REMAINING WITHIN THE APPROVED TIME PARAMETERS.			
		AX 2500 LBS CLAS	
NO. OF LIFTS: 4 LON	IG LINE:(NO) <u>X</u>	XX (YES) LESS THEN 1	50 FT (LENGTH)
		OSING:(N0)_ <u>XX</u>	(YES)
DATE AND TIMES OPERATION WILL BEGIN AND TERMINATE:			
FLIGHT DATES	TIME BEGIN	TIME END	TODAY'S DATE
9-27-2019	SUNRISE	SUNSET	9-19-2019
AGENCY NAME:	PHONE#:	PERSON NOTIFIED:	DATE:
TWIN PEAK POLICE	909-336-0600	WATCH COMMANDER	NOTIFY
SANT BERNARDINO FIRE	909-338-0625	STATION	NOTIFY
Evacuation Crowd Control Street Closure			
No Evacuated Structures Operator Yes No			
□ Evacuated Structures			
			☐ Operator



SECTION 7

Part 135 GH 4A Part 133 GH 4L

NON Congested Area Plan

Operator:

Guardian Helicopters, Inc

67 D Street

Fillmore, California 93015

LIST OF BUILDINGS THAT SHALL EITHER BE PARTIALLY OR ENTIRELY UNOCCUPIED PERSONS ALSO HOMES THAT WILL BE NOTIFIED OF ACTIVITY:

ALSO HOWES THAT WILE BE NOTH IED OF NOTIVITY.				
BUILDING DESCRIPTION/ADDRESS	REMARKS	METHOD		
NO EVACUATIONS	VACANT DURING OPS	HAND DELIVER		
ALL HOMES WITHIN RED OPERATING	VACANT DURING OPS	HAND DELIVER		
AREA				
SEE DIAGRAM = VACANT	VACANT DURING OPS	HAND DELIVER		

Narrative description of pick-up site, route, delivery site, and plan for ceasing operation if unauthorized persons enter operational area or real hazard occurs.

SITE INSPECTION NOTES


ONLY PERSONNEL ESSENTIAL TO COMPLETING THE JOB SAFELY WILL BE PERMITTED TO PARTICIPATE IN THE EVOLUTION. ONLY PERSONNEL PARTICIPATING IN THE SAFETY BRIEF WILL BE PERMITTED TO BE IN THE AREA OF OPERATIONS. ONLY AUTHORIZED ESSENTIAL PERSONAL WILL BE PERMITTED IN THE IMMEDIATE AREA OF OPERATIONS. IN THE EVENT AN UNAUTHORIZED PERSON ENTERS THE OPERATIONS AREA OR A POTENTIAL HAZARD IS IDENTIFIED THE PILOT WILL HOLD THE AIRCRAFT IN RELATIVE POSITION. THIS WILL BE ACHIEVED WITHOUT OVER FLYING THE GROUND CREW. ALL OPERATIONS WILL BE CEASED UNTIL THE PROBLEM IS RECTIFIED. IN THE EVENT OF AN AIRCRAFT EMERGENCY, THE PILOT WILL RADIO GROUND PERSONNEL AND WILL ATTEMPT TO LAND IN THE EMERGENCY LANDING AREA.


DURING THE LIFT EVOLUTION THE AIRCRAFT AND GROUND CREW WILL ALL BE IN RADIO COMMUNICATIONS. IN THE EVENT OF LOSS COMMUNICATIONS, THE CREW WILL USE STANDARD HAND SIGNALS TO COMMUNICATE WITH THE PILOT. WHEN THE PILOT IS CLEAR HE WILL MOVE THE AIRCRAFT TO A SAFE LOCATION TO ALLOW THE COMMUNICATION PROBLEM TO BE RECTIFIED.


THE OPERATIONS AREA IS WITHIN THE SECURED AREA. ALL ESSENTIAL CREW WITHIN THE OPERATIONS AREA WILL NOT BE INVOLVED IN TAKING PICTURES OR ANY OTHER USE OF CELL PHONES.

PRIOR TO BEGINNING OPERATIONS, A TAILBOARD SAFETY BRIEF WILL BE CONDUCTED.

- 1. HELICOPTER WILL LAND AT THE LZ TO CONNECT THE LONGLINE AND CONDUCT A TAILBOARD SAFETY MEETING SNOW VALLEY MOUNTAIN RESORT IS PRIMARY WITH THE STAGING AREA AS AN OPTION TBD BY PILOT
- 2. FUELING WILL BE CONDUCTED AT THE LANDING ZONE
- 3. EMERGENCY LANDING ZONE IS AT THE STAGING AREA AND ALONG THE FLIGHT PATH
- 4. NO STREET CLOSURES
- 5. WATER TRUCK REQUIRED AT STAGING AREA
- 6. FLAGMAN WILL BE POSTED AT THE LANDING ZONE PER DIAGRAM BELOW
- 7. EVACUATION NOT REQUIRED
- 8. THE POLES WILL BE LIFTED FROM THE STAGING AREA
- 9. THE CONTRACTOR WILL TRIM TREES IF REQUIRED







9-15-2019 DATE OF SUBMISSION offrey M. Julia

COMPANY OFFICIAL / TITLE

