

HELICOPTER LIFT OPERATIONS SAFETY BRIEF CHECKLIST

PRIOR TO BEGINNING ANY HELICOPTER OPERATION A THOROUGH SAFETY BRIEF
WILL BE CONDUCTED UTILIZING THE FOLLOW CHECKLIST: Ojai
SAFETY BRIEF SIGN IN 1/-23-2019
☐ GHI CREW INTRODUCTION ☐ IS A TRANSLATOR REQUIRED ☐ SATE Of Social Composite Compos
□ IS A TRANSLATOR REQUIRED NON- CAP
□ WORK STOP AUTHORITY □ DESIGNATE A 911 CALLER □ 14 470 79
□ DESIGNATE A 911 CALLER 14470 79
☐ IDENTIFY CLOSEST EMERGENCY MEDICAL SERVICES
☐ CREW FATIGUE AND HYDRATION
☐ HELICOPTER LIFT LIMITATIONS
☐ HAZMAT WILL OR WILL NOT BE CARRIED ON THE HOOK
☐ NON GHI EMPLOYEES WILL NOT APPROACH HELICOPTER WITH ROTORS ENGAGED
☐ HELICOPTER HAZARD AREA (TAIL/MAIN ROTOR)
☐ EFFECT OF ROTOR DOWN WASH ON LOAD
DUST MASK: BURN AREA, DUST, POLLEN EXPOSURE
☐ HELICOPTER DOOR REMOVAL AND FIRE EXTINGUISHER LOCATION
☐ PPE REQUIREMENTS (GLOVES, EYE PROTECTION, HARD HAT WITH CHIN STRAP
☐ PILOT/GROUND CREW COMMUNICATIONS/ LOST COMMUNICATIONS
PROCEDURES
□ POTENTIAL STATIC CHARGE CAUSED BY HELICOPTER
☐ SITE PLAN /FLIGHT PATH
☐ FALL, PINCH, CRUSH DANGER POINTS
☐ RIGGING OPERATIONS CONNECTING AND DISCONNECTING CRANE HOOK AND
SPREADER BAR HOOK
☐ PROPER SECURING OF EQUIPMENT / TOOLS IN SUPER SACK AND ON LONG LINE
☐ STREET CLOSURE / EVACUATION USE DIAGRAM TO ENSURE ALL HOMES ARE
CLEAR

☐ NO CELL PHONES OR CAMERA USED BY GROUND CREW



Non-compliance with established procedures may result in your removal from the mission

Pilot:

Support Crew:							
	Location:						
Mission: Aircraft:							
							Note: By signing this document you acknowledge you understood all items briefed to you and that you are responsible for insuring all loose items are secured when working under a helicopter.
	responsible for insuring all loose items are secured when working under a helicopter. DATE PRINT NAME SIGNATURE COMPANY						
L	DATE	PINIT NAME	CICHATORE				
L							
_							
L							
L							
L							
-							
-							
-							
-							

Tailboard Briefing Guide Updated: January 17, 2019

AIRCRAFT	ENVIRONMENT	EXTERNAL LOAD
Approach and departure Main/tail rotor hazards Safe cargo loading/ unloading Loose articles: - Aircraft & LZ Hearing protection Door/seatbelt operation Headset/helmet/intercom Air-sickness In-flight emergencies Establish who will call 911 Location of: First aid/survival kit Fire extinguisher Fuel and battery shut off procedure Radios, ELT, SAT Phone Fueling Operations: - Duties & Safety Issues	Weather conditions Wind direction Fuel Gross weight Terrain Landing zone hazards Density altitude Noise abatement Congested area plan Traffic/crowd control Communication is critical Standardized language "Code Red" phrases Sterile cockpit Flight following/radio procedures Possible tasks for crew, e.g., switch/tune radios, maps Hazard awareness, e.g., birds, other hazards STOP work policy Re-brief in case scope changes IMSAFE Acronym Pilot fatigue mitigation must be briefed prior to work	Ground crew PPE Long Line & Rigging Equipment Inspection Communication: Use of headset for lineman communicating with pilot Head/Hand Signals Pole set procedures: Brief how pole will be secured: 1) Taglines 2) Pikes 3) fill dirt Steps on pole Remote hook operations Ground crew hook up procedures Static discharge Emergency flyaway procedures Long line clearance (6'- 25'- 150% rule) No person under load Ground crew safety zone Pole removal with potential snag issues must be discussed Nylon straps (wood vs. glass) Load ratings (7:1 minimum) Dry Run/Play by play pole set Procedures Induced Voltage from: - Adjacent circuits, Underbuild, Parallel circuits etc. In case of Non-Company ground crew: Rigging procedures must be briefed No cell phone/camera use during external loads Essential crew only



SCE Aircraft Operations Flight Request Form

Instructions: Please complete this form in its entirety and email to: <u>airops@sce.com</u> or fax to 909-974-4678. Once this form is received by Aircraft Operations, you will receive a response within 24 hours. For questions call SCE Aircraft Operations Dispatch at PAX 11676.

Requestor Information

Flight	t requested by:*	JARED GARCIA			
	rtment:*	HOT LINE CONSTRUCTION			
Pax:*					
Cell N	Number:*	209-470-6069			
Emai	l Address:*	JGARCIA@H	OTLINECONSTRUCTION	IINC.COM	
SAP	Accounting Number*	TD1447079			
			7011 1 / 30x 1 / /		
DI			Flight Descripti	on	
Please	e choose a mission type	:			
_	Camera – HD/IR		Line String	×	Pole-set
	Crew support	⊠	Passenger	×	Recon
_	External Load		Patrol		Training
□ ⊠	HEC		Photo		Need more info, please contact
<u> </u>	HEC.	_	I HOTO	_	, P
Missi	on specific details (ex:	Passenger i	name, pole size/we	ight, extern	al load type, etc):
			MPOSITE POLE		
NEE	D HEC FOR CREW T				1.
	DS TO BE WORKED				
			·		
General Operating Location			CLARK RANCH RD. O.	JAI. N 34 24 28.	53-W 119 15 43.25
District			39		
LZ Coordinates (if known)			N 34 24 28.53-W 119 1	5 43.25	
Pick-up location for passenger flights			SAME AS LZ		
Drop-off location for passenger flights			SAME AS LZ		
			T		
	s) for which service is	requested	FIRST SATURDAY AVA	AILIBLE IN OCT	OBER
	of Pick-up		0800		
	ox. mission duration (i		8-10 HOURS		
Back-up date for mission (if known)		I HAVE 2ND REQ IN SA	AME AREA FOR	R NEXT SATURDAY AVAILIBE	
r			T		
	orizer				
-	orizer PAX and cell nu	mber			
*requ	ired information				Click to e-mail form
For of	ffice use only			10	M. 1.
					Made:
	Referred to contractor: No Yes, Date: Company: Company: Logical Policy of the Company: Log				
Follov	v up status: Week I				
	□ Week 2				
	□ week 3				



SECTION 7

Part 135 GH 4A Part 133 GH 4L

NON Congested Area Plan (Submit in duplicate)

Operator:

Guardian Helicopters, Inc

67 D STREET

Fillmore CA. 93015 Phone (818) 442-9904

FAX (818) 442-9901 PROJECT: EDISON POLE REPLACEMENT LINE STRINGING WORK ORDER NUMBER TD1447079 ADDRESS: CLARK RANCH ROAD : OJAI CA LZ STAGING AREA LATITUDE 34°24'28.50"N LONGITUDE 119°15'43.22"W 1531700E LATITUDE 34°24'26.71"N LONGITUDE 119°15'13.29"W 50 CL 1 COMPOSITE 2133597E LATITUDE 34°24'19.53"N LONGITUDE 119°15'8.93"W 45 CL 4 WOOD 2133568E LATITUDE 34°24'15.33"N LONGITUDE 119°15'7.96"W 50 CL 1 COMPOSITE 2133600E LATITUDE 34°24'9.91"N LONGITUDE 119°15'6.80"W 45 CL 4 WOOD CONTRACTOR'S NAME: JARED GARCIA PHONE#: 209-470-6069 CONTACT AT SITE; HOTLINE CONSTRUCTION PHONE #: 209-470-6069 PILOT'S NAME(S): CERT #: 2769166 1. JOHN OLSON CERT #: #:2778051 2. BUCKEY MACKAY CERT #: 3555121 3. MARTIN RODRIGUEZ CERT# 33018828 4. MICHAEL KLINK 5. IAN GOODALE CERT# 3741973 N# N711GH_A/C CATEGORY: RESTRICTED TYPE OF AIRCRAFT: BELL UH-1H BELL UH-1H N# N214KK A/C CATEGORY: RESTRICTED BELL 407 N# N407GH A/C CATEGORY: STANDARD BELL 205A1 N# N216GH A/C CATEGORY: STANDARD

AS350 B2 N# N498PT A/C CATEGORY: STANDARD AS350 B3 N# N718GH A/C CATEGORY: STANDARD N# N215GH A/C CATEGORY: STANDARD AS350 B3

TYPE OF ITEM LIFTING: POLE ARMS / EQUIPMENT □ AERODYNAMIC ☑ NON- AERODYNAMIC IF SAFETY DICTATES AND OR THE CUSTOMER REQUESTS ADDITIONAL LIFTS THE LIFTS WILL BE CONDUCTED REMAINING WITHIN THE APPROVED TIME PARAMETERS.

TYPE OF LIFTS: 4 POLE ♥4 POLE ♠

MAX SINGLE – LIFT WEIGHT: 1950 LBS CLASS OF LOAD: EXTERNAL CL B

NO. OF LIFTS TBD LONG LINE: (NO) XXX (YES) 100 FT + 45 FT POLE = 145 FT

(LENGTH) WE WILL MAINTAIN A MINIMUM OF THAT SUM AWAY FROM HOMES EDGE OF OPERATING AREA

OPERATIONAL ALTITUDE: < 50 STREET CLOSING:__ (N0) XXX (YES)

DATE AND TIMES OPER	CATION WILL BEGIN AND	TERMINATE:
FLIGHT DATES	TIME BEGIN	TIME ENI

FLIGHT DATES	TIME BEGIN	TIME END	TODAY'S DATE
11-23-2019	SUNRISE	SUNSET	11-19-2019
AGENCY NAME:	PHONE#:	PERSON NOTIFIED:	DATE:
OJAI POLICE DEPARTMENT	805-646-1414	DISPATCH	NOTIFY
OJIA FIRE DEPARTMENT	805-371-1111	STATION 21	NOTIFY



NON-Congested Area Plan (Continued)

(Submit in duplicate)

No Evacuated Structures	Crowd Control Operator	Yes \(\square \) No
☐Evacuated Structures	Contractor	Contractor
		Operator

LIST OF BUILDINGS THAT SHALL EITHER BE PARTIALLY OR ENTIRELY UNOCCUPIED PERSONS ALSO HOMES THAT WILL BE NOTIFIED OF ACTIVITY:

BUILDING DESCRIPTION/ADDRESS	REMARKS	METHOD
NONE	VACANT DURING OPS	HAND DELIVER
ALL HOMES WITHIN OPERATING AREA	VACANT DURING OPS	HAND DELIVER
SEE DIAGRAM = V	VACANT DURING OPS	HAND DELIVER

Narrative description of pick-up site, route, delivery site, and plan for ceasing operation if unauthorized persons enter operational area or real hazard occurs.

SITE INSPECTION NOTES

ONLY PERSONNEL ESSENTIAL TO COMPLETING THE JOB SAFELY WILL BE PERMITTED TO PARTICIPATE IN THE EVOLUTION. ONLY PERSONNEL PARTICIPATING IN THE SAFETY BRIEF WILL BE PERMITTED TO BE IN THE AREA OF OPERATIONS. ONLY AUTHORIZED ESSENTIAL PERSONAL WILL BE PERMITTED IN THE IMMEDIATE AREA OF OPERATIONS. IN THE EVENT AN UNAUTHORIZED PERSON ENTERS THE OPERATIONS AREA OR A POTENTIAL HAZARD IS IDENTIFIED THE PILOT WILL HOLD THE AIRCRAFT IN RELATIVE POSITION. THIS WILL BE ACHIEVED WITHOUT OVER FLYING THE GROUND CREW. ALL OPERATIONS WILL BE CEASED UNTIL THE PROBLEM IS RECTIFIED. IN THE EVENT OF AN AIRCRAFT EMERGENCY, THE PILOT WILL RADIO GROUND PERSONNEL AND WILL ATTEMPT TO LAND IN THE EMERGENCY LANDING AREA. ALL BUILDINGS IN THE OPERATING AREA WILL BE VACANT.

DURING THE LIFT EVOLUTION THE AIRCRAFT AND GROUND CREW WILL ALL BE IN RADIO COMMUNICATIONS. IN THE EVENT OF LOSS COMMUNICATIONS, THE CREW WILL USE STANDARD HAND SIGNALS TO COMMUNICATE WITH THE PILOT. WHEN THE PILOT IS CLEAR HE WILL MOVE THE AIRCRAFT TO A SAFE LOCATION TO ALLOW THE COMMUNICATION PROBLEM TO BE RECTIFIED.


THE OPERATIONS AREA IS WITHIN THE SECURED AREA. ALL ESSENTIAL CREW WITHIN THE OPERATIONS AREA WILL NOT BE INVOLVED IN TAKING PICTURES OR ANY OTHER USE OF CELL PHONES.

A TAILBOARD SAFETY MEETING WILL BE CONDUCTED PRIOR TO BEGINNING ANY HELICOPTER OPERATIONS

- 1. THE HELICOPTER LAND WILL LAND AT THE LZ TO CONNECT THE LONGLINE
- 2. TAILBOARD WILL OCCUR AT THE LANDING ZONE
- 3. THE POLES WILL BE STAGED AT THE LANDING ZONE
- 4. NO EVACUATIONS
- 5. WATER TRUCK IS REQUIRED AT LANDING ZONE
- 6. SULPHUR MOUNTAIN ROAD WILL BE CLOSED SURING OPERATIONS DRIVEWAY OFF OF BO MERRITT WILL BE CLOSED
- 7. THE EMERGENCY LANDING ZONE IS AT THE STAGING AREA AND ALONG THE CLEARING ON THE FLIGHT PATH
- 8. SHERIFF AND FIRE DEPARTMENT WILL BE NOTIFIED.
- 9. THE SECURE AREA IS GREATER THAN 300 FT IN ALL DIRECTIONS FROM THE ATTACH AND RELEASE AREAS
- 10. CUSTOMER WILL ENSURE TREES NEAR THE POLE SET SITE ARE TRIMMED IF REQUIRED







SITE PLAN SYMBOLS: EVACUATION FLIGHT PATH LANDING AREA = (LZ) STREET BLOCKED = XXXX TOP TWO FLOORS = UBT2 ATTACH AREA = (A) RELEASE AREA = (R) FLIGHT PATH = >>> EMERGENCY LAND = (ELZ) UNOCCUPIED BUILDING = (UBA) UNOCCUPIED BUILDING TOP FLOOR = (UBT1)

11-19-2019 DATE OF SUBMISSION Jeffrey M. Julia

COMPANY OFFICIAL / TITLE

