

HELICOPTER LIFT OPERATIONS SAFETY BRIEF CHECKLIST

PRIOR TO BEGINNING ANY HELICOPTER OPERATION A THOROUGH SAFETY BRIEF
WILL BE CONDUCTED UTILIZING THE FOLLOW CHECKLIST: OJAI CA
□ SAFETY BRIEF SIGN IN 1/- 12-2019
GHI CREW INTRODUCTION CAR Approved
☐ IS A TRANSLATOR REQUIRED 30018
☐ GHI CREW INTRODUCTION ☐ IS A TRANSLATOR REQUIRED ☐ WORK STOP AUTHORITY ☐ DESIGNATE A 911 CALLER ☐ CAP Approved ☐ Spoles Line pull ☐ TD 1516593
□ DESIGNATE A 911 CALLER
☐ IDENTIFY CLOSEST EMERGENCY MEDICAL SERVICES
☐ CREW FATIGUE AND HYDRATION
☐ HELICOPTER LIFT LIMITATIONS
☐ HAZMAT WILL OR WILL NOT BE CARRIED ON THE HOOK
□ NON GHI EMPLOYEES WILL NOT APPROACH HELICOPTER WITH ROTORS ENGAGED
☐ HELICOPTER HAZARD AREA (TAIL/MAIN ROTOR)
☐ EFFECT OF ROTOR DOWN WASH ON LOAD
DUST MASK: BURN AREA, DUST, POLLEN EXPOSURE
☐ HELICOPTER DOOR REMOVAL AND FIRE EXTINGUISHER LOCATION
☐ PPE REQUIREMENTS (GLOVES, EYE PROTECTION, HARD HAT WITH CHIN STRAP
□ PILOT/GROUND CREW COMMUNICATIONS/ LOST COMMUNICATIONS
PROCEDURES
□ POTENTIAL STATIC CHARGE CAUSED BY HELICOPTER
□ SITE PLAN /FLIGHT PATH
☐ FALL, PINCH, CRUSH DANGER POINTS
☐ RIGGING OPERATIONS CONNECTING AND DISCONNECTING CRANE HOOK AND
SPREADER BAR HOOK
☐ PROPER SECURING OF EQUIPMENT / TOOLS IN SUPER SACK AND ON LONG LINE
☐ STREET CLOSURE / EVACUATION USE DIAGRAM TO ENSURE ALL HOMES ARE
CLEAR
□ NO CELL PHONES OR CAMERA USED BY GROUND CREW



Non-comp Pilot:	liance with established proce	edures may result in your remov	vai irom the mission			
Support Cre	w:					
Location: Mission:						
Note: By signing responsible for	g this document you acknowledginsuring all loose items are sect	ge you understood all items briefed ured when working under a helicop	l to you and that you are ter.			
DATE	PRINT NAME	SIGNATURE	COMPANY			

Tailboard Briefing Guide Updated: January 17, 2019

AIRCRAFT	ENVIRONMENT	EXTERNAL LOAD
Approach and departure Main/tail rotor hazards Safe cargo loading/ unloading Loose articles: - Aircraft & LZ Hearing protection Door/seatbelt operation Headset/helmet/intercom Air-sickness In-flight emergencies Establish who will call 911 Location of: First aid/survival kit Fire extinguisher Fuel and battery shut off procedure Radios, ELT, SAT Phone Fueling Operations: - Duties & Safety Issues	Weather conditions Wind direction Fuel Gross weight Terrain Landing zone hazards Density altitude Noise abatement Congested area plan Traffic/crowd control COMMUNICATION IS CRITICAL Standardized language "Code Red" phrases Sterile cockpit Flight following/radio procedures Possible tasks for crew, e.g., switch/tune radios, maps Hazard awareness, e.g., birds, other hazards STOP work policy Re-brief in case scope changes IMSAFE Acronym Pilot fatigue mitigation must be briefed prior to work	Ground crew PPE Long Line & Rigging Equipment Inspection Communication: Use of headset for lineman communicating with pilot Head/Hand Signals Pole set procedures: Brief how pole will be secured: 1) Taglines 2) Pikes 3) fill dirt Steps on pole Remote hook operations Ground crew hook up procedures Static discharge Emergency flyaway procedures Long line clearance (6'- 25'- 150% rule) No person under load Ground crew safety zone Pole removal with potential snag issues must be discussed Nylon straps (wood vs. glass) Load ratings (7:1 minimum) Dry Run/Play by play pole set Procedures Induced Voltage from: - Adjacent circuits, Underbuild, Parallel circuits etc. In case of Non-Company ground crew: Rigging procedures must be briefed No cell phone/camera use during external loads Essential crew only





SCE Aircraft Operations Flight Request Form

Instructions: Please complete this form in its entirety and email to: <u>airops@sce.com</u> or fax to 909-974-4678. Once this form is received by Aircraft Operations, you will receive a response within 24 hours. For questions call SCE Aircraft Operations Dispatch at PAX 11676.

Requestor Information

Flight requested by:*	RITO DE LA C	CRUZ		*
Department:*	HOTLINE CONSTRUCTION INC			
Pax:*	N/A			
Cell Number:*	805-616-5200			
Email Address:*	Rdelacruz@ho	otlineconstructioninc.com		
SAP Accounting Number*	1516593			
		Flight Description	on	
Please choose a mission type	:			
•				
□ Camera – HD/IR	×	Line String	×	Pole-set
□ Crew support		Passenger		Recon
□ External Load		Patrol		Training
□ HEC		Photo		Need more info, please contact
Mission specific details (ex: 4619658E OUT-45' CLASS 1424572E OUT- 40' CLASS 1424570E OUT 45' CLASS General Operating Location District	S 4 WOOD S 5 WOOD S 4 WOOD	IN-45' CLASS 1 IN - 40' CLASS 1	COMP COMP	al load type, etc):
LZ Coordinates (if known)		34 27 49.4N 119 11 05.8	BW	
Pick-up location for passens	ger flights			
Drop-off location for passen	ger flights			
1		÷:		
Date(s) for which service is	requested	9-21-19 DUE DATE		
Time of Pick-up		0800		
Approx. mission duration (i	f known)	6HRS		
Back-up date for mission (if	known)			
Authorizer				
Authorizer PAX and cell nu	mber			
*required information				Click to e-mail form
For office use only Date Received by Aircraft Oper Referred to contractor: No Follow up status: Week 1 Week 2 Week 3	Yes, Date:	Con	ipany:	



To: Jeffrey Teubner

Company: Guardian Helicopter, Inc.

Phone: 818-442-9904

Fax:

Email: iteubner@guardianhelicoptersusa.com

Van Nuys Flight Standards District Office

16501 Sherman Way

Suite 330

Van Nuys, California 91406-3757

818-267-3300

Fax: 818-786-9732

From: Jeffrey J Culligan

Title: Aviation Safety Inspector

Facsimile / Email

Date: 11/05/2019

Pages w/cover: 8

RE: LP20014

We confirm the approval of the Congested Area Plan (CAP) submitted by you on November 05, 2019

This approval concerns the proposed operation at just West of McNell Str. and North of Thacher Str. on the North East side of Ojia, CA on November 12, 2019 from Sunrise to Sunset local time.

Inspectors from this office may monitor the operation to ensure compliance with the approved

Should you have any questions or need to submit a change to this plan, please contact this office at 818-267-3300.

Sincerely,

Jeffrey J Culligan

Aviation Safety Inspector

J. Calligan

Enclosure

Jeffry Cullyan

U.S. Department of Transportation



Part 135 GH 4A Part 133 GH 4L

Congested Area Plan

Operator:

Guardian Helicopters, Inc

67 D STREET

Fillmore CA. 93015

Phone (818) 442-9904

FAX (818) 442-9901

EDISON POLE REPLACEMENT WORK ORDER #: TD1516593 PROJECT: ADDRESS: THACHER ROAD : ОЛА CA LZ STAGING AREA LATITUDE 34°27'53.38"N LATITUDE 119°11'10.72"W 4619658E LATITUDE 34°27'49.03"N LATITUDE 119°11'25.58"W 45 CL 1 COMP 1200 LBS 1424570E LATITUDE 34°27'50.21"N LATITUDE 119°11'25.66"W 40 CL 1 COMP 1000 LBS 1424572E LATITUDE 34°27'53.83"N LATITUDE 119°11'26.07"W 45 CL 1 COMP 1200 LBS CONTACT AT SITE: RITO DE LA CRUZ PHONE#: 805-616-5200 PILOT'S NAME(S): 1. JOHN OLSON CERT #: 2769166 CERT #: #:2778051 2. BUCKEY MACKAY 3. MARTIN RODRIGUEZ CERT #: 3555121 CERT# 33018828 4. MICHAEL KLINK TYPE OF AIRCRAFT: BELL UH-1H N# N711GH A/C CATEGORY: RESTRICTED BELL UH-1H N# N214KK A/C CATEGORY: RESTRICTED N# N407GH A/C CATEGORY: STANDARD **BELL 407** BELL 205A1 N# N216GH A/C CATEGORY: STANDARD N# N498PT A/C CATEGORY: STANDARD AS350 B2 N# N718GH A/C CATEGORY: STANDARD AS350 B3 N# N215GH A/C CATEGORY: STANDARD AS350 B3 IF SAFETY DICTATES AND OR THE CUSTOMER REQUESTS ADDITIONAL LIFTS THE LIFTS WILL BE CONDUCTED REMAINING WITHIN THE APPROVED TIME PARAMETERS. TYPE OF LIFTS: :(3) ♥ 45 CL 1 COMP (3) ♠ 45 CL 1 COMPOSITE 1000 LBS 3600 FT OF 1/0A COVERED LINE CLASS OF LOAD: EXTL CL B TYPE OF ITEM LIFTING: ☐ ERODYNAMIC ☐ NON- AERODYNAMIC MAX 2000 LBS LONG LINE: (NO) XXX (YES) LESS THEN 150 FT +45 ft Pole 195ft total NO. OF LIFTS: 20 (LENGTH) OPERATIONAL ALTITUDE: <250 STREET CLOSING: (N0) XX DATE AND TIMES OPERATION WILL BEGIN AND TERMINATE:

FLIGHT DATES	TIME BEGIN	TIME END	TODAY'S DATE
11-12-2019	SUNRISE	SUNSET	11-5-2019
AGENCY NAME:	PHONE#:	PERSON NOTIFIED:	DATE:
OJAI POLICE	805-656-1414	WATCH COMMANDER	NOTIFY
VENTURA COUNTY FIRE	805-371-1111	STATION 21	NOTIFY



Part 135 GH 4A Part 133 GH 4L

Congested Area Plan

Operator:

Guardian Helicopters, Inc

67 D Street

Fillmore, California 93015

Evacuation	Crowd Control	Street Closure
☐ No Evacuated Structures ☐ Evacuated Structures	☑Operator ☑Contractor	✓Yes □ No ✓Contractor
		Operator

LIST OF BUILDINGS THAT SHALL EITHER BE PARTIALLY OR ENTIRELY UNOCCUPIED PERSONS ALSO HOMES THAT WILL BE NOTIFIED OF ACTIVITY:

BUILDING DESCRIPTION/ADDRESS REMARKS METHOD

4295 THACHER RD VACANT DURING OPS HAND DELIVER

4255 THACHER RD VACANT DURING OPS HAND DELIVER

4245 THACHER RD VACANT DURING OPS HAND DELIVER

ALL HOMES WITHIN RED OPERATING VACANT DURING OPS HAND DELIVER

AREA

SEE DIAGRAM = VACANT

VACANT DURING OPS

HAND DELIVER



Narrative description of pick-up site, route, delivery site, and plan for ceasing operation if unauthorized persons enter operational area or real hazard occurs.

SITE INSPECTION NOTES


ONLY PERSONNEL ESSENTIAL TO COMPLETING THE JOB SAFELY WILL BE PERMITTED TO PARTICIPATE IN THE EVOLUTION. ONLY PERSONNEL PARTICIPATING IN THE SAFETY BRIEF WILL BE PERMITTED TO BE IN THE AREA OF OPERATIONS. ONLY AUTHORIZED ESSENTIAL PERSONAL WILL BE PERMITTED IN THE IMMEDIATE AREA OF OPERATIONS. IN THE EVENT AN UNAUTHORIZED PERSON ENTERS THE OPERATIONS AREA OR A POTENTIAL HAZARD IS IDENTIFIED THE PILOT WILL HOLD THE AIRCRAFT IN RELATIVE POSITION. THIS WILL BE ACHIEVED WITHOUT OVER FLYING THE GROUND CREW. ALL OPERATIONS WILL BE CEASED UNTIL THE PROBLEM IS RECTIFIED. IN THE EVENT OF AN AIRCRAFT EMERGENCY, THE PILOT WILL RADIO GROUND PERSONNEL AND WILL ATTEMPT TO LAND IN THE EMERGENCY LANDING AREA.

DURING THE LIFT EVOLUTION THE AIRCRAFT AND GROUND CREW WILL ALL BE IN RADIO COMMUNICATIONS. IN THE EVENT OF LOSS COMMUNICATIONS, THE CREW WILL USE STANDARD HAND SIGNALS TO COMMUNICATE WITH THE PILOT. WHEN THE PILOT IS CLEAR HE WILL MOVE THE AIRCRAFT TO A SAFE LOCATION TO ALLOW THE COMMUNICATION PROBLEM TO BE RECTIFIED.

THE OPERATIONS AREA IS WITHIN THE SECURED AREA. ALL ESSENTIAL CREW WITHIN THE OPERATIONS AREA WILL NOT BE INVOLVED IN TAKING PICTURES OR ANY OTHER USE OF CELL PHONES.

PRIOR TO BEGINNING OPERATIONS, A TAILBOARD SAFETY BRIEF WILL BE CONDUCTED.

- 1. HELICOPTER WILL LAND AT THE LZ TO CONNECT THE LONGLINE. THE POLES WILL BE STAGED AT THE LANDING ZONE.
- 2. FUELING WILL BE CONDUCTED AT THE LANDING ZONE
- 3. EMERGENCY LANDING ZONE IS AT THE STAGING AREA AND ALONG THE FLIGHT PATH
- 4. TAILBOARD SAFETY BRIEF CONDUCTED AT THE STAGING AREA PRIOR TO FLIGHT
- 5. DRIVEWAY CLOSURE WILL BE PER DRAWING BELOW
- 6. HOME EVACUATION WILL BE PER DRAWING. ALL HOMES WITHIN THE RED OPERATING AREA WILL BE VERIFIED VACANT
- 7. WATER TRUCK REQUIRED AT LANDING ZONE
- 8. STREET CLOSURE, CONTRACTOR AND GHI PERSONAL WILL VERIFY EVACUATION COMPLIANCE
- THE CONTRACTOR WILL TRIM TREES IF REQUIRED





10-5-2019 DATE OF SUBMISSION Jeffrey M. Julia

COMPANY OFFICIAL / TITLE



Dear neighbor,

Guardian Helicopters Inc is a subcontractor of Southern California Edison (SCE). We will be working in your neighborhood to upgrade its electrical facilities to provide you a modern and reliable power grid. Your safety is our highest priority during this construction activity. We apologize for any inconvenience this may cause and will make every effort to minimize potential impacts during construction activities. Thank you for your patience as we complete these upgrades for you.

Upgrades in Your Area

We will be using a helicopter to set new utility pole.

What to Expect

- Federal Aviation Administration regulations require we take certain precautions to ensure the safety of the public during our operation. To do this your residence must be completely vacated while the helicopter sets the new utility pole. At no time will our helicopter over fly any residence with a load attached.
- DRIVEWAY LEADING TO HOMES WILL BE CLOSED DURING OPERATION
- Guardian Helicopters primary concern during this operation is the general safety of the general public. We recommend measure to ensure the safety and control of any livestock during the period of helicopter operations.
- Work Timeline*
- Date: 11-12-2019
- Hours: 8:00 a.m. 6:00 p.m.

The timeframe for the evacuation is approximately 120 minutes once all residents have left.

A Guardian Helicopter Inc representative will make contact with you and/or any responsible persons at your residence with further instructions shortly before the aircraft operation is to take place. Please notify all family members, workers, or anyone who may be at your residence on this date of the evacuation. It is important to us that our activity presents as little inconvenience to you as possible.

Project Area

THE POLES ARE WILL BE STAGED IN THE CLEAR FIELD TO THE NORTH WEST OF THACHER RD.



LIST OF BUILDINGS THAT SHALL EITHER BE PARTIALLY OR ENTIRELY UNOCCUPIED PERSONS ALSO HOMES THAT WILL BE NOTIFIED OF ACTIVITY:

BUILDING DESCRIPTION/ADDRESS	REMARKS	METHOD
4295 THATCHER RD	VACANT DURING OPS	HAND DELIVER
4255 THATCHER RD	VACANT DURING OPS	HAND DELIVER
4245 THATCHER RD	VACANT DURING OPS	HAND DELIVER
ALL HOMES WITHIN RED OPERATING AREA	VACANT DURING OPS	HAND DELIVER
SEE DIAGRAM = VACANT	VACANT DURING OPS	HAND DELIVER





Safety Tips

- Please close and secure back yard umbrellas and canopies
- Close all doors and windows to prevent dust from entering your home
- If possible ensure your animals are secure or clear of the area.

If you have any questions or concerns please feel free to give me a call. In addition I will be on site and can be reached on my cell phone.

Best regards,

Jeffrey M. Teubner

Flight Coordinator

818-442-9904 office

818-621-3794 cell

www.guardianhelicoptersusa.com





SCE Aircraft Operations Flight Request Form

Instructions: Please complete this form in its entirety and email to: <u>airops@sce.com</u> or fax to 909-974-4678. Once this form is received by Aircraft Operations, you will receive a response within 24 hours. For questions call SCE Aircraft Operations Dispatch at PAX 11676.

Requestor Information

Fligh	nt requested by:*	RITO DE LA	CRUZ		(2)
	artment:*	HOTLINE CONSTRUCTION INC			
Pax:		N/A			
	Number:*	805-616-5200			
	il Address:*	Rdelacruz@ho	otlineconstructioninc.com		
SAP	Accounting Number*	1516593			
			Flight Descripti	on	
Pleas	se choose a mission type):			
	C YID #D		T . C	_	Dala and
	Camera – HD/IR	×	Line String	×	Pole-set
	Crew support		Passenger		Recon
	External Load		Patrol		Training
	HEC		Photo		Need more info, please contac
Miss	ion specific details (ex:	Passenger i	name, nole size/we	ight, extern	ial load type, etc):
	9658E OUT-45' CLAS				iai ioaa typo, ete).
	4572E OUT- 40' CLAS				
	4572E OUT 45' CLAS				
1424	43/0E 001 43 CLAS	34 0000	11V - 43 OLAGO 1	COIVII	
Gene	eral Operating Location	1	OJAI		
District		39			
LZ Coordinates (if known)		34 27 49.4N 119 11 05.	.8W		
Pick-up location for passenger flights					
Drop-off location for passenger flights					
Date	(s) for which service is	requested	9-21-19 DUE DATE		
Time	e of Pick-up		0800		
	rox. mission duration (i		6HRS		
Back	x-up date for mission (if	known)			
			_		
Auth	orizer				
Auth	orizer PAX and cell nu	mber			
*req	uired information				Click to e-mail form
For o	office use only				
Date	Received by Aircraft Oper	ations:	Date In	itial Contact	Made:
Refer	red to contractor: □ No □	Yes, Date:	Con	npany:	
Follo	w up status: □ Week 1				
	□ Week 2				
	□ Week 3				







Part 135 GH 4A Part 133 GH 4L

Congested Area Plan

Operator:

Guardian Helicopters, Inc.

67 D STREET

Fillmore CA. 93015

Phone (818) 442-9904 FAX (818) 442-9901

EDISON POLE REPLACEMENT WORK ORDER #: TD1516593 PROJECT: : OJIA CA

ADDRESS: THACHER ROAD

LZ STAGING AREA LATITUDE 34°27'53.38"N LATITUDE 119°11'10.72"W

4619658E LATITUDE 34°27'49.03"N LATITUDE 119°11'25.58"W 45 CL 1 COMP 1200 LBS 1424570E LATITUDE 34°27'50.21"N LATITUDE 119°11'25.66"W 40 CL 1 COMP 1000 LBS 1424572E LATITUDE 34°27'53.83"N LATITUDE 119°11'26.07"W 45 CL 1 COMP 1200 LBS

PHONE#: 805-616-5200 CONTACT AT SITE: RITO DE LA CRUZ

PILOT'S NAME(S): 1. JOHN OLSON CERT #: 2769166 CERT #: #:2778051 2. BUCKEY MACKAY

> CERT #: 3555121 3. MARTIN RODRIGUEZ 4. MICHAEL KLINK CERT# 33018828

TYPE OF AIRCRAFT:

BELL UH-1H_N# N711GH_A/C CATEGORY: RESTRICTED BELL UH-1H N# N214KK A/C CATEGORY: RESTRICTED N# N407GH A/C CATEGORY: STANDARD BELL 407 BELL 205A1 N# N216GH A/C CATEGORY: STANDARD N# N498PT A/C CATEGORY: STANDARD AS350 B2 N# N718GH A/C CATEGORY: STANDARD AS350 B3 N# N215GH A/C CATEGORY: STANDARD AS350 B3

IF SAFETY DICTATES AND OR THE CUSTOMER REQUESTS ADDITIONAL LIFTS THE LIFTS WILL BE CONDUCTED REMAINING WITHIN THE APPROVED TIME PARAMETERS.

TYPE OF LIFTS: :(3) ♥ 45 CL 1 COMP (3) ♠ 45 CL 1 COMPOSITE 1000 LBS 3600 FT OF 1/0A COVERED LINE CLASS OF LOAD: EXTL CL B TYPE OF ITEM LIFTING: ☐ ERODYNAMIC ☑ NON- AERODYNAMIC **MAX 2000 LBS**

LONG LINE: (NO) XXX (YES) LESS THEN 150 FT +45 ft Pole 195ft total NO. OF LIFTS: 20 (LENGTH)

OPERATIONAL ALTITUDE: <250 STREET CLOSING: (N0) XX (YES)

DATE AND TIMES OPERATION WILL BEGIN AND TERMINATE:

FLIGHT DATES	TIME BEGIN	TIME END	TODAY'S DATE
11-12-2019	SUNRISE	SUNSET	11-5-2019
AGENCY NAME:	PHONE#:	PERSON NOTIFIED:	DATE:
OJAI POLICE	805-656-1414	WATCH COMMANDER	NOTIFY
VENTURA COUNTY FIRE	805-371-1111	STATION 21	NOTIFY



Part 135 GH 4A Part 133 GH 4L

Congested Area Plan

Operator:

Guardian Helicopters, Inc

67 D Street

Fillmore, California 93015

Evacuation	Crowd Control	Street Closure
☐ No Evacuated Structures ☐ Evacuated Structures	☑Operator ☑Contractor	
		Operator

LIST OF BUILDINGS THAT SHALL EITHER BE PARTIALLY OR ENTIRELY UNOCCUPIED PERSONS

ALSO HOMES THAT WILL BE NOTIFIED OF ACTIVITY:

BUILDING DESCRIPTION/ADDRESS	REMARKS	METHOD
4295 THATCHER RD	VACANT DURING OPS	HAND DELIVER
4255 THATCHER RD	VACANT DURING OPS	HAND DELIVER
4245 THATCHER RD	VACANT DURING OPS	HAND DELIVER
ALL HOMES WITHIN RED OPERATING	VACANT DURING OPS	HAND DELIVER
AREA		
SEE DIAGRAM = VACANT	VACANT DURING OPS	HAND DELIVER





10-5-2019 DATE OF SUBMISSION Jeffrey M Julia

COMPANY OFFICIAL / TITLE

Narrative description of pick-up site, route, delivery site, and plan for ceasing operation if unauthorized persons enter operational area or real hazard occurs.

SITE INSPECTION NOTES

ONLY PERSONNEL ESSENTIAL TO COMPLETING THE JOB SAFELY WILL BE PERMITTED TO PARTICIPATE IN THE EVOLUTION. ONLY PERSONNEL PARTICIPATING IN THE SAFETY BRIEF WILL BE PERMITTED TO BE IN THE AREA OF OPERATIONS. ONLY AUTHORIZED ESSENTIAL PERSONAL WILL BE PERMITTED IN THE IMMEDIATE AREA OF OPERATIONS. IN THE EVENT AN UNAUTHORIZED PERSON ENTERS THE OPERATIONS AREA OR A POTENTIAL HAZARD IS IDENTIFIED THE PILOT WILL HOLD THE AIRCRAFT IN RELATIVE POSITION. THIS WILL BE ACHIEVED WITHOUT OVER FLYING THE GROUND CREW. ALL OPERATIONS WILL BE CEASED UNTIL THE PROBLEM IS RECTIFIED. IN THE EVENT OF AN AIRCRAFT EMERGENCY, THE PILOT WILL RADIO GROUND PERSONNEL AND WILL ATTEMPT TO LAND IN THE EMERGENCY LANDING AREA.

DURING THE LIFT EVOLUTION THE AIRCRAFT AND GROUND CREW WILL ALL BE IN RADIO COMMUNICATIONS. IN THE EVENT OF LOSS COMMUNICATIONS, THE CREW WILL USE STANDARD HAND SIGNALS TO COMMUNICATE WITH THE PILOT. WHEN THE PILOT IS CLEAR HE WILL MOVE THE AIRCRAFT TO A SAFE LOCATION TO ALLOW THE COMMUNICATION PROBLEM TO BE RECTIFIED.

THE OPERATIONS AREA IS WITHIN THE SECURED AREA. ALL ESSENTIAL CREW WITHIN THE OPERATIONS AREA WILL NOT BE INVOLVED IN TAKING PICTURES OR ANY OTHER USE OF CELL PHONES.

PRIOR TO BEGINNING OPERATIONS, A TAILBOARD SAFETY BRIEF WILL BE CONDUCTED.

- 1. HELICOPTER WILL LAND AT THE LZ TO CONNECT THE LONGLINE. THE POLES WILL BE STAGED AT THE LANDING ZONE .
- 2. FUELING WILL BE CONDUCTED AT THE LANDING ZONE
- 3. EMERGENCY LANDING ZONE IS AT THE STAGING AREA AND ALONG THE FLIGHT PATH
- 4. TAILBOARD SAFETY BRIEF CONDUCTED AT THE STAGING AREA PRIOR TO FLIGHT
- 5. DRIVEWAY CLOSURE WILL BE PER DRAWING BELOW
- 6. HOME EVACUATION WILL BE PER DRAWING. ALL HOMES WITHIN THE RED OPERATING AREA WILL BE VERIFIED VACANT
- 7. WATER TRUCK REQUIRED AT LANDING ZONE
- 8. STREET CLOSURE, CONTRACTOR AND GHI PERSONAL WILL VERIFY EVACUATION COMPLIANCE
- 9. THE CONTRACTOR WILL TRIM TREES IF REQUIRED





Dear neighbor,

Guardian Helicopters Inc is a subcontractor of Southern California Edison (SCE). We will be working in your neighborhood to upgrade its electrical facilities to provide you a modern and reliable power grid. Your safety is our highest priority during this construction activity. We apologize for any inconvenience this may cause and will make every effort to minimize potential impacts during construction activities. Thank you for your patience as we complete these upgrades for you.

Upgrades in Your Area

We will be using a helicopter to set new utility pole.

What to Expect

- Federal Aviation Administration regulations require we take certain precautions to ensure the safety of the public during our operation. To do this your residence must be completely vacated while the helicopter sets the new utility pole. At no time will our helicopter over fly any residence with a load attached.
- DRIVEWAY LEADING TO HOMES WILL BE CLOSED DURING OPERATION
- Guardian Helicopters primary concern during this operation is the general safety of the general public. We recommend measure to ensure the safety and control of any livestock during the period of helicopter operations.
- Work Timeline*
- Date: 11-12-2019
- Hours: 8:00 a.m. 6:00 p.m.

The timeframe for the evacuation is approximately 120 minutes once all residents have left.

A Guardian Helicopter Inc representative will make contact with you and/or any responsible persons at your residence with further instructions shortly before the aircraft operation is to take place. Please notify all family members, workers, or anyone who may be at your residence on this date of the evacuation. It is important to us that our activity presents as little inconvenience to you as possible.

Project Area

THE POLES ARE WILL BE STAGED IN THE CLEAR FIELD TO THE NORTH WEST OF THACHER RD.



LIST OF BUILDINGS THAT SHALL EITHER BE PARTIALLY OR ENTIRELY UNOCCUPIED PERSONS ALSO HOMES THAT WILL BE NOTIFIED OF ACTIVITY:

BUILDING DESCRIPTION/ADDRESS	REMARKS	METHOD	
4295 THATCHER RD	VACANT DURING OPS	HAND DELIVER	
4255 THATCHER RD	VACANT DURING OPS	HAND DELIVER	
4245 THATCHER RD	VACANT DURING OPS	HAND DELIVER	
ALL HOMES WITHIN RED OPERATING AREA	VACANT DURING OPS	HAND DELIVER	
SEE DIAGRAM = VACANT	VACANT DURING OPS	HAND DELIVER	
SEE DIAGRAM = VACANT	VACANT DURING OPS	HAND DELIVER	





Safety Tips

- Please close and secure back yard umbrellas and canopies
- Close all doors and windows to prevent dust from entering your home
- If possible ensure your animals are secure or clear of the area.

If you have any questions or concerns please feel free to give me a call. In addition I will be on site and can be reached on my cell phone.

Best regards,

Jeffrey M. Teubner

Flight Coordinator

818-442-9904 office

818-621-3794 cell

