

HELICOPTER LIFT OPERATIONS SAFETY BRIEF CHECKLIST

	ER OPERATION A THOROUGH SAFETY BRIEF
WILL BE CONDUCTED UTILIZING THE F	FOLLOW CHECKLIST: SANTA Paula
☐ SAFETY BRIEF SIGN IN	12-16-2019
☐ GHI CREW INTRODUCTION	Ct - CAP
☐ IS A TRANSLATOR REQUIRED	NON-CAP Stage from 6+11 empty hook to pole staging area
■ WORK STOP AUTHORITY	(3) poles 2100 Largest
☐ DESIGNATE A 911 CALLER	+D 1576898 902 748081 TD 1537489
☐ IDENTIFY CLOSEST EMERGENCY ME	EDICAL SERVICES
☐ CREW FATIGUE AND HYDRATION	
☐ HELICOPTER LIFT LIMITATIONS	
☐ HAZMAT WILL OR WILL NOT BE CA	RRIED ON THE HOOK
☐ NON GHI EMPLOYEES WILL NOT AF	PPROACH HELICOPTER WITH ROTORS ENGAGED
☐ HELICOPTER HAZARD AREA (TAIL/	MAIN ROTOR)
☐ EFFECT OF ROTOR DOWN WASH O	N LOAD
DUST MASK: BURN AREA, DUST	, POLLEN EXPOSURE
☐ HELICOPTER DOOR REMOVAL AND	FIRE EXTINGUISHER LOCATION
☐ PPE REQUIREMENTS (GLOVES, EYE	PROTECTION, HARD HAT WITH CHIN STRAP
☐ PILOT/GROUND CREW COMMUNIC	CATIONS/ LOST COMMUNICATIONS
PROCEDURES	
□ POTENTIAL STATIC CHARGE CAUSE	D BY HELICOPTER
☐ SITE PLAN /FLIGHT PATH	
☐ FALL, PINCH, CRUSH DANGER POIN	ITS
☐ RIGGING OPERATIONS CONNECTIN	IG AND DISCONNECTING CRANE HOOK AND
SPREADER BAR HOOK	
☐ PROPER SECURING OF EQUIPMENT	r / TOOLS IN SUPER SACK AND ON LONG LINE
☐ STREET CLOSURE / EVACUATION U	SE DIAGRAM TO ENSURE ALL HOMES ARE
CLEAR	
☐ NO CELL PHONES OR CAMERA USE	D BY GROUND CREW



Non-compliance with established procedures may result in your removal from the mission

Pilot:						
Support Crew:						
Location:						
Mission:						
Aircraft:						
Note: By signing this document you acknowledge you understood all items briefed to you and that you are responsible for insuring all loose items are secured when working under a helicopter.						
DATE PRINT NAME SIGNATURE COMPAN						



SCE Aircraft Operations Flight Request Form

Instructions: Please complete this form in its entirety and email to: <u>airops@sce.com</u> or fax to 909-974-4678. Once this form is received by Aircraft Operations, you will receive a response within 24 hours. For questions call SCE Aircraft Operations Dispatch at PAX 11676.

Requestor Information

Flight	t requested by:*	Jacob Yonkers	3		
	rtment:*	Operations			
Pax:*		79315			
	Number:*	931-625-6216			
	l Address:*	jacob.yonkers@SCE.com			
	Email Addi Cos.				
SAP	Accounting Number*	TD1488683			
			Flight Description	<u>on</u>	
Please	e choose a mission type	e:			
					D 1
	Camera – HD/IR		Line String	×	Pole-set
	Crew support		Passenger		Recon
×	External Load		Patrol		Training
	HEC		Photo		Need more info, please conta
3.61	• (m T , *T /	D		aht outour	alload type etcl
	on specific details (ex:		iame, poie size/wei	gni, extern	iai load type, etc).
TD14	488683, 45' Class 2 V	Vood Set			()
Gene	ral Operating Location	n			
Distr			D39		
	Coordinates (if known)		Would like to do a field v	valk to pick LZ	
	up location for passen	ger flights			
Drop-off location for passenger flights					
2.00		8 0			
Date	(s) for which service is	requested	12-16		
	of Pick-up		0900		
	ox. mission duration (if known)	12 hours		
	-up date for mission (i				
Auth	Authorizer Jacob Yonkers				
Authorizer PAX and cell number		931-625-6216			
*requ	uired information				Click to e-mail form
For o	ffice use only				
Date 1	Received by Aircraft Open	rations:	Date Ini	tial Contact	Made:
Refer	red to contractor: No	Yes, Date:_	Con	npany:	
	□ Week 2				
	□ Week 3				

Tailboard Briefing Guide Updated: January 17, 2019

AIRCRAFT	ENVIRONMENT	EXTERNAL LOAD
 □ Approach and departure □ Main/tail rotor hazards □ Safe cargo loading/ unloading □ Loose articles:	Weather conditions Wind direction Fuel Gross weight Terrain Landing zone hazards Density altitude Noise abatement Congested area plan Traffic/crowd control Practical Standardized language "Code Red" phrases Sterile cockpit Flight following/radio procedures Possible tasks for crew, e.g., switch/tune radios, maps Hazard awareness, e.g., birds, other hazards STOP work policy Re-brief in case scope changes IMSAFE Acronym Pilot fatigue mitigation must be briefed prior to work Pilot fatigue mitigation must Pilot	Ground crew PPE Long Line & Rigging Equipment Inspection Communication: Use of headset for lineman communicating with pilot Head/Hand Signals Pole set procedures: Brief how pole will be secured: 1) Taglines 2) Pikes 3) fill dirt Steps on pole Remote hook operations Ground crew hook up procedures Static discharge Emergency flyaway procedures Long line clearance (6'- 25'- 150% rule) No person under load Ground crew safety zone Pole removal with potential snag issues must be discussed Nylon straps (wood vs. glass) Load ratings (7:1 minimum) Dry Run/Play by play pole set Procedures Induced Voltage from: - Adjacent circuits, Underbuild, Parallel circuits etc. In case of Non-Company ground crew: Rigging procedures must be briefed No cell phone/camera use during external loads Essential crew only



SECTION 7

Part 135 GH 4A Part 133 GH 4L

NON Congested Area Plan

Operator:

Guardian Helicopters, Inc

67 D STREET

Fillmore CA. 93015 Phone (818) 442-9904 FAX (818) 442-9901

EDISON POLE AND HEC WORK ORDER #: TD1576898 902748081 TD1537489 PROJECT:

ADDRESS: WILLARD CANYON RD : SANTA PAULA CA

POLE STAGING AREA LATITUDE 34°21'2.12"N LONGITUDE 119° 0'49.57"W

2358853E 34°20'52.61"N 119° 0'32.84"W45 CL 1 COMPOSITE 1300 LBS

1703142E 34°21'4.46"N119° 0'38.74"W 45 CL 1 COMPOSITE 1300 LBS

141897E 34°19'39.02"N119° 0'35.90"W 60FT CL 2 COMPOSITE 2100 LBS

PHONE#: 310-613-3224 CONTRACTOR'S JACOB YONKERS

PHONE#: 310-613-3224 CONTACT AT SITE; MOOREPARK SCE

PILOT'S NAME(S): 1. JOHN OLSON CERT #: 2769166

CERT #: #:2778051 2. BUCKEY MACKAY

CERT #: 3555121 3. MARTIN RODRIGUEZ

4. MICHAEL KLINK CERT# 33018828

N# N711GH_A/C CATEGORY: RESTRICTED TYPE OF AIRCRAFT:BELL UH-1H

BELL UH-1H N# N214KK A/C CATEGORY: RESTRICTED

BELL 407 N# N407GH A/C CATEGORY: STANDARD

BELL 205A1 N# N216GH_A/C CATEGORY: STANDARD

N# N498PT A/C CATEGORY: STANDARD AS350 B2

N# N718GH A/C CATEGORY: STANDARD

AS350 B3

N# N215GH_A/C CATEGORY: STANDARD AS350 B3

TYPE OF ITEM LIFTING: POLE ☐ AERODYNAMIC ☑ NON- AERODYNAMIC

IF SAFETY DICTATES AND OR THE CUSTOMER REQUESTS ADDITIONAL LIFTS THE LIFTS WILL BE CONDUCTED REMAINING WITHIN THE APPROVED TIME PARAMETERS.

TYPE OF LIFTS:(3) ♥ (3) ♠ POSSIBLE HEC 2100 LBS

CLASS OF

LOAD:EXTL CL B

(NO) XXX (YES) LESS THEN 150 FT (LENGTH) NO. OF LIFTS: 4 LONG LINE:

OPERATIONAL ALTITUDE: < 250 STREET CLOSING: (N0) XX (YES)

DATE AND TIMES OPERATION WILL BEGIN AND TERMINATE:

FLIGHT DATES	TIME BEGIN	TIME END	TODAY'S DATE
12-16-2019	SUNRISE	SUNSET	12-6-2019
AGENCY NAME:	PHONE#:	PERSON NOTIFIED:	DATE:
FILLMORE POLICE	805-524-2233	DISPATCH	NOTIFY
FILLMORE FIRE	802-524-0586	DISPATCH	NOTIFY
SANTA PAULA POLICE	805-525-4474	DISPATCH	NOTIFY
SANTA PAULA FIRE	805-933-4225	DISPATCH	NOTIFY



SECTION 7

Part 135 GH 4A Part 133 GH 4L

NON Congested Area Plan

Operator:

Guardian Helicopters, Inc

67 D Street

Fillmore, California 93015

Evacuation No Evacuated Structures	Crowd Control Operator	Street Closure Yes No
□ Evacuated Structures	Contractor	Contractor
		Operator

LIST OF BUILDINGS THAT SHALL EITHER BE PARTIALLY OR ENTIRELY UNOCCUPIED PERSONS

ALSO HOMES THAT WILL BE NOTIFIED OF ACTIVITY:

BUILDING DESCRIPTION/ADDRESS	REMARKS	METHOD
NONE	VACANT DURING OPS	HAND DELIVER
ALL HOMES WITHIN RED OPERATING	VACANT DURING OPS	HAND DELIVER
AREA		
SEE DIAGRAM = VACANT	VACANT DURING OPS	HAND DELIVER

Narrative description of pick-up site, route, delivery site, and plan for ceasing operation if unauthorized persons enter operational area or real hazard occurs.

SITE INSPECTION NOTES


ONLY PERSONNEL ESSENTIAL TO COMPLETING THE JOB SAFELY WILL BE PERMITTED TO PARTICIPATE IN THE EVOLUTION. ONLY PERSONNEL PARTICIPATING IN THE SAFETY BRIEF WILL BE PERMITTED TO BE IN THE AREA OF OPERATIONS. ONLY AUTHORIZED ESSENTIAL PERSONAL WILL BE PERMITTED IN THE IMMEDIATE AREA OF OPERATIONS. IN THE EVENT AN UNAUTHORIZED PERSON ENTERS THE OPERATIONS AREA OR A POTENTIAL HAZARD IS IDENTIFIED THE PILOT WILL HOLD THE AIRCRAFT IN RELATIVE POSITION. THIS WILL BE ACHIEVED WITHOUT OVER FLYING THE GROUND CREW. ALL OPERATIONS WILL BE CEASED UNTIL THE PROBLEM IS RECTIFIED. IN THE EVENT OF AN AIRCRAFT EMERGENCY, THE PILOT WILL RADIO GROUND PERSONNEL AND WILL ATTEMPT TO LAND IN THE EMERGENCY LANDING AREA.


DURING THE LIFT EVOLUTION THE AIRCRAFT AND GROUND CREW WILL ALL BE IN RADIO COMMUNICATIONS. IN THE EVENT OF LOSS COMMUNICATIONS, THE CREW WILL USE STANDARD HAND SIGNALS TO COMMUNICATE WITH THE PILOT. WHEN THE PILOT IS CLEAR HE WILL MOVE THE AIRCRAFT TO A SAFE LOCATION TO ALLOW THE COMMUNICATION PROBLEM TO BE RECTIFIED.

THE OPERATIONS AREA IS WITHIN THE SECURED AREA. ALL ESSENTIAL CREW WITHIN THE OPERATIONS AREA WILL NOT BE INVOLVED IN TAKING PICTURES OR ANY OTHER USE OF CELL PHONES.

PRIOR TO BEGINNING OPERATIONS, A TAILBOARD SAFETY BRIEF WILL BE CONDUCTED.

- HELICOPTER WILL BASE FROM GHI FACILITY IN FILMORE. THE HELICOPTER WILL FLY EMPTY HOOK FROM GHI TO POLE STAGING AREA WITHOUT OVERFLIGHT OF HOMES AND CROSSING THE ROAD WHEN CLEAR.
- 2. THE SAFETY TAILBOARD WILL BE CONDUCTED AT THE POLE STAGING AREA
- 3. EMERGENCY LANDING ZONE IS AT THE STAGING AREA AND ALONG THE FLIGHT PATH
- 4. WILLARD CANYON ROAD WILL EXPERIENCE INTERMITTENT STREET CLOSURES
- 5. WATER TRUCK NOT REQUIRED
- 6. THE POLES WILL BE LIFTED FROM THE STAGING AREA
- 7. THE CONTRACTOR WILL TRIM TREES IF REQUIRED







12-6-2019
DATE OF SUBMISSION

Sprey M. Julia

COMPANY OFFICIAL / TITLE