

GUARDIAN

HELICOPTERS, INC.

HELICOPTER LIFT OPERATIONS SAFETY BRIEF CHECKLIST

PRIOR TO BEGINNING ANY HELICOPTER OPERATION A THOROUGH SAFETY BRIEF WILL BE CONDUCTED UTILIZING THE FOLLOW CHECKLIST: *Running Springs CA*

- ☐ SAFETY BRIEF SIGN IN *12-2-2019*
- ☐ GHI CREW INTRODUCTION *Seymour RD*
- ☐ IS A TRANSLATOR REQUIRED *work in conjunction w/ Bear Valley*
- ☐ WORK STOP AUTHORITY *Approx 10 mile away*
- ☐ DESIGNATE A 911 CALLER *HEC Arms only*
- ☐ IDENTIFY CLOSEST EMERGENCY MEDICAL SERVICES *Non-CAP L2*
- ☐ CREW FATIGUE AND HYDRATION *SAP 962755781*
- ☐ HELICOPTER LIFT LIMITATIONS
- ☐ HAZMAT WILL OR WILL NOT BE CARRIED ON THE HOOK
- ☐ NON GHI EMPLOYEES WILL NOT APPROACH HELICOPTER WITH ROTORS ENGAGED
- ☐ HELICOPTER HAZARD AREA (TAIL/MAIN ROTOR)
- ☐ EFFECT OF ROTOR DOWN WASH ON LOAD

DUST MASK: BURN AREA, DUST, POLLEN EXPOSURE

- ☐ HELICOPTER DOOR REMOVAL AND FIRE EXTINGUISHER LOCATION
- ☐ PPE REQUIREMENTS (GLOVES, EYE PROTECTION, HARD HAT WITH CHIN STRAP)
- ☐ PILOT/GROUND CREW COMMUNICATIONS/ LOST COMMUNICATIONS

PROCEDURES

- ☐ POTENTIAL STATIC CHARGE CAUSED BY HELICOPTER
- ☐ SITE PLAN /FLIGHT PATH
- ☐ FALL, PINCH, CRUSH DANGER POINTS
- ☐ RIGGING OPERATIONS CONNECTING AND DISCONNECTING CRANE HOOK AND SPREADER BAR HOOK
- ☐ PROPER SECURING OF EQUIPMENT / TOOLS IN SUPER SACK AND ON LONG LINE
- ☐ STREET CLOSURE / EVACUATION USE DIAGRAM TO ENSURE ALL HOMES ARE CLEAR
- ☐ NO CELL PHONES OR CAMERA USED BY GROUND CREW

[illegible]

AIRCRAFT	ENVIRONMENT	EXTERNAL LOAD
☐ Approach and departure ☐ Main/tail rotor hazards ☐ Safe cargo loading/unloading ☐ Loose articles: - Aircraft & LZ ☐ Hearing protection ☐ Door/seatbelt operation ☐ Headset/helmet/intercom ☐ Air-sickness ☐ In-flight emergencies Establish who will call 911 ☐ Location of: o First aid/survival kit o Fire extinguisher o Fuel and battery shut off procedure o Radios, ELT, SAT Phone ☐ Fueling Operations: - Duties & Safety Issues	☐ Weather conditions ☐ Wind direction ☐ Fuel ☐ Gross weight ☐ Terrain ☐ Landing zone hazards ☐ Density altitude ☐ Noise abatement ☐ Congested area plan ☐ Traffic/crowd control CRM ☐ COMMUNICATION IS CRITICAL ☐ Standardized language ☐ "Code Red" phrases ☐ Sterile cockpit ☐ Flight following/radio procedures ☐ Possible tasks for crew, e.g., switch/tune radios, maps ☐ Hazard awareness, e.g., birds, other hazards ☐ STOP work policy ☐ Re-brief in case scope changes ☐ IMSAFE Acronym Pilot fatigue mitigation must be briefed prior to work	☐ Ground crew PPE ☐ Long Line & Rigging Equipment Inspection ☐ Communication: Use of headset for lineman communicating with pilot ☐ Head/Hand Signals ☐ Pole set procedures: Brief how pole will be secured: 1) Taglines 2) Pikes 3) fill dirt ☐ Steps on pole ☐ Remote hook operations ☐ Ground crew hook up procedures ☐ Static discharge ☐ Emergency flyaway procedures ☐ Long line clearance (6' - 25' - 150% rule) ☐ No person under load ☐ Ground crew safety zone ☐ Pole removal with potential snag issues must be discussed ☐ Nylon straps (wood vs. glass) ☐ Load ratings (7:1 minimum) ☐ Dry Run/Play by play pole set Procedures ☐ Induced Voltage from: - Adjacent circuits, Underbuild, Parallel circuits etc. ☐ In case of Non-Company ground crew: Rigging procedures must be briefed ☐ No cell phone/camera use during external loads ☐ Essential crew only



SOUTHERN CALIFORNIA

EDISON

An EDISON INTERNATIONAL Company

SCE Aircraft Operations Flight Request Form

Instructions: Please complete this form in its entirety and email to: airops@sce.com or fax to 909-974-4678. Once this form is received by Aircraft Operations, you will receive a response within 24 hours. For questions call SCE Aircraft Operations Dispatch at PAX 11676.

Requestor Information

Flight requested by:*	ERNIE FRANK
Department:*	DUSI
Pax:*	00000
Cell Number:*	661-808-9526
Email Address:*	ernief@dusi2.com

SAP Accounting Number*

Flight Description

Please choose a mission type:

- | | | |
|---|---|---|
| ☐ Camera – HD/IR | ☐ Line String | ☐ Pole-set |
| ☐ Crew support | ☒ Passenger | ☐ Recon |
| ☒ External Load | ☐ Patrol | ☐ Training |
| ☒ HEC | ☐ Photo | ☐ Need more info, please contact |

Mission specific details (ex: Passenger name, pole size/weight, external load type, etc):

REPLACING 20' ARMS ON 2 H-STRUCTURES NO POLES WILL
BE REPLACED

General Operating Location	34.178271, -117.092119, ONE POLE SOUTH
District	31-REDLANDS
LZ Coordinates (if known)	34.1894833, -117.092725
Pick-up location for passenger flights	SAME
Drop-off location for passenger flights	SAME

Date(s) for which service is requested	12/2/19
Time of Pick-up	0900
Approx. mission duration (if known)	6 HRS
Back-up date for mission (if known)	N/A

Authorizer	
Authorizer PAX and cell number	

required information*[Click to e-mail form](#)For office use only**

Date Received by Aircraft Operations: _____ Date Initial Contact Made: _____

Referred to contractor: ☐ No ☐ Yes, Date: _____ Company: _____Follow up status: ☐ Week 1 _____☐ Week 2 _____☐ Week 3 _____



SECTION 7

Part 135 GH 4A Part 133 GH 4L
NON Congested Area Plan

Operator: Guardian Helicopters, Inc
67 D STREET
Fillmore CA. 93015
Phone (818) 442-9904
FAX (818) 442-9901

PROJECT: EDISON HEC ARM REPLACEMENT WORK ORDER #: SAP 902755781ADDRESS: SEYMOR ROAD : CRESTLINE CALZ STAGING AREA LATITUDE 34°11'20.39"N LONGITUDE 117° 5'33.62"WWORK AREA LATITUDE 34°10'41.78"N LONGITUDE 117° 5'31.63"WCONTRACTOR'S ERNE FRANK PHONE#: 661-808-9526CONTACT AT SITE; DUSI PHONE#: 661-808-9526

PILOT'S NAME(S): 1. JOHN OLSON CERT #: 2769166
2. BUCKEY MACKAY CERT #: 2778051
3. MARTIN RODRIGUEZ CERT #: 3555121
4. MICHAEL KLINK CERT# 33018828
5. IAN GOODALE CERT# 3741973

TYPE OF AIRCRAFT: BELL UH-1H N# N711GH A/C CATEGORY: RESTRICTEDBELL UH-1H N# N214KK A/C CATEGORY: RESTRICTEDBELL 407 N# N407GH A/C CATEGORY: STANDARDBELL 205A1 N# N216GH A/C CATEGORY: STANDARDAS350 B2 N# N498PT A/C CATEGORY: STANDARDAS350 B3 N# N718GH A/C CATEGORY: STANDARDAS350 B3 N# N215GH A/C CATEGORY: STANDARDTYPE OF ITEM LIFTING: POLE ☐ AERODYNAMIC ☒ NON- AERODYNAMIC

IF SAFETY DICTATES AND OR THE CUSTOMER REQUESTS ADDITIONAL LIFTS THE LIFTS
WILL BE CONDUCTED REMAINING WITHIN THE APPROVED TIME PARAMETERS.

TYPE OF LIFTS HEC 18 FT ARMS CLASS OF LOAD: EXTL CL BNO. OF LIFTS: TBD LONG LINE: (NO) XXX (YES) LESS THEN 150 FT (LENGTH)OPERATIONAL ALTITUDE: < 250 STREET CLOSING: (NO) XX (YES)

DATE AND TIMES OPERATION WILL BEGIN AND TERMINATE:

FLIGHT DATES	TIME BEGIN	TIME END	TODAY'S DATE
12-2-2019	SUNRISE	SUNSET	11-25-2019
AGENCY NAME:	PHONE#:	PERSON NOTIFIED:	DATE:
TWIN PEAK POLICE	909-336-0600	WATCH COMMANDER	NOTIFY
SANT BERNARDINO FIRE	909-338-0625	STATION	NOTIFY

Evacuation

No Evacuated Structures



Evacuated Structures

Crowd Control

Operator



Contractor

Street ClosureYes ☒ No

Contractor



Operator



SECTION 7

Part 135 GH 4A Part 133 GH 4L NON Congested Area Plan

Operator: Guardian Helicopters, Inc
67 D Street
Fillmore, California 93015

LIST OF BUILDINGS THAT SHALL EITHER BE PARTIALLY OR ENTIRELY UNOCCUPIED PERSONS
ALSO HOMES THAT WILL BE NOTIFIED OF ACTIVITY:

BUILDING DESCRIPTION/ADDRESS	REMARKS	METHOD
NO EVACUATIONS	VACANT DURING OPS	HAND DELIVER
ALL HOMES WITHIN RED OPERATING AREA	VACANT DURING OPS	HAND DELIVER
SEE DIAGRAM = VACANT	VACANT DURING OPS	HAND DELIVER

Narrative description of pick-up site, route, delivery site, and plan for ceasing operation if unauthorized persons enter operational area or real hazard occurs.

SITE INSPECTION NOTES

ONLY PERSONNEL ESSENTIAL TO COMPLETING THE JOB SAFELY WILL BE PERMITTED TO PARTICIPATE IN THE EVOLUTION. ONLY PERSONNEL PARTICIPATING IN THE SAFETY BRIEF WILL BE PERMITTED TO BE IN THE AREA OF OPERATIONS. ONLY AUTHORIZED ESSENTIAL PERSONAL WILL BE PERMITTED IN THE IMMEDIATE AREA OF OPERATIONS. IN THE EVENT AN UNAUTHORIZED PERSON ENTERS THE OPERATIONS AREA OR A POTENTIAL HAZARD IS IDENTIFIED THE PILOT WILL HOLD THE AIRCRAFT IN RELATIVE POSITION. THIS WILL BE ACHIEVED WITHOUT OVER FLYING THE GROUND CREW. ALL OPERATIONS WILL BE CEASED UNTIL THE PROBLEM IS RECTIFIED. IN THE EVENT OF AN AIRCRAFT EMERGENCY, THE PILOT WILL RADIO GROUND PERSONNEL AND WILL ATTEMPT TO LAND IN THE EMERGENCY LANDING AREA.

DURING THE LIFT EVOLUTION THE AIRCRAFT AND GROUND CREW WILL ALL BE IN RADIO COMMUNICATIONS. IN THE EVENT OF LOSS COMMUNICATIONS, THE CREW WILL USE STANDARD HAND SIGNALS TO COMMUNICATE WITH THE PILOT. WHEN THE PILOT IS CLEAR HE WILL MOVE THE AIRCRAFT TO A SAFE LOCATION TO ALLOW THE COMMUNICATION PROBLEM TO BE RECTIFIED.

THE OPERATIONS AREA IS WITHIN THE SECURED AREA. ALL ESSENTIAL CREW WITHIN THE OPERATIONS AREA WILL NOT BE INVOLVED IN TAKING PICTURES OR ANY OTHER USE OF CELL PHONES.

PRIOR TO BEGINNING OPERATIONS, A TAILBOARD SAFETY BRIEF WILL BE CONDUCTED.

1. HELICOPTER WILL LAND AT THE LZ TO CONNECT THE LONGLINE AND CONDUCT A TAILBOARD SAFETY MEETING AND HEC TRAINING
2. FUELING WILL BE CONDUCTED AT THE LANDING ZONE
3. EMERGENCY LANDING ZONE IS AT THE STAGING AREA AND ALONG THE FLIGHT PATH
4. NO STREET CLOSURES
5. WATER TRUCK REQUIRED AT STAGING AREA
6. FLAGMAN WILL BE POSTED AT THE LANDING ZONE PER DIAGRAM BELOW
7. EVACUATION NOT REQUIRED
8. THE ARMS AND HEC PICKUP /DROP OFF WILL BE LIFTED FROM THE STAGING AREA
9. THE CONTRACTOR WILL TRIM TREES IF REQUIRED





11-25-2019
DATE OF SUBMISSION

Jeffrey M. Jester
COMPANY OFFICIAL / TITLE



Legend



600 ft

Seymour Rd

Saltview Ln

Google Earth

© 2018 Google

Untitled Map

Write a description for your map.

Legend

-  34.178271, -117.092119
-  Running Springs

Google Earth

© 2018 Google

34.178271, -117.092119



1000 ft

Seymour Rd