

HELICOPTER LIFT OPERATIONS SAFETY BRIEF CHECKLIST

PRIOR TO BEGINNING ANY HELICOPTER OPERATION A THOROUGH SAFETY BRIEF
WILL BE CONDUCTED UTILIZING THE FOLLOW CHECKLIST: 1-13-2020
SAFETY BRIEF SIGN IN Sycamore Canyon SANTA BANKAra
LIGHICKEW INTRODUCTION / 15 /
Is A TRANSLATOR REQUIRED Lower long the from Aircraft
WORK STOP AUTHORITY NOCE
DESIGNATE A 911 CALLER TD 153920
☐ IDENTIFY CLOSEST EMERGENCY MEDICAL SERVICES Proved
☐ CREW FATIGUE AND HYDRATION
☐ HELICOPTER LIFT LIMITATIONS
☐ HAZMAT WILL OR WILL NOT BE CARRIED ON THE HOOK
□ NON GHI EMPLOYEES WILL NOT APPROACH HELICOPTER WITH ROTORS ENGAGED
☐ HELICOPTER HAZARD AREA (TAIL/MAIN ROTOR)
☐ EFFECT OF ROTOR DOWN WASH ON LOAD
DUST MASK: BURN AREA, DUST, POLLEN EXPOSURE
☐ HELICOPTER DOOR REMOVAL AND FIRE EXTINGUISHER LOCATION
☐ PPE REQUIREMENTS (GLOVES, EYE PROTECTION, HARD HAT WITH CHIN STRAP
□ PILOT/GROUND CREW COMMUNICATIONS/ LOST COMMUNICATIONS
PROCEDURES
□ POTENTIAL STATIC CHARGE CAUSED BY HELICOPTER
☐ SITE PLAN /FLIGHT PATH
☐ FALL, PINCH, CRUSH DANGER POINTS
☐ RIGGING OPERATIONS CONNECTING AND DISCONNECTING CRANE HOOK AND
SPREADER BAR HOOK
☐ PROPER SECURING OF EQUIPMENT / TOOLS IN SUPER SACK AND ON LONG LINE
☐ STREET CLOSURE / EVACUATION USE DIAGRAM TO ENSURE ALL HOMES ARE
CLEAR
□ NO CELL PHONES OR CAMERA USED BY GROUND CREW



Non-compliance with established procedures may result in your removal from the mission

w:				
Aircraft: Note: By signing this document you acknowledge you understood all items briefed to you and that you are				
PRINT NAME	SIGNATURE	COMPANY		
	-			
	insuring all loose items are secu	g this document you acknowledge you understood all items briefe insuring all loose items are secured when working under a helico		

Tailboard Briefing Guide Updated: January 17, 2019

AIRCRAFT	ENVIRONMENT	EXTERNAL LOAD
☐ Approach and departure ☐ Main/tail rotor hazards ☐ Safe cargo loading/ unloading ☐ Loose articles: - Aircraft & LZ ☐ Hearing protection ☐ Door/seatbelt operation ☐ Headset/helmet/intercom ☐ Air-sickness ☐ In-flight emergencies Establish who will call 911 ☐ Location of: ○ First aid/survival kit ○ Fire extinguisher ○ Fuel and battery shut off procedure ○ Radios, ELT, SAT Phone ☐ Fueling Operations: - Duties & Safety Issues	Weather conditions Wind direction Fuel Gross weight Terrain Landing zone hazards Density altitude Noise abatement Congested area plan Traffic/crowd control COMMUNICATION IS CRITICAL Standardized language "Code Red" phrases Sterile cockpit Flight following/radio procedures Possible tasks for crew, e.g., switch/tune radios, maps Hazard awareness, e.g., birds, other hazards STOP work policy Re-brief in case scope changes IMSAFE Acronym Pilot fatigue mitigation must be briefed prior to work	Ground crew PPE Long Line & Rigging Equipment Inspection Communication: Use of headset for lineman communicating with pilot Head/Hand Signals Pole set procedures: Brief how pole will be secured: 1) Taglines 2) Pikes 3) fill dirt Steps on pole Remote hook operations Ground crew hook up procedures Static discharge Emergency flyaway procedures Long line clearance (6'- 25'- 150% rule) No person under load Ground crew safety zone Pole removal with potential snag issues must be discussed Nylon straps (wood vs. glass) Load ratings (7:1 minimum) Dry Run/Play by play pole set Procedures Induced Voltage from: - Adjacent circuits, Underbuild, Parallel circuits etc. In case of Non-Company ground crew: Rigging procedures must be briefed No cell phone/camera use during external loads Essential crew only



SECTION 7

Part 135 GH 4A Part 133 GH 4L

Congested Area Plan				
Operator:				
operator.	67 D STREET			
	Fillmore CA	. 93015		
	Phone (818) 442-9904			
	FAX (818)			
PROJECT:	EDISON PO	LE REPLACEMENT _W	ORK ORDER #: TD 153920	
ADDRESS: S	YCAMORE (CANYON ROAD SANTA	A BARBARA CA	
LOWER LON	GLINE OVE	R POLE STAGING AREA	<u>1</u>	
POLE STAGI	NG AREA L	ATITUDE 34°26'18.55"N	LONGITUDE <u> 119°39'1.12"W</u>	<i>T</i> -
849424E LA	ΓITUDE 34°2	<u>6'17.95"N</u> LONGITUDE <u>1</u>	19°39'2.51"W 45 CL 1 COM	P 1200 LBS
CONTACT A	T SITE; JAC	COB YONKER	PHONE#: 931-625-6216	
PILOT'S NAI	ME(S): 1. JC	HN OLSON	CERT #: <u>2769166</u>	
	2. BU	JCKEY MACKAY		
	3. M.	ARTIN RODRIGUEZ		
	4. M	CHAEL KLINK	CERT# <u>3018828</u>	
TYPE OF AII	RCRAFT:			
	BEL	<u>L 407 </u>	C CATEGORY: STANDAR	<u>D</u>
	BEL	L 205A1 N# N216GH A	C CATEGORY: STANDAR	<u>D</u> .
	AS350 B2 N# N498PT A/C CATEGORY: STANDARD			
AS350 B3 N# <u>N718GH_</u> A/C CATEGORY: <u>STANDARD</u>				
	AS35	50 B3 N# <u>N215GH</u> A	C CATEGORY: STANDAR	<u>D</u>
IF SAFETY	DICTATES	AND OR THE CUSTOM	ER REQUESTS ADDITION	NAL LIFTS THE LIFTS
WILL BE CO	ONDUCTED	REMAINING WITHIN	THE APPROVED TIME PA	ARAMETERS.
TYPE OF LIFTS: :(1) ♥ (1) ♠ CLASS OF LOAD: EXTL CL B TYPE OF ITEM LIFTING: POLE □				
AERODYNAMIC MINON-AERODYNAMIC MAX 1400 LBS				
NO. OF LIFTS: 2 LONG LINE: (NO) XXX (YES) LESS THEN 100 FT (LENGTH)				
OPERATIONAL ALTITUDE: <250 STREET CLOSING: (N0) XX (YES) DATE AND TIMES OPERATION WILL BEGIN AND TERMINATE:				
		TIME BEGIN AN	TIME END	TODAY'S DATE
FLIGHT	DATES		SUNSET	1-8-2020
1-13-2020	7 DY 4 D FET	SUNRISE PHONE#	PERSON NOTIFIED:	DATE:
AGENCY		PHONE#: 805-928-3781	WATCH COMMANDER	NOTIFY
SANTA BARBAR		805-681-5518	STATION 18	NOTIFY
FIRE	21000111	13-		
Evacuation <u>Crowd Control</u> <u>Street Closure</u>				
□ No Evacuated Structures □ Operator □ Yes □ No				
 ✓Evacu	✓ Evacuated Structures ✓ Contractor ✓ Contractor			

Operator



SECTION 7

ale Earth

art 135 GH 4A Part 133 GH 4
Congested Area Plan

Operator: Guardian Helicopters, Inc

67 D Street

Fillmore, California 93015

LIST OF BUILDINGS THAT SHALL EITHER BE PARTIALLY OR ENTIRELY UNOCCUPIED PERSONS ALSO HOMES THAT WILL BE NOTIFIED OF ACTIVITY:



Narrative description of pick-up site, route, delivery site, and plan for ceasing operation if unauthorized persons enter operational area or real hazard occurs.

SITE INSPECTION NOTES

ONLY PERSONNEL ESSENTIAL TO COMPLETING THE JOB SAFELY WILL BE PERMITTED TO PARTICIPATE IN THE EVOLUTION. ONLY PERSONNEL PARTICIPATING IN THE SAFETY BRIEF WILL BE PERMITTED TO BE IN THE AREA OF OPERATIONS. ONLY AUTHORIZED ESSENTIAL PERSONAL WILL BE PERMITTED IN THE IMMEDIATE AREA OF OPERATIONS. IN THE EVENT AN UNAUTHORIZED PERSON ENTERS THE OPERATIONS AREA OR A POTENTIAL


HAZARD IS IDENTIFIED THE PILOT WILL HOLD THE AIRCRAFT IN RELATIVE POSITION. THIS WILL BE ACHIEVED WITHOUT OVER FLYING THE GROUND CREW. ALL OPERATIONS WILL BE CEASED UNTIL THE PROBLEM IS RECTIFIED. IN THE EVENT OF AN AIRCRAFT EMERGENCY, THE PILOT WILL RADIO GROUND PERSONNEL AND WILL ATTEMPT TO LAND IN THE EMERGENCY LANDING AREA.

DURING THE LIFT EVOLUTION THE AIRCRAFT AND GROUND CREW WILL ALL BE IN RADIO COMMUNICATIONS. IN THE EVENT OF LOSS COMMUNICATIONS, THE CREW WILL USE STANDARD HAND SIGNALS TO COMMUNICATE WITH THE PILOT. WHEN THE PILOT IS CLEAR HE WILL MOVE THE AIRCRAFT TO A SAFE LOCATION TO ALLOW THE COMMUNICATION PROBLEM TO BE RECTIFIED.

THE OPERATIONS AREA IS WITHIN THE SECURED AREA. ALL ESSENTIAL CREW WITHIN THE OPERATIONS AREA WILL NOT BE INVOLVED IN TAKING PICTURES OR ANY OTHER USE OF CELL PHONES.

PRIOR TO BEGINNING OPERATIONS, A TAILBOARD SAFETY BRIEF WILL BE CONDUCTED.

- 1. THE HELICOPTER WILL LOWER THE LONGLINE NEAR THE STAGING AREA
- 2. POLES WILL BE STAGED AT STAGING AREA
- 3. NO LANDING OR FUEL
- 4. EMERGENCY LANDING ZONE IS AT THE STAGING AREA AND ALONG THE FLIGHT PATH
- 5. TAILBOARD SAFETY BRIEF CONDUCTED AT THE POLE STAGING AREA PRIOR TO FLIGHT
- 6. SYCAMORE CANYON ROAD WILL EXPERIENCE INTERMITTENT CLOSURES .
- 7. SEE DRAWING BELOW FOR LOCATIONS OF CLOSURES
- 8. WATER TRUCK IS NOT REQUIRED
- 9. 4 HOME WILL BE EVACUATED DURING OPERATIONS. SEE HOMES MARKED WITH A V ON DIAGRAM. IN ADDITION ALL HOMES AND BUILDINGS WITHIN THE RED OPERATION AREA WILL BE VACANT
- 10. THE CONTRACTOR WILL TRIM TREES IF REQUIRED







1-8-2020 DATE OF SUBMISSION Jeffrey M. Justina

COMPANY OFFICIAL / TITLE



Dear neighbor,

Guardian Helicopters Inc is a subcontractor of Southern California Edison (SCE). We will be working in your neighborhood to upgrade its electrical facilities to provide you a modern and reliable power grid. Your safety is our highest priority during this construction activity. We apologize for any inconvenience this may cause and will make every effort to minimize potential impacts during construction activities. Thank you for your patience as we complete these upgrades for you.

Upgrades in Your Area

We will be using a helicopter to set new utility pole.

What to Expect

- Federal Aviation Administration regulations require we take certain precautions to ensure the safety of the public during our operation. To do this your residence must be completely vacated while the helicopter sets the new utility pole. At no time will our helicopter over fly any residence with a load attached.
- SYCAMORE CANYON ROAD WILL BE CLOSED DURING OPERATIONS
- Guardian Helicopters primary concern during this operation is the general safety of the general public. We recommend measure to ensure the safety and control of any livestock during the period of helicopter operations.
- Work Timeline*
- Date: 1-13-2020
- Hours: 8:00 a.m. 6:00 p.m.

The timeframe for the evacuation is approximately 120 minutes once all residents have left.

A Guardian Helicopter Inc representative will make contact with you and/or any responsible persons at your residence with further instructions shortly before the aircraft operation is to take place. Please notify all family members, workers, or anyone who may be at your residence on this date of the evacuation. It is important to us that our activity presents as little inconvenience to you as possible.

Project Area

THE POLES BEING REPLACED ARE OFF OF 2600 SYCAMORE CANYON ROAD. THE POLES WILL BE STAGED FROM SYCAMORE CANYON ROAD

LIST OF BUILDINGS THAT SHALL EITHER BE PARTIALLY OR ENTIRELY UNOCCUPIED PERSONS ALSO HOMES THAT WILL BE NOTIFIED OF ACTIVITY:

BUILDING DESCRIPTION/ADDRESS	REMARKS	METHOD
2600 SYCAMORE CANYON	VACANT DURING OPS	HAND DELIVER
2580 SYCAMORE CANYON	VACANT DURING OPS	HAND DELIVER
2626 SYCAMORE CANYON	VACANT DURING OPS	HAND DELIVER
2613 SYCAMORE CANYON	VACANT DURING OPS	HAND DELIVER



ALL HOMES WITHIN RED OPERATING AREA	VACANT DURING OPS	HAND DELIVER
SEE DIAGRAM = VACANT	VACANT DURING OPS	HAND DELIVER



Safety Tips

- Please close and secure back yard umbrellas and canopies
- Close all doors and windows to prevent dust from entering your home
- If possible, ensure your animals are secure or clear of the area.

If you have any questions or concerns please feel free to give me a call. In addition, I will be on site and can be reached on my cell phone.


Best regards,

Jeffrey M. Teubner

818-442-9904 office

818-621-3794 cell

67 D Street Fillmore, California 93015 Phone (818) 442-9904 Fax (818) 442-9901





Federal Aviation Administration

Van Nuys Flight Standards District Office 16501 Sherman Way, Suite 330 Van Nuys, California 91406-375'

Phone: 818-267-3326 Fax: 818-786-9732

Emulad /p/zves

To: Jeffrey M. Teubner

Company: Guardian Helicopters, Inc.

Phone: (818) 442-9904

Fax: (818) 442-9901

From: Curtis G. Calabrese

Title: Aviation Safety Inspector

Date: 1/10/2020

Pages 6 w/cover:

RE: LP20038 - 202001220

Mr. Teubner,

We confirm the approval of the Congested Area Plan (CAP) submitted by you on 1/10/2020.

This approval concerns the proposed operation at Sycamore Canyon Road, Santa Barbara, CA on 01/13/2020 from Sunrise to Sunset. Inspectors from this office may monitor the operation to ensure compliance with the approved plan.

Should you have any questions or need to submit a change to this plan, please contact this office at 818-267-3326.

Aviation Safety Inspector

Curtis G. Calabrese

Sincerely



SECTION 7				
	Congested Area Plan			
Operator:	Guardian Helicopters, Inc			
- F	67 D STREE			
	Fillmore CA	. 93015		
	Phone (818)	442-9904		
	FAX (818)			
PROJECT:			ORK ORDER #: TD 153920	
ADDRESS: S	YCAMORE	CANYON ROAD SANT	A BARBARA CA_	
LOWER LON	IGLINE OVE	R POLE STAGING AREA	A	
POLE STAG	ING AREA L	ATITUDE 34°26'18.55"N	LONGITUDE 119°39'1.12" V	<u>/</u>
849424F LA	TITUDE 34°2	6'17.95"N LONGITUDE	119°39'2.51"W 45 CL 1 COM	IP 1200 LBS
CONTACT	T SITE: JA	COB YONKER	PHONE#: 931-625-6216	
PILOT'S NA	ME(S): 1. J(OHN OLSON	CERT #: 2769166	
Tibor bini	2. BI	JCKEY MACKAY	CERT #: #: <u>2778051</u>	
		ARTIN RODRIGUEZ	CERT #: 3555121	
		ICHAEL KLINK	CERT# 3018828	
TYPE OF AI	RCRAFT:			
	BEL	L 407 N# <u>N407GH</u> A	/C CATEGORY: <u>STANDAR</u>	<u>D</u>
	BEL	L 205A1 N# N216GH A	/C CATEGORY: <u>STANDAR</u>	<u>D</u>
	AS3	50 B2 N# <u>N498PT</u> A	C CATEGORY: STANDAR	<u>D</u>
AS350 B3 N# N718GH_A/C CATEGORY: STANDARD				
AS350 B3 N# N215GH A/C CATEGORY: STANDARD				
IE SAFETY DICTATES AND OR THE CUSTOMER REQUESTS ADDITIONAL LIFTS THE LIFTS				
WILL BE CONDUCTED REMAINING WITHIN THE APPROVED TIME PARAMETERS.				
TYPE OF LIFTS: :(1) ♥ (1) ♠ CLASS OF LOAD: EXTL CL B TYPE OF ITEM LIFTING: POLE LI				
AERODYNAMIC MINON, AFRODYNAMIC MAX 1400 LBS				
NO. OF LIFTS: 2 LONG LINE: (NO) XXX (YES) LESS THEN 100 FT (LENGTH)				
OPERATIONAL ALTITUDE: < 250 STREET CLOSING: (NO) XX (YES)				
DATE AND TIMES OPERATION WILL BEGIN AND TERMINATE: TIME REGIN TIME END TODAY'S DATE				
	r dates	TIME BEGIN		1-8-2020
1-13-2020		SUNRISE	SUNSET PERSON NOTIFIED:	DATE:
- AND THE REAL PROPERTY AND THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO	Y NAME:	PHONE#: 805-928-3781	WATCH COMMANDER	NOTIFY NOTIFY
SANTA BARBA		805-681-5518	STATION 18	NOTIFY
SANTA BARBA	RA COUNTY			
Evacuation		Crowd (Control S	treet Closure
□No Evacuated Structures □Operator □Yes □ No				
⊠ Evacı	uated Structu	ıres l	☑Contractor L	Contractor



SECTION 7

Part 135 GH 4A Part 133 GH 4L

Congested Area Plan

Operator:

2010/0-21

Guardian Helicopters, Inc

67 D Street

Fillmore, California 93015

LIST OF BUILDINGS THAT SHALL EITHER BE PARTIALLY OR ENTIRELY UNOCCUPIED PERSONS ALSO HOMES THAT WILL BE NOTIFIED OF ACTIVITY:

	1 222	1 ADMILOD
BUILDING DESCRIPTION/ADDRESS	REMARKS	METHOD
2600 SYCAMORE CANYON ROAD	VACANT DURING OPS	HAND DELIVER
2580 SYCAMORE CANYON ROAD	VACANT DURING OPS	HAND DELIVER
2626 SYCAMORE CANYON ROAD	VACANT DURING OPS	HAND DELIVER
2613 SYCAMORE CANYON ROAD	VACANT DURING OPS	HAND DELIVER
ALL HOMES WITHIN RED OPERATING AREA	VACANT DURING OPS	HAND DELIVER
SEE DIAGRAM = VACANT	VACANT DURING OPS	HAND DELIVER
Soogle Earth	HELICOPTER WILL LOWER LONGLINE ALL HOMES A BUILDINGS WITHIN THE R OPERATIONS AREA MUST B VACANT	ED CO

Narrative description of pick-up site, route, delivery site, and plan for ceasing operation if unauthorized persons enter operational area or real hazard occurs.

SITE INSPECTION NOTES

NLY PERSONNEL ESSENTIAL TO COMPLETING THE JOB SAFELY WILL BE PERMITTED TO PARTICIPATE IN THE EVOLUTION. ONLY PERSONNEL PARTICIPATING IN THE SAFETY BRIEF WILL BE PERMITTED TO BE IN THE AREA OF OPERATIONS. ONLY AUTHORIZED ESSENTIAL PERSONAL WILL BE PERMITTED IN THE IMMEDIATE AREA OF OPERATIONS. IN THE EVENT AN UNAUTHORIZED PERSON ENTERS THE OPERATIONS AREA OR A POTENTIAL

HAZARD IS IDENTIFIED THE PILOT WILL HOLD THE AIRCRAFT IN RELATIVE POSITION. THIS WILL BE ACHIEVED WITHOUT OVER FLYING THE GROUND CREW. ALL OPERATIONS WILL BE CEASED UNTIL THE PROBLEM IS RECTIFIED. IN THE EVENT OF AN AIRCRAFT EMERGENCY, THE PILOT WILL RADIO GROUND PERSONNEL AND WILL ATTEMPT TO LAND IN THE EMERGENCY LANDING AREA.

DURING THE LIFT EVOLUTION THE AIRCRAFT AND GROUND CREW WILL ALL BE IN RADIO COMMUNICATIONS. IN THE EVENT OF LOSS COMMUNICATIONS, THE CREW WILL USE STANDARD HAND SIGNALS TO COMMUNICATE 'ITH THE PILOT. WHEN THE PILOT IS CLEAR HE WILL MOVE THE AIRCRAFT TO A SAFE LOCATION TO ALLOW THE COMMUNICATION PROBLEM TO BE RECTIFIED.

THE OPERATIONS AREA IS WITHIN THE SECURED AREA. ALL ESSENTIAL CREW WITHIN THE OPERATIONS AREA WILL NOT BE INVOLVED IN TAKING PICTURES OR ANY OTHER USE OF CELL PHONES.

PRIOR TO BEGINNING OPERATIONS, A TAILBOARD SAFETY BRIEF WILL BE CONDUCTED.

- 1. THE HELICOPTER WILL LOWER THE LONGLINE NEAR THE STAGING AREA
- 2. POLES WILL BE STAGED AT STAGING AREA
- 3. NO LANDING OR FUEL
- 4. EMERGENCY LANDING ZONE IS AT THE STAGING AREA AND ALONG THE FLIGHT PATH
- 5. TAILBOARD SAFETY BRIEF CONDUCTED AT THE POLE STAGING AREA PRIOR TO FLIGHT
- 6. SYCAMORE CANYON ROAD WILL EXPERIENCE INTERMITTENT CLOSURES .
- 7. SEE DRAWING BELOW FOR LOCATIONS OF CLOSURES
- 8. WATER TRUCK IS NOT REQUIRED
- 9. 4 HOME WILL BE EVACUATED DURING OPERATIONS. SEE HOMES MARKED WITH A V ON DIAGRAM. IN ADDITION ALL HOMES AND BUILDINGS WITHIN THE RED OPERATION AREA WILL BE VACANT
- 10. THE CONTRACTOR WILL TRIM TREES IF REQUIRED



FAA APPROVED, VAN NUYS FSDO EFFECTIVE DATE: 1/0/2020 INSPECTOR: 1/0/2020





FAA APPROVED, VAN NUYS FEDO EFFECTIVE DATE: /b/7320 INSPECTOR: 1-8-2020 ATE OF SUBMISSION Jeffrey M. Julin

COMPANY OFFICIAL / TITLE

FAA APPROVED, VAN NUYS FSDO EFFECTIVE DATE: 1/0/2020 INSPECTOR: