

# **HELICOPTER LIFT OPERATIONS SAFETY BRIEF CHECKLIST**

PRIOR TO BEGINNING ANY HELICOPTER OPERATION A THOROUGH SAFETY BRIEF
WILL BE CONDUCTED UTILIZING THE FOLLOW CHECKLIST: GREEN Valley SCV
SAFETY BRIEF SIGN IN 2-24-2020
GHI CREW INTRODUCTION (2) poles hargest 45HI/Thousbonn 2700LBJ
IS A TRANSLATOR REQUIRED CAp Submitted
WORK STOP AUTHORITY TD 1261405
☐ DESIGNATE A 911 CALLER
□ IDENTIFY CLOSEST EMERGENCY MEDICAL SERVICES
☐ CREW FATIGUE AND HYDRATION
☐ HELICOPTER LIFT LIMITATIONS
☐ HAZMAT WILL OR WILL NOT BE CARRIED ON THE HOOK
□ NON GHI EMPLOYEES WILL NOT APPROACH HELICOPTER WITH ROTORS ENGAGED
☐ HELICOPTER HAZARD AREA (TAIL/MAIN ROTOR)
☐ EFFECT OF ROTOR DOWN WASH ON LOAD
DUST MASK: BURN AREA, DUST, POLLEN EXPOSURE
☐ HELICOPTER DOOR REMOVAL AND FIRE EXTINGUISHER LOCATION
☐ PPE REQUIREMENTS (GLOVES, EYE PROTECTION, HARD HAT WITH CHIN STRAP
☐ PILOT/GROUND CREW COMMUNICATIONS/ LOST COMMUNICATIONS
PROCEDURES
□ POTENTIAL STATIC CHARGE CAUSED BY HELICOPTER
□ SITE PLAN /FLIGHT PATH
☐ FALL, PINCH, CRUSH DANGER POINTS
RIGGING OPERATIONS CONNECTING AND DISCONNECTING CRANE HOOK AND
SPREADER BAR HOOK
☐ PROPER SECURING OF EQUIPMENT / TOOLS IN SUPER SACK AND ON LONG LINE
☐ STREET CLOSURE / EVACUATION USE DIAGRAM TO ENSURE ALL HOMES ARE
CLEAR

☐ NO CELL PHONES OR CAMERA USED BY GROUND CREW



Non-compliance with established procedures may result in your removal from the mission

Pilot:			
Support Cre	ew:		
Location:			
Mission:			
Aircraft:			
Note: By signin	g this document you acknowledginsuring all loose items are secu	ge you understood all items brie gred when working under a helic	fed to you and that you are opter.
DATE	PRINT NAME	SIGNATURE	COMPANY
			,
I			I

# Tailboard Briefing Guide Updated: January 17, 2019

AIRCRAFT	ENVIRONMENT	EXTERNAL LOAD
Approach and departure Main/tail rotor hazards Safe cargo loading/ unloading Loose articles: - Aircraft & LZ  Hearing protection Door/seatbelt operation Headset/helmet/intercom Air-sickness In-flight emergencies Establish who will call 911  Location of: First aid/survival kit Fire extinguisher Fuel and battery shut off procedure Radios, ELT, SAT Phone Fueling Operations: - Duties & Safety Issues	Weather conditions Wind direction Fuel Gross weight Terrain Landing zone hazards Density altitude Noise abatement Congested area plan Traffic/crowd control  COMMUNICATION IS CRITICAL Standardized language "Code Red" phrases Sterile cockpit Flight following/radio procedures Possible tasks for crew, e.g., switch/tune radios, maps Hazard awareness, e.g., birds, other hazards STOP work policy Re-brief in case scope changes IMSAFE Acronym  Pilot fatigue mitigation must be briefed prior to work	Ground crew PPE Long Line & Rigging Equipment Inspection Communication: Use of headset for lineman communicating with pilot Head/Hand Signals Pole set procedures: Brief how pole will be secured: 1) Taglines 2) Pikes 3) fill dirt Steps on pole Remote hook operations Ground crew hook up procedures Static discharge Emergency flyaway procedures Long line clearance (6'- 25'- 150% rule) No person under load Ground crew safety zone Pole removal with potential snag issues must be discussed Nylon straps (wood vs. glass) Load ratings (7:1 minimum) Dry Run/Play by play pole set Procedures Induced Voltage from: - Adjacent circuits, Underbuild, Parallel circuits etc. In case of Non-Company ground crew: Rigging procedures must be briefed No cell phone/camera use during external loads Essential crew only



# SCE Aircraft Operations Flight Request Form

Instructions: Please complete this form in its entirety and email to: <u>airops@sce.com</u> or fax to 909-974-4678. Once this form is received by Aircraft Operations, you will receive a response within 24 hours. For questions call SCE Aircraft Operations Dispatch at PAX 11676.

# **Requestor Information**

Department:* HAMPTON TEDDER  Pax:* N/A  Cell Number:* 909-203-0737  Email Address:* WAYNERHODES@HAMPTONTEDDER.COM  SAP Accounting Number* TD1261405  Flight Description  Please choose a mission type:  Camera — HD/IR	Flight requested by:*	WAYNE RHO	DES			
Pax:* N/A  Cell Number:* 909-203-0737  Email Address:* WAYNERHODES@HAMPTONTEDDER.COM  SAP Accounting Number* TD1261405  Flight Description  Please choose a mission type:  Camera – HD/IR		a deboom wy t				
Cell Number:*   909-203-0737						
SAP Accounting Number*   TD1261405						
SAP Accounting Number*   TD1261405			ES@HAMPTONTEDDER	COM		
Flight Description  Please choose a mission type:  □ Camera - HD/IR □ Line String □ Pole-set □ Crew support □ Passenger □ Recon □ External Load □ Patrol □ Training □ HEC □ Photo □ Need more info, please cont  Mission specific details (ex: Passenger name, pole size/weight, external load type, etc): REPLACING POLE 4487785E 45FT H1 2700LBS WITH ARMS AND TRANSFORMER GPS CORD. 34 37 02.21N X 118 25 02.35W  General Operating Location 39399 CALLE EL FUENTE, GREEN VALLEY  District 36  LZ Coordinates (if known) Pick-up location for passenger flights	Eman Audi css.					
Please choose a mission type:  Camera – HD/IR	SAP Accounting Number*	TD1261405				
Please choose a mission type:  Camera – HD/IR						
□ Camera − HD/IR □ Line String □ Pole-set □ Crew support □ Passenger □ Recon □ External Load □ Patrol □ Training □ HEC □ Photo □ Need more info, please cont  Mission specific details (ex: Passenger name, pole size/weight, external load type, etc):  REPLACING POLE 4487785E 45FT H1 2700LBS WITH ARMS AND TRANSFORMER  GPS CORD. 34 37 02.21N X 118 25 02.35W  General Operating Location 39399 CALLE EL FUENTE, GREEN VALLEY  District 36  LZ Coordinates (if known)  Pick-up location for passenger flights			Flight Description	on		
□ Crew support □ Passenger □ Recon □ External Load □ Patrol □ Training □ HEC □ Photo □ Need more info, please cont  Mission specific details (ex: Passenger name, pole size/weight, external load type, etc):  REPLACING POLE 4487785E 45FT H1 2700LBS WITH ARMS AND TRANSFORMER  GPS CORD. 34 37 02.21N X 118 25 02.35W  General Operating Location 39399 CALLE EL FUENTE, GREEN VALLEY  District 36  LZ Coordinates (if known)  Pick-up location for passenger flights	Please choose a mission type	<b>:</b>				
□ Crew support □ Passenger □ Recon □ External Load □ Patrol □ Training □ HEC □ Photo □ Need more info, please cont  Mission specific details (ex: Passenger name, pole size/weight, external load type, etc):  REPLACING POLE 4487785E 45FT H1 2700LBS WITH ARMS AND TRANSFORMER  GPS CORD. 34 37 02.21N X 118 25 02.35W  General Operating Location 39399 CALLE EL FUENTE, GREEN VALLEY  District 36  LZ Coordinates (if known)  Pick-up location for passenger flights			T	_	D.14	
External Load Patrol Training HEC Photo Need more info, please cont  Mission specific details (ex: Passenger name, pole size/weight, external load type, etc):  REPLACING POLE 4487785E 45FT H1 2700LBS WITH ARMS AND TRANSFORMER GPS CORD. 34 37 02.21N X 118 25 02.35W  General Operating Location 39399 CALLE EL FUENTE, GREEN VALLEY  District 36  LZ Coordinates (if known)  Pick-up location for passenger flights		<del></del>	_	_		
HEC □ Photo □ Need more info, please cont  Mission specific details (ex: Passenger name, pole size/weight, external load type, etc):  REPLACING POLE 4487785E 45FT H1 2700LBS WITH ARMS AND TRANSFORMER  GPS CORD. 34 37 02.21N X 118 25 02.35W  General Operating Location 39399 CALLE EL FUENTE, GREEN VALLEY  District 36  LZ Coordinates (if known)  Pick-up location for passenger flights		_	•			
Mission specific details (ex: Passenger name, pole size/weight, external load type, etc):  REPLACING POLE 4487785E 45FT H1 2700LBS WITH ARMS AND TRANSFORMER GPS CORD. 34 37 02.21N X 118 25 02.35W  General Operating Location 39399 CALLE EL FUENTE, GREEN VALLEY District 36  LZ Coordinates (if known) Pick-up location for passenger flights		_		_	•	ntact
REPLACING POLE 4487785E 45FT H1 2700LBS WITH ARMS AND TRANSFORMER GPS CORD. 34 37 02.21N X 118 25 02.35W  General Operating Location 39399 CALLE EL FUENTE, GREEN VALLEY District 36 LZ Coordinates (if known) Pick-up location for passenger flights	□ HEC		Photo	Ц	Need more into, please con	піасі
District 36  LZ Coordinates (if known)  Pick-up location for passenger flights	<b>REPLACING POLE 4487</b>	785E 45FT	H1 2700LBS WIT	H ARMS	AND TRANSFORMER	
District 36  LZ Coordinates (if known)  Pick-up location for passenger flights	General Operating Location	1	39399 CALLE EL FUEN	TE, GREEN V	ALLEY	
Pick-up location for passenger flights			36			
	LZ Coordinates (if known)					
Drop-off location for passenger flights						
Date(s) for which service is requested 2-4-20 NOTE THIS POLE IN A HIGH FIRE AREA BEING REPLACE UNDER A PROJECT	Date(s) for which service is	requested	2-4-20 NOTE THIS POLE IN A	HIGH FIRE ARE	A BEING REPLACE UNDER A PROJECT	
Time of Pick-up	Time of Pick-up					
Approx. mission duration (if known)	Approx. mission duration (if known)					
Back-up date for mission (if known)	Back-up date for mission (in	f known)				
Authorizer						
Authorizer PAX and cell number	Authorizer PAX and cell nu	ımber				
*required information Click to e-mail form	*required information				Click to e-mail form	
For office use only Date Received by Aircraft Operations:  Referred to contractor:   Week 1  Week 2  Week 3	Date Received by Aircraft Oper Referred to contractor: □ No □ Follow up status: □ Week 1 □ Week 2 □	Yes, Date:	Con	npany:		



# SCE Aircraft Operations Flight Request Form

Instructions: Please complete this form in its entirety and email to: <u>airops@sce.com</u> or fax to 909-974-4678. Once this form is received by Aircraft Operations, you will receive a response within 24 hours. For questions call SCE Aircraft Operations Dispatch at PAX 11676.

## **Requestor Information**

Flight	requested by:*	WAYNE RHO	DES		
Depar	tment:*	HAMPTON TE	DDER		
Pax:*		N/A			
Cell N	lumber:*	909-203-0737			
Email	Address:*	WAYNERHOD	ES@HAMPTONTEDDER	.COM	
SAP A	Accounting Number*	TD1261404			
70.1			Flight Description	<u>on</u>	
Please	e choose a mission type	<b>:</b>			
	Camera – HD/IR	_	Line String	×	Pole-set
	Crew support		Passenger Passenger		Recon
	External Load		Patrol		Training
	HEC		Photo		Need more info, please contact
_	nec	_		_	/ <b>1</b>
Missi	on specific details (ex:	Passenger r	ame, pole size/weig	ght, exteri	nal load type, etc):
REP	LACE 2 POLES 6656	91E 45FT	CL1 2200LBS 34	37 03.231	N X 118 25 17.97W
	886E 45FT CL1 2200				
6656	87E 45FT CL1 2200L	BS 34 36 5	55.02N X 118 25 4	1.71W	
g					
Gener	ral Operating Location	1	39180 39018 SAN FRAN	ISQUITO CAN	NYON RD. GREEN VALLEY
Distri			36 ATELOPE VALLEY		
LZ C	oordinates (if known)				
	up location for passen				
Drop-	off location for passer	ger flights			
	s) for which service is	requested	2-15-20 NOTE THESE A	RE HIGH FIR	RE POLES IN FOREST
	of Pick-up				
	ox. mission duration (i				
Back-	up date for mission (i	(known)			
			T		
Autho			<u> </u>		
	orizer PAX and cell nu	ımber	,		
*requ	ired information				Click to e-mail form
For of	ffice use only				24.1
Date F	Received by Aircraft Oper	ations:	Date Init	nai Contact	Made:
rollov	v up status:   Week 1				
	□ Week 2				
	- " " OOK 3				



To: Jeffrey Teubner

Company:

Guardian Helicopter, Inc.

Phone:

818-442-9904

Fax:

Email: iteubner@guardianhelicoptersusa.com

Van Nuys Flight Standards District Office

16501 Sherman Way

Suite 330

Van Nuys, California 91406-3757

818-267-3300

Fax: 818-786-9732

From:

Jeffrey J Culligan

Title: Aviation Safety Inspector

Facsimile / Email

Date:

02/12/2020

Pages w/cover: 10

RE: LP20046

This Congested Area Plan (CAP) has been approved for the proposed operation near 39399 CII El Fuente, Green Valley, CA on February 24, 2020 from Sunrise to Sunset local time.

Inspectors from this office may monitor the operation to ensure compliance with the approved plan.

Should you have any questions or need to submit a change to this plan, please contact this office at 818-267-3300.

Sincerely,

Jeffrey J Culligan

Aviation Safety Inspector

lfrey & Culligan

Enclosure

= mailed 2/12/20



#### **SECTION 7**

## Part 135 GH 4A Part 133 GH 4L

Congested Area Plan

Operator:

Guardian Helicopters, Inc

67 D STREET

Fillmore CA. 93015 Phone (818) 442-9904 FAX (818) 442-9901

PROJECT: EDISON POLE REPLACEMENT WORK ORDER #: TD 1261405

ADDRESS 39399 CII EL FUENTE : GREEN VALLEY CA

LZ LATITUDE 34°36'36.93"N LONGITUDE 118°26'25.08"W

4487785E LATITUDE 34°37'2.08"N LONGITUDE 118°25'2.33"W 45 H1 2500 LBS

665691E LATITUDE 34°37'3.16"N LONGITUDE 118°25'18.16"W 45 CL 1 2000 LBS

CONTACT AT SITE: WAYNE RHODES PHONE#: 909-203-0737

CONTRACTOR: HAMPTON TEDDER EDISON SUB

PILOT'S NAME(S): 1. <u>JOHN OLSON</u> CERT #: <u>2769166</u>
2. <u>BUCKEY MACKAY</u> CERT #: <u>2778051</u>
3. <u>MICHAEL KLINK</u> CERT# <u>3018828</u>
4. IAN GOODALE CERT# 3741973

TYPE OF AIRCRAFT:

BELL UH-1H N# N711GH A/C CATEGORY: RESTRICTED
BELL UH-1H N# N777GH A/C CATEGORY: RESTRICTED
BELL 407 N# N407GH A/C CATEGORY: STANDARD
BELL 205A1 N# N216GH A/C CATEGORY: STANDARD
AS350 B2 N# N498PT A/C CATEGORY: STANDARD
AS350 B3 N# N718GH A/C CATEGORY: STANDARD
AS350 B3 N# N215GH A/C CATEGORY: STANDARD

IF SAFETY DICTATES AND OR THE CUSTOMER REQUESTS ADDITIONAL LIFTS THE LIFTS WILL BE CONDUCTED REMAINING WITHIN THE APPROVED TIME PARAMETERS.

TYPE OF LIFTS: (2) POLES IN (2) POLES OUT (2) CARGO LOAD: EXTL CL B TYPE OF ITEM LIFTING: □ AERODYNAMIC ☑ NON- AERODYNAMIC MAX 2500 LBS

NO. OF LIFTS: 6\_\_\_LONG

\_LONG LINE:\_

\_(NO) XXX (YES) LESS THEN 150 FT (LENGTH)

OPERATIONAL ALTITUDE: < 250 STREET CLOSING: (N0) XX (YES)

DATE AND TIMES OPERATION WILL BEGIN AND TERMINATE:

FLIGHT DATES	TIME BEGIN	TIME END	TODAY'S DATE
2-24-2020	SUNRISE	SUNSET	2-12-2020
AGENCY NAME:	PHONE#:	PERSON NOTIFIED:	DATE:
SANTA CLARITA SHERIFF DEPARTMENT	661-255-1121	WATCH COMMANDER	NOTIFY
LOS ANGELES COUNTY FIRE	661-724-3331	STATION 157	NOTIFY



 Evacuation
 Crowd Control
 Street Closure

 □ No Evacuated Structures
 ☑ Operator
 ☑ Yes □ No

 ☑ Evacuated Structures
 ☑ Contractor
 ☑ Contractor

 □ Operator
 □ Operator

LIST OF BUILDINGS THAT SHALL EITHER BE PARTIALLY OR ENTIRELY UNOCCUPIED PERSONS

REMARKS
VACANT DURING OPS

**METHOD** 

HAND DELIVER

ALSO HOMES THAT WILL BE NOTIFIED OF ACTIVITY:
BUILDING DESCRIPTION/ADDRESS

39399 CII EL FUENTE

3337 CHELICENTE	,	
39407 CII EL FUENTE	VACANT DURING OPS	HAND DELIVER
16329 PASTEL WALK	VACANT DURING OPS	HAND DELIVER
16303 PASTEL WALK	VACANT DURING OPS	HAND DELIVER
ALL HOMES WITHIN RED OPERATING AREA	VACANT DURING OPS	HAND DELIVER
SEE DIAGRAM = VACANT	VACANT DURING OPS	HAND DELIVER
	0 6H-ca 05E 34 37'2 08"N 118 25'2 33"W	seres
	Paste (i)	shoreline.
Google Earth	EVACUATIONS: 39399 CII EL FUE 39407 CII EL FUE 16329 PASTEL W 16303 PASTEL W	NTE /ALK A

Narrative description of pick-up site, route, delivery site, and plan for ceasing operation if unauthorized persons enter operational area or real hazard occurs.

#### SITE INSPECTION NOTES


ONLY PERSONNEL ESSENTIAL TO COMPLETING THE JOB SAFELY WILL BE PERMITTED TO PARTICIPATE IN THE EVOLUTION. ONLY PERSONNEL PARTICIPATING IN THE SAFETY BRIEF WILL BE PERMITTED TO BE IN THE AREA OF OPERATIONS. ONLY AUTHORIZED ESSENTIAL PERSONAL WILL BE PERMITTED IN THE IMMEDIATE AREA OF OPERATIONS. IN THE EVENT AN UNAUTHORIZED PERSON ENTERS THE OPERATIONS AREA OR A POTENTIAL HAZARD IS IDENTIFIED THE PILOT WILL HOLD THE AIRCRAFT IN RELATIVE POSITION. THIS WILL BE ACHIEVED WITHOUT OVER FLYING THE GROUND CREW. ALL OPERATIONS WILL BE CEASED UNTIL THE PROBLEM IS RECTIFIED. IN THE EVENT OF AN AIRCRAFT EMERGENCY, THE PILOT WILL RADIO GROUND PERSONNEL AND WILL ATTEMPT TO LAND IN THE EMERGENCY LANDING AREA.


DURING THE LIFT EVOLUTION THE AIRCRAFT AND GROUND CREW WILL ALL BE IN RADIO COMMUNICATIONS. IN THE EVENT OF LOSS COMMUNICATIONS, THE CREW WILL USE STANDARD HAND SIGNALS TO COMMUNICATE WITH THE PILOT. WHEN THE PILOT IS CLEAR HE WILL MOVE THE AIRCRAFT TO A SAFE LOCATION TO ALLOW THE COMMUNICATION PROBLEM TO BE RECTIFIED.


THE OPERATIONS AREA IS WITHIN THE SECURED AREA. ALL ESSENTIAL CREW WITHIN THE OPERATIONS AREA WILL NOT BE INVOLVED IN TAKING PICTURES OR ANY OTHER USE OF CELL PHONES.


PRIOR TO BEGINNING OPERATIONS, A TAILBOARD SAFETY BRIEF WILL BE CONDUCTED.

- 1. HELICOPTER WILL LAND AT THE LZ TO CONNECT THE LONGLINE AND CONDUCT A SAFETY TAILBOARD
- POLE WILL BE STAGED AT THE LZ
- 3. FUELING WILL BE CONDUCTED AT THE LANDING ZONE
- 4. EMERGENCY LANDING ZONE IS AT THE STAGING AREA AND ALONG THE FLIGHT PATH
- 5. RADIOS WILL BE PROVIDED TO EACH POLE SITE
- 6. WATER TRUCK REQUIRED AT LANDING ZONE
- 7. SAN FRANCISQUITO CANYON ROAD AND CLEL FUENTE WILL EXPERIENCE INTERMITTENT CLOSURES
- 8. SEE DIAGRAM FOR STREET CLOSURE AND FLAGMAN REQUIREMENTS.
  - THE CONTRACTOR WILL TRIM TREES IF REQUIRED
    THE HELICOPTER WILL LAND AT THE LANDING ZONE CONDUCT A SAFETY BRIEF AND WHEN THE
    LINEMAN ARE READY THE STREET CLOSURE AND GROUND CREW WILL KNOCK ON DOORS TO VERIFY
    VACANCY. WHEN THE LINEMAN ARE READY THE STREETS WILL BE CLOSED AND IF REQUIRED THE
    HELICOPTER WILL FLY TOOLS AND CARGO TO THE POLE SET SITES. WHEN THE LINEMAN ARE READY
    FOR THE NEW POLES THE HELICOPTER WILL FLY THE POLES FROM THE LANDING ZONE TO THE POLE
    SET SITES. WHEN THE LINEMAN ARE READY TO REMOVE THE OLD POLES THE HELICOPTER WILL FLY
    THE OLD POES FROM THE POEL SET SITE TO THE LANDIN ZONE. WHEN COMPLETE THE HELICOPTER
    WILL FLY THE TOOLS AND EQUIPMENT OUT OF THE SITE. THE HOMES AND STREETS WILL OPEN WHEN














2-12-2020 DATE OF SUBMISSION

Jeffrey M. Justina

COMPANY OFFICIAL / TITLE



### Dear neighbor,

Guardian Helicopters Inc is a subcontractor of Southern California Edison (SCE). We will be working in your neighborhood to upgrade its electrical facilities to provide you a modern and reliable power grid. Your safety is our highest priority during this construction activity. We apologize for any inconvenience this may cause and will make every effort to minimize potential impacts during construction activities. Thank you for your patience as we complete these upgrades for you.

### Upgrades in Your Area

We will be using a helicopter to set new utility pole.

#### What to Expect

- Federal Aviation Administration regulations require we take certain precautions to ensure the safety of the public during our operation. To do this your residence must be completely vacated while the helicopter sets the new utility pole. At no time will our helicopter over fly any residence with a load attached.
- SAN FRANCISQUITO CANYON AND CII EL FEUNTE / CII CASCADA WILL EXPERIENCE INTERMITTENT CLOSURES DURING OPERATIONS
- Guardian Helicopters primary concern during this operation is the general safety of the general public. We recommend measure to ensure the safety and control of any livestock during the period of helicopter operations.
- Work Timeline\*
- Date: 2-24-2020
- Hours: 8:00 a.m. 6:00 p.m.

# The timeframe for the evacuation is approximately 120 minutes once all residents have left.

A Guardian Helicopter Inc representative will make contact with you and/or any responsible persons at your residence with further instructions shortly before the aircraft operation is to take place. Please notify all family members, workers, or anyone who may be at your residence on this date of the evacuation. It is important to us that our activity presents as little inconvenience to you as possible.

### Project Area

THE POLE BEING REPLACED IS OFF SAN FRANSCISQUITO CANYON ROAD . THE POLE BEING REPLACED IS NEAR 39399 CII EL FUENTE

LIST OF BUILDINGS THAT SHALL EITHER BE PARTIALLY OR ENTIRELY UNOCCUPIED PERSONS ALSO HOMES THAT WILL BE NOTIFIED OF ACTIVITY:

BUILDING DESCRIPTION/ADDRESS	REMARKS	METHOD
39399 CII EL FUENTE	VACANT DURING OPS	HAND DELIVER
39407 CII EL FUENTE	VACANT DURING OPS	HAND DELIVER
16329 PASTEL WALK	VACANT DURING OPS	HAND DELIVER
16303 PASTEL WALK	VACANT DURING OPS	HAND DELIVER
ALL HOMES WITHIN RED OPERATING AREA	VACANT DURING OPS	HAND DELIVER
SEE DIAGRAM = VACANT	VACANT DURING OPS	HAND DELIVER





#### Safety Tips

- Please close and secure back yard umbrellas and canopies
- Close all doors and windows to prevent dust from entering your home
- If possible, ensure your animals are secure or clear of the area.

If you have any questions or concerns please feel free to give me a call. In addition, I will be on site and can be reached on my cell phone.


Best regards,

Jeffrey M. Teubner

Flight Coordinator


818-442-9904 office

818-621-3794 cell
















#### **SECTION 7**

## Part 135 GH 4A Part 133 GH 4L

Congested Area Plan

Operator:

Guardian Helicopters, Inc

**67 D STREET** 

Fillmore CA. 93015 Phone (818) 442-9904 FAX (818) 442-9901

PROJECT: EDISON POLE REPLACEMENT WORK ORDER #: TD 1261405

ADDRESS 39399 CII EL FUENTE : GREEN VALLEY

LZ LATITUDE 34°36'36.93"N LONGITUDE 118°26'25.08"W

4487785E LATITUDE 34°37'2.08"N LONGITUDE 118°25'2.33"W 45 H1 2500 LBS

665691E LATITUDE 34°37'3.16"N LONGITUDE 118°25'18.16"W 45 CL 1 2000 LBS

PHONE#: 909-203-0737 CONTACT AT SITE: WAYNE RHODES

CONTRACTOR: HAMPTON TEDDER EDISON SUB

PILOT'S NAME(S):

1. JOHN OLSON	CERT #: 2769166	
2. BUCKEY MACKAY	CERT #: 2778051	_
3. MICHAEL KLINK	CERT# 3018828	_
4 IAN GOODALE	CERT# 3741973	

### TYPE OF AIRCRAFT:

1.		
BELL UH-1H	N# N711GH_A/C CATEGORY: RESTRICTED	1
BELL UH-1H	N# N777GH A/C CATEGORY: RESTRICTED	1
BELL 407	N# N407GH_A/C CATEGORY: STANDARD	
BELL 205A1	N# N216GH A/C CATEGORY: STANDARD	
AS350 B2	N# N498PT A/C CATEGORY: STANDARD	
AS350 B3	N# N718GH_A/C CATEGORY: STANDARD	
10000 DO	NUMBER OF A PROPERTY OF ANDARD	

AS350 B3 \_\_\_N# N215GH\_A/C CATEGORY: STANDARD IF SAFETY DICTATES AND OR THE CUSTOMER REQUESTS ADDITIONAL LIFTS THE LIFTS WILL BE CONDUCTED REMAINING WITHIN THE APPROVED TIME PARAMETERS.

TYPE OF LIFTS: (2) POLES IN (2) POLES OUT (2) CARGO LOAD: EXTL CL B TYPE OF ITEM LIFTING: □

AERODYNAMIC ☑ NON- AERODYNAMIC MAX 2500 LBS

NO. OF LIFTS: 6 LONG LINE: (NO) XXX (YES) LESS THEN 150 FT (LENGTH)

OPERATIONAL ALTITUDE: <250 STREET CLOSING: (N0) XX (YES)

ATE AND TIMES OPERATION WILL BEGIN AND TERMINATE:

FLIGHT DATES	TIME BEGIN	TIME END	TODAY'S DATE
2-24-2020	SUNRISE	SUNSET	2-12-2020
AGENCY NAME:	PHONE#:	PERSON NOTIFIED:	DATE:
SANTA CLARITA SHERIFF	661-255-1121	WATCH COMMANDER	NOTIFY
DEPARTMENT  LOS ANGELES COUNTY FIRE	661-724-3331	STATION 157	NOTIFY

RECEIVED

FEB 1 2 2020 ON 17/2020 LP20046 Ony Midley VAN NUYS FSDO



Congested Area Plan

_	
M' 12 240 .	OTTO PLANT
L'AN MI	cuation :

**Crowd Control** 

**Street Closure** 

☐No Evacuated Structures

**☑**Operator

**☑**Evacuated Structures

**☑**Contractor

**☑**Contractor

Operator

LIST OF BUILDINGS THAT SHALL EITHER BE PARTIALLY OR ENTIRELY UNOCCUPIED PERSONS

ALSO HOMES THAT WILL BE NOTIFIED OF ACTIVITY:

ALBO HOWLED HILL WIDD DD . TO THE TO THE		
BUILDING DESCRIPTION/ADDRESS	REMARKS	METHOD
39399 CII EL FUENTE	VACANT DURING OPS	HAND DELIVER
39407 CII EL FUENTE	VACANT DURING OPS	HAND DELIVER
16329 PASTEL WALK	THOILT DOLLING OLD	HAND DELIVER
16303 PASTEL WALK	VACANT DURING OPS	HAND DELIVER
ALL HOMES WITHIN RED OPERATING AREA	VACANT DURING OPS	HAND DELIVER
SEE DIAGRAM = VACANT	VACANT DURING OPS	HAND DELIVER



ty Callinga

Narrative description of pick-up site, route, delivery site, and plan for ceasing operation if unauthorized persons enter operational area or real hazard occurs.

### SITE INSPECTION NOTES

"NLY PERSONNEL ESSENTIAL TO COMPLETING THE JOB SAFELY WILL BE PERMITTED TO PARTICIPATE IN THE LYOLUTION. ONLY PERSONNEL PARTICIPATING IN THE SAFETY BRIEF WILL BE PERMITTED TO BE IN THE AREA OF OPERATIONS. ONLY AUTHORIZED ESSENTIAL PERSONAL WILL BE PERMITTED IN THE IMMEDIATE AREA OF OPERATIONS. IN THE EVENT AN UNAUTHORIZED PERSON ENTERS THE OPERATIONS AREA OR A POTENTIAL HAZARD IS IDENTIFIED THE PILOT WILL HOLD THE AIRCRAFT IN RELATIVE POSITION. THIS WILL BE ACHIEVED WITHOUT OVER FLYING THE GROUND CREW. ALL OPERATIONS WILL BE CEASED UNTIL THE PROBLEM IS RECTIFIED. IN THE EVENT OF AN AIRCRAFT EMERGENCY, THE PILOT WILL RADIO GROUND PERSONNEL AND WILL ATTEMPT TO LAND IN THE EMERGENCY LANDING AREA.

DURING THE LIFT EVOLUTION THE AIRCRAFT AND GROUND CREW WILL ALL BE IN RADIO COMMUNICATIONS. IN THE EVENT OF LOSS COMMUNICATIONS, THE CREW WILL USE STANDARD HAND SIGNALS TO COMMUNICATE WITH THE PILOT. WHEN THE PILOT IS CLEAR HE WILL MOVE THE AIRCRAFT TO A SAFE LOCATION TO ALLOW THE COMMUNICATION PROBLEM TO BE RECTIFIED.

THE OPERATIONS AREA IS WITHIN THE SECURED AREA. ALL ESSENTIAL CREW WITHIN THE OPERATIONS AREA WILL NOT BE INVOLVED IN TAKING PICTURES OR ANY OTHER USE OF CELL PHONES.

PRIOR TO BEGINNING OPERATIONS, A TAILBOARD SAFETY BRIEF WILL BE CONDUCTED.


1. HELICOPTER WILL LAND AT THE LZ TO CONNECT THE LONGLINE AND CONDUCT A SAFETY TAILBOARD

2. POLE WILL BE STAGED AT THE LZ

- 3. FUELING WILL BE CONDUCTED AT THE LANDING ZONE
- 4. EMERGENCY LANDING ZONE IS AT THE STAGING AREA AND ALONG THE FLIGHT PATH


5. RADIOS WILL BE PROVIDED TO EACH POLE SITE

- 6. WATER TRUCK REQUIRED AT LANDING ZONE
- 7. SAN FRANCISQUITO CANYON ROAD AND CI EL FUENTE WILL EXPERIENCE INTERMITTENT CLOSURES
- 8. SEE DIAGRAM FOR STREET CLOSURE AND FLAGMAN REQUIREMENTS.
- 9. THE CONTRACTOR WILL TRIM TREES IF REQUIRED THE HELICOPTER WILL LAND AT THE LANDING ZONE CONDUCT A SAFETY BRIEF AND WHEN THE LINEMAN ARE READY THE STREET CLOSURE AND GROUND CREW WILL KNOCK ON DOORS TO VERIFY VACANCY. WHEN THE LINEMAN ARE READY THE STREETS WILL BE CLOSED AND IF REQUIRED THE HELICOPTER WILL FLY TOOLS AND CARGO TO THE POLE SET SITES. WHEN THE LINEMAN ARE READY FOR THE NEW POLES THE HELICOPTER WILL FLY THE POLES FROM THE LANDING ZONE TO THE POLE SET SITES. WHEN THE LINEMAN ARE READY TO REMOVE THE OLD POLES THE HELICOPTER WILL FLY THE OLD POES FROM THE POEL SET SITE TO THE LANDIN ZONE. WHEN COMPLETE THE HELICOPTER WILL FLY THE TOOLS AND EQUIPMENT OUT OF THE SITE. THE HOMES AND STREETS WILL OPEN WHEN



















2-12-2020
PATE OF SUBMISSION

Jeffrey of Justin

COMPANY OFFICIAL / TITLE

ITalligan



Dear neighbor,

Guardian Helicopters Inc is a subcontractor of Southern California Edison (SCE). We will be working in your neighborhood to upgrade its electrical facilities to provide you a modern and reliable power grid. Your safety is our highest priority during this construction activity. We apologize for any inconvenience this may cause and will make every effort to minimize potential impacts during construction activities. Thank you for your patience as we complete these upgrades for you.

### Upgrades in Your Area

We will be using a helicopter to set new utility pole.

#### What to Expect

- Federal Aviation Administration regulations require we take certain precautions to ensure the safety of the public during our operation. To do this your residence must be completely vacated while the helicopter sets the new utility pole. At no time will our helicopter over fly any residence with a load attached.
- SAN FRANCISQUITO CANYON AND CII EL FEUNTE / CII CASCADA WILL EXPERIENCE INTERMITTENT CLOSURES DURING OPERATIONS
- Guardian Helicopters primary concern during this operation is the general safety of the general public. We recommend measure to ensure the safety and control of any livestock during the period of helicopter operations.
- Work Timeline\*

Date: 2-24-2020

Hours: 8:00 a.m. - 6:00 p.m.

# The timeframe for the evacuation is approximately 120 minutes once all residents have left.

A Guardian Helicopter Inc representative will make contact with you and/or any responsible persons at your residence with further instructions shortly before the aircraft operation is to take place. Please notify all family members, workers, or anyone who may be at your residence on this date of the evacuation. It is important to us that our activity presents as little inconvenience to you as possible.

#### Project Area

THE POLE BEING REPLACED IS OFF SAN FRANSCISQUITO CANYON ROAD . THE POLE BEING REPLACED IS NEAR 39399 CII EL FUENTE

LIST OF BUILDINGS THAT SHALL EITHER BE PARTIALLY OR ENTIRELY UNOCCUPIED PERSONS ALSO HOMES THAT WILL BE NOTIFIED OF ACTIVITY:

BUILDING DESCRIPTION/ADDRESS	REMARKS	METHOD
39399 CII EL FUENTE	VACANT DURING OPS	HAND DELIVER
39407 CII EL FUENTE	VACANT DURING OPS	HAND DELIVER
16329 PASTEL WALK	VACANT DURING OPS	HAND DELIVER
16303 PASTEL WALK	VACANT DURING OPS	HAND DELIVER
ALL HOMES WITHIN RED OPERATING AREA	VACANT DURING OPS	HAND DELIVER
SEE DIAGRAM = VACANT	VACANT DURING OPS	HAND DELIVER

Phone (818) 442-9904 Fax (818) 442-9901 67 D Street Fillmore, California 93015





### Safety Tips

- Please close and secure back yard umbrellas and canopies
- Close all doors and windows to prevent dust from entering your home
- If possible, ensure your animals are secure or clear of the area.

If you have any questions or concerns please feel free to give me a call. In addition, I will be on site and can be reached on my cell phone.

Best regards,

Jeffrey M. Teubner

Iffrey of Julian

**Flight Coordinator** 

818-442-9904 office

318-621-3794 cell