

HELICOPTER LIFT OPERATIONS SAFETY BRIEF CHECKLIST

PRIOR TO BEGINNING ANY HELICOPTER	OPERATION A THOROUGH SAFETY BRIEF
WILL BE CONDUCTED UTILIZING THE FOL	LOW CHECKLIST: Actow CA
☐ SAFETY BRIEF SIGN IN	2-13-2020
☐ GHI CREW INTRODUCTION	CAP Submitted / 12 ecreved
☐ IS A TRANSLATOR REQUIRED	CAP Submitted / Decieved (5) poles Largest 1800LBJ
☐ WORK STOP AUTHORITY	TD 1524198
☐ DESIGNATE A 911 CALLER	
☐ IDENTIFY CLOSEST EMERGENCY MEDI	CAL SERVICES
☐ CREW FATIGUE AND HYDRATION	
☐ HELICOPTER LIFT LIMITATIONS	
☐ HAZMAT WILL OR WILL NOT BE CARR	IED ON THE HOOK
☐ NON GHI EMPLOYEES WILL NOT APPR	OACH HELICOPTER WITH ROTORS ENGAGED
☐ HELICOPTER HAZARD AREA (TAIL/MA	IN ROTOR)
☐ EFFECT OF ROTOR DOWN WASH ON L	OAD
DUST MASK: BURN AREA, DUST, PO	OLLEN EXPOSURE
☐ HELICOPTER DOOR REMOVAL AND FI	RE EXTINGUISHER LOCATION
☐ PPE REQUIREMENTS (GLOVES, EYE PR	OTECTION, HARD HAT WITH CHIN STRAP
☐ PILOT/GROUND CREW COMMUNICAT	TIONS/ LOST COMMUNICATIONS
PROCEDURES	
☐ POTENTIAL STATIC CHARGE CAUSED E	BY HELICOPTER
☐ SITE PLAN /FLIGHT PATH	
☐ FALL, PINCH, CRUSH DANGER POINTS	
☐ RIGGING OPERATIONS CONNECTING	AND DISCONNECTING CRANE HOOK AND
SPREADER BAR HOOK	
☐ PROPER SECURING OF EQUIPMENT /	TOOLS IN SUPER SACK AND ON LONG LINE
☐ STREET CLOSURE / EVACUATION USE	DIAGRAM TO ENSURE ALL HOMES ARE
CLEAR	
☐ NO CELL PHONES OR CAMERA USED E	BY GROUND CREW



	ompliance with established proce	edures may result in your rem	oval from the mission
Pilot:			
Support	Crew:		
Location			
Mission:			
Aircraft:			
	ning this document you acknowled	ge vou understood all items briefe	ed to you and that you are
responsible	for insuring all loose items are secu	ired when working under a helico	pter.
DATE	PRINT NAME	SIGNATURE	COMPANY

Tailboard Briefing Guide Updated: January 17, 2019

AIRCRAFT	ENVIRONMENT	EXTERNAL LOAD
☐ Approach and departure ☐ Main/tail rotor hazards ☐ Safe cargo loading/ unloading ☐ Loose articles: - Aircraft & LZ ☐ Hearing protection ☐ Door/seatbelt operation ☐ Headset/helmet/intercom ☐ Air-sickness ☐ In-flight emergencies Establish who will call 911 ☐ Location of: ○ First aid/survival kit ○ Fire extinguisher ○ Fuel and battery shut off procedure ○ Radios, ELT, SAT Phone ☐ Fueling Operations: - Duties & Safety Issues	Weather conditions Wind direction Fuel Gross weight Terrain Landing zone hazards Density altitude Noise abatement Congested area plan Traffic/crowd control COMMUNICATION IS CRITICAL Standardized language "Code Red" phrases Sterile cockpit Flight following/radio procedures Possible tasks for crew, e.g., switch/tune radios, maps Hazard awareness, e.g., birds, other hazards STOP work policy Re-brief in case scope changes IMSAFE Acronym Pilot fatigue mitigation must be briefed prior to work	Ground crew PPE Long Line & Rigging Equipment Inspection Communication: Use of headset for lineman communicating with pilot Head/Hand Signals Pole set procedures: Brief how pole will be secured: 1) Taglines 2) Pikes 3) fill dirt Steps on pole Remote hook operations Ground crew hook up procedures Static discharge Emergency flyaway procedures Long line clearance (6'- 25'- 150% rule) No person under load Ground crew safety zone Pole removal with potential snag issues must be discussed Nylon straps (wood vs. glass) Load ratings (7:1 minimum) Dry Run/Play by play pole set Procedures Induced Voltage from: - Adjacent circuits, Underbuild, Parallel circuits etc. In case of Non-Company ground crew: Rigging procedures must be briefed No cell phone/camera use during external loads Essential crew only



GUARDIAN HELICOPTERS, INC.

SECTION 7

Part 135 GH 4A Part 133 GH 4L

Congested Area Plan

Guardian Helicopters, Inc

67 D STREET

Fillmore CA. 93015 Phone (818) 442-9904 FAX (818) 442-9901

FAA (010)	11 2-7701		
PROJECT: EDISON PO	LE REPLACEMENT W	ORK ORDER <u>#:</u> TD 152419	8
ADDRESS: W AVE W 6 A	AND HISEY RANCH ROA	D ACTON CA	
LZ STAGING AREA LAT	TITUDE 34°28'40.87"N LC	NGITUDE 118°13'49.81"W	
4154700E LATITUDE 34°	29'21.42"N LONGITUDE_	118°14'13.44"W45 CL 2 WO	OD 1800 LBS
4154699E LATITUDE 34°	29'18.68"N LONGITUDE_	118°14'13.24"W 50 CL 1 CO	MPOSITE 1500 LBS
4154698E LATITUDE 34°	29'17.24"N LONGITUDE_	118°14'13.11"W 45 CL1 CO	MPOSITE 1300 LBS
4154697E LATITUDE 34°	29'14.65"N LONGITUDE	118°14'12.84"W 45 CL1 CO	MPOSITE 1300 LBS
4154696E LATITUDE 34°	29'14.43"N LONGITUDE_	118°14'9.61"W45 CL1 COM	POSITE 1300 LBS
CONTACT AT SITE; BR	ENNAN RHODES	PHONE#: 951-692-8	<u> </u>
CONTRACTOR: HOTLIN	E CONSTRUCTION EDIS	SON_PHONE#: <u>951-692-8906</u>	
PILOT'S NAME(S): 1. JO		CERT #: 2769166	
	JCKEY MACKAY	CERT #: 2778051	
3. M	ICHAEL KLINK	CERT# <u>3018828</u>	
4. ĪA	N GOODALE	CERT# 3741973	
TYPE OF AIRCRAFT:BE	LL UH-1H N# <u>N711</u>	GH_A/C CATEGORY: RES	TRICTED
		C CATEGORY: RESTRICT	ED
BEL	L 407 N# N407GH A	/C CATEGORY: <u>STANDAR</u>	<u>D</u>
$\overline{ m BEL}$	L 205A1 N# N216GH A	/C CATEGORY: <u>STANDAR</u>	<u>D</u>
AS3	50 B2 N# N498PT A	C CATEGORY: STANDAR	D
		/C CATEGORY: STANDAR	
		/C CATEGORY: STANDAR	
IF SAFETY DICTATES	AND OR THE CUSTOM	ER REQUESTS ADDITION	NAL LIFTS THE LIFTS
WILL BE CONDUCTED	REMAINING WITHIN	THE APPROVED TIME P.	ARAMETERS.
TYPE OF LIFTS: 5 EQUIPN	MENT BAGS 1200 LBS (5)	LBS (5) A LARGEST 1800 I	LBS_CLASS OF
LOAD:EXTL CL B TYPE C	F ITEM LIFTING: POLE	☐ AERODYNAMIC ☑ NON-	AERODYNAMIC MAX
2000 LBS NO. OF LIFTS: 15	LONG LINE:(N	(YES) LESS TH	EN 100 FT (LENGTH)
OPERATIONAL ALTITUDI	E: < 250 STREET CLOSING	G:(N0)XX(YES)	
DATE AND TIMES OPER	RATION WILL BEGIN AN	ID TERMINATE:	
FLIGHT DATES	TIME BEGIN	TIME END	TODAY'S DATE
2-13-2020	SUNRISE	SUNSET	1-24-2020
AGENCY NAME:	PHONE#:	PERSON NOTIFIED:	DATE:
LOS ANGELES COUNTY FIRE	661-268-0638	STATION 81	NOTIFY
PALMDALE SHERIFF STATION	661-272-2400	DISPATCH	NOTIFY
Evacuation	Crowd C	<u>Sontrol</u> <u>S</u>	treet Closure
☐No Evacuated Struc	tures	Operator	☑Yes ☐ No
☑ Evacuated Struct	ures 5	☑Contractor 5	Contractor
		[Operator



SECTION 7

Part 135 GH 4A Part 133 GH 4L

Congested Area Plan

Operator:

Guardian Helicopters, Inc

67 D Street

Fillmore, California 93015

LIST OF BUILDINGS THAT SHALL EITHER BE PARTIALLY OR ENTIRELY UNOCCUPIED PERSONS ALSO HOMES THAT WILL BE NOTIFIED OF ACTIVITY:

ALSO HOMES THAT WEEDE HOTH EE OF TROSE	1111	
BUILDING DESCRIPTION/ADDRESS	REMARKS	METHOD
WEST AVENUE W6 NUMBER UNKNOWN	VACANT DURING OPS	HAND DELIVER
HISEY RANCH ROAD NUMBER UNKNOWN	VACANT DURING OPS	HAND DELIVER
ALL HOMES WITHIN RED OPERATING AREA	VACANT DURING OPS	HAND DELIVER
SEE DIAGRAM = VACANT	VACANT DURING OPS	HAND DELIVER

Narrative description of pick-up site, route, delivery site, and plan for ceasing operation if unauthorized persons enter operational area or real hazard occurs.

SITE INSPECTION NOTES

ONLY PERSONNEL ESSENTIAL TO COMPLETING THE JOB SAFELY WILL BE PERMITTED TO PARTICIPATE IN THE EVOLUTION. ONLY PERSONNEL PARTICIPATING IN THE SAFETY BRIEF WILL BE PERMITTED TO BE IN THE AREA OF OPERATIONS. ONLY AUTHORIZED ESSENTIAL PERSONAL WILL BE PERMITTED IN THE IMMEDIATE AREA OF OPERATIONS. IN THE EVENT AN UNAUTHORIZED PERSON ENTERS THE OPERATIONS AREA OR A POTENTIAL HAZARD IS IDENTIFIED THE PILOT WILL HOLD THE AIRCRAFT IN RELATIVE POSITION. THIS WILL BE ACHIEVED WITHOUT OVER FLYING THE GROUND CREW. ALL OPERATIONS WILL BE CEASED UNTIL THE PROBLEM IS RECTIFIED. IN THE EVENT OF AN AIRCRAFT EMERGENCY, THE PILOT WILL RADIO GROUND PERSONNEL AND WILL ATTEMPT TO LAND IN THE EMERGENCY LANDING AREA.

DURING THE LIFT EVOLUTION THE AIRCRAFT AND GROUND CREW WILL ALL BE IN RADIO COMMUNICATIONS. IN THE EVENT OF LOSS COMMUNICATIONS, THE CREW WILL USE STANDARD HAND SIGNALS TO COMMUNICATE WITH THE PILOT. WHEN THE PILOT IS CLEAR HE WILL MOVE THE AIRCRAFT TO A SAFE LOCATION TO ALLOW THE COMMUNICATION PROBLEM TO BE RECTIFIED.


THE OPERATIONS AREA IS WITHIN THE SECURED AREA. ALL ESSENTIAL CREW WITHIN THE OPERATIONS AREA WILL NOT BE INVOLVED IN TAKING PICTURES OR ANY OTHER USE OF CELL PHONES.


PRIOR TO BEGINNING OPERATIONS, A TAILBOARD SAFETY BRIEF WILL BE CONDUCTED.

- 1. HELICOPTER WILL LAND AT THE LZ TO CONNECT THE LONGLINE AND CONDUCT A TAILBOARD SAFETY BRIEF
- 2. POLES WILL BE STAGED AT STAGING AREA
- 3. FUELING WILL OCCUR AT THE LZ
- 4. EMERGENCY LANDING ZONE IS AT THE STAGING AREA AND ALONG THE FLIGHT PATH
- 5. TAILBOARD SAFETY BRIEF CONDUCTED AT THE LZ PRIOR TO FLIGHT
- 6. HUBBARD ROAD WILL EXPERIENCE INTERMITTENT CLOSURES
- 7. SEE DRAWING BELOW FOR LOCATIONS OF CLOSURES
- 8. WATER TRUCK IS REQUIRED
- 9. TWO HOMES WILL BE EVACUATED SEE DIAGRAM ALL HOMES WITHIN 300 FT OF OPERATION AREA WILL BE EVACUATED

10. THE CONTRACTOR WILL TRIM TREES IF REQUIRED

THE HELICOPTER WILL LAND AT THE LANDINGS ZONE TO CONDUCT A SAFETY BRIEF. WHEN THE LINE CREW IS READY THE GROUND CREW WILL MAKE SURE THE TWO HOMES ARE EVACUATED. ONCE THE AREA IS CLEAR THE STREET CLOSURE CREW WILL CLOSE HUBBARD ROAD. THE HELICOPTER WILL DELIVER EQUIPMENT BAGS TO THE POLE SITES. WHEN THE CREW IS READY FOR THE POLES THE NEW POLES WILL BE SET IN PLACE AND ONCE ALL 5 POLES ARE SET POLE NUMBER ONE CREW SHOULD BE READY TO REMOVE THE OLD POLE. THE REMAINING 4 POLES WILL BE REMOVED IN ORDER. ONCE THE CREW IS COMPLETE THE HELICOPTER WILL REMOVE EQUIPMENT FOR THE POLE SITES. THE EQUIPMENT





2-5-2020 DATE OF SUBMISSION

COMPANY OFFICIAL / TITLE



Dear neighbor,

Guardian Helicopters Inc is a subcontractor of Southern California Edison (SCE). We will be working in your neighborhood to upgrade its electrical facilities to provide you a modern and reliable power grid. Your safety is our highest priority during this construction activity. We apologize for any inconvenience this may cause and will make every effort to minimize potential impacts during construction activities. Thank you for your patience as we complete these upgrades for you.

Upgrades in Your Area

We will be using a helicopter to set new utility pole.

What to Expect

- Federal Aviation Administration regulations require we take certain precautions to ensure the safety of the public during our operation. To do this your residence must be completely vacated while the helicopter sets the new utility pole. At no time will our helicopter over fly any residence with a load attached.
- HUBBARD ROAD WILL EXPERIENCE INTERMITTENT CLOSURES DURING OPERATIONS
- Guardian Helicopters primary concern during this operation is the general safety of the general public. We recommend measure to ensure the safety and control of any livestock during the period of helicopter operations.
- Work Timeline*

Date: 2-13-2020

Hours: 8:00 a.m. – 6:00 p.m.

The timeframe for the evacuation is approximately 120 minutes once all residents have left.

A Guardian Helicopter Inc representative will make contact with you and/or any responsible persons at your residence with further instructions shortly before the aircraft operation is to take place. Please notify all family members, workers, or anyone who may be at your residence on this date of the evacuation. It is important to us that our activity presents as little inconvenience to you as possible.

Project Area

THE POLE BEING REPLACED IS OFF HISEY RANCH ROAD AND WEST AVENUE W 6 . THE POLES WILL BE STAGED OFF OF HUGHET PIN ROAD

LIST OF BUILDINGS THAT SHALL EITHER BE PARTIALLY OR ENTIRELY UNOCCUPIED PERSONS ALSO HOMES THAT WILL BE NOTIFIED OF ACTIVITY:

BUILDING DESCRIPTION/ADDRESS	REMARKS	METHOD
WEST AVENUE W6 NUMBER UNKNOWN	VACANT DURING OPS	HAND DELIVER
HISEY RANCH ROAD NUMBER UNKNOWN	VACANT DURING OPS	HAND DELIVER
ALL HOMES WITHIN RED OPERATING AREA	VACANT DURING OPS	HAND DELIVER
SEE DIAGRAM = VACANT	VACANT DURING OPS	HAND DELIVER





Safety Tips

- Please close and secure back yard umbrellas and canopies
- Close all doors and windows to prevent dust from entering your home
- If possible, ensure your animals are secure or clear of the area.

If you have any questions or concerns please feel free to give me a call. In addition, I will be on site and can be reached on my cell phone.

Best regards,

Jeffrey M. Teubner

Flight Coordinator

818-442-9904 office

818-621-3794 cell




SCE Aircraft Operations Flight Request Form

Instructions: Please complete this form in its entirety and email to: <u>airops@sce.com</u> or fax to 909-974-4678. Once this form is received by Aircraft Operations, you will receive a response within 24 hours. For questions call SCE Aircraft Operations Dispatch at PAX 11676.

Requestor Information

Flight	t requested by:*	BRENNEN RI	HODES		
	rtment:*	CONSTRUCTI	ON		
Pax:*					
	Number:*	951-692-8906			
	l Address:*	brhodes@hotli	neconstructioninc.com		
SAP A	Accounting Number*	TD1524198			
			DESCRIPTION OF STREET	•	
			Flight Descript	ion	
Please	e choose a mission type	e:			
_	C IID/ID	_	I ina String	15 0	Pole-set
	Camera – HD/IR		Line String Passenger	⊠ □	Recon
	Crew support		Patrol		Training
	External Load		Photo		Need more info, please contact
	HEC	Ц	1 HOLO		riced more into, picase contac
Micci	on specific details (ex:	Passenger i	name, nole size/we	ight, extern	al load type, etc):
F DO	OLES: STA 1/2 41547	OOF 45' CL	2 WOOD STA 3	4 4154699	F 50' CL 1 COMP
<u> 3 FO</u>	STA 5/6 41546	08E 45' CL	1 COMP STA 7/	8 4154697	E 45' CL1 COMP
	STA 9/10 4154			0 110 1007	
-	<u> </u>	7000L 40 0	LIOOM		-
Gene	ral Operating Location	n	ACTON		
Distri			36		
LZC	oordinates (if known)				
	up location for passen	ger flights			
Drop-	off location for passer	iger flights			
Date(s) for which service is	requested	TBD (2019 COMPLIAN	IT)	
	of Pick-up				
Appr	ox. mission duration (if known)			
Back-	-up date for mission (i	f known)			
	orizer		RICK KARREN		
Autho	orizer PAX and cell nu	ımber	661-803-4508		
*requ	ired information				Click to e-mail form
For of	ffice use only				
Date F	Received by Aircraft Oper	ations:	Date In	itial Contact	Made:
Referr	red to contractor: No	Yes, Date:	Co	mpany:	
Follov					
	□ Week 3				
	2				





To: Jeffrey Teubner

Company: Guardian Helicopter, Inc.

Phone: 818-442-9904

Fax:

Email: jteubner@guardianhelicoptersusa.com

Van Nuys Flight Standards District Office

16501 Sherman Way

Suite 330

Van Nuys, California 91406-3757

818-267-3300

Fax: 818-786-9732

From: Jeffrey J Culligan

Title: Aviation Safety Inspector

Facsimile / Email

Date: 02/10/2020

Pages w/cover: 8

RE: LP20055

We confirm the approval of the Congested Area Plan (CAP) submitted by you on February 5, 2020.

This approval concerns the proposed operation near W Avenue W 6, Acton, CA on February 13, 2020 from Sunrise to Sunset local time.

Inspectors from this office may monitor the operation to ensure compliance with the approved plan.

Should you have any questions or need to submit a change to this plan, please contact this office at 818-267-3300.

Sincerely.

Jeffrey J Culligan

Aviation Safety Inspector

O. Culligan

Enclosure

Jeffrey Gulligan

U.S. Department of Transportation



SECTION 7

Part 135 GH 4A Part 133 GH 4L

RECEIVED

Operator: Guardian Helicopters, Inc

67 D STREET Fillmore CA. 93015 Phone (818) 442-9904 FAX (818) 442-9901 FEB 05 2020 LP20055 VAN NUYS FSDO

FAX (818)	442-9901		
PROJECT: EDISON PO	DLE REPLACEMENT W	ORK ORDER <u>#: TD 152419</u>	8
ADDRESS: W AVE W 6 A	AND HISEY RANCH ROA	AD ACTON CA	
LZ STAGING AREA LA	FITUDE 34°28'40.87"N LC	ONGITUDE 118°13'49.81"W	
		118°14'13.44"W45 CL 2 WO	OD 1800 LBS
		118°14'13.24"W 50 CL 1 CO	
4154698E LATITUDE 34°	29'17.24"N LONGITUDE	118°14'13.11"W 45 CL1 CO	MPOSITE 1300 LBS
4154697E LATITUDE 34°	29'14.65"N LONGITUDE	118°14'12.84"W 45 CL1 COI	MPOSITE 1300 LBS
		118°14'9.61"W45 CL1 COM	
CONTACT AT SITE; BR			
CONTRACTOR: HOTLIN	E CONSTRUCTION EDIS	SON PHONE#: 951-692-8906	
PILOT'S NAME(S): 1. Jo		CTD # 4 45/01//	-:
	UCKEY MACKAY	CERT #: 2778051	
3. M	ICHAEL KLINK	CERT# 3018828	
	N GOODALE	CERT# 3741973	
TYPE OF AIRCRAFT:BE	LL UH-1H N# N711	GH_A/C CATEGORY: RES	TRICTED
		CATEGORY: RESTRICT	
		C CATEGORY: STANDAR	
BEL	L 205A1 N# N216GH A	C CATEGORY: STANDAR	D
AS3	50 B2 N# N498PT A	C CATEGORY: STANDAR	D
AS3	50 B3 N# N718GH A	C CATEGORY: STANDAR	D
		C CATEGORY: STANDAR	
		ER REQUESTS ADDITION	
WILL BE CONDUCTED	REMAINING WITHIN	THE APPROVED TIME P.	ARAMETERS.
TYPE OF LIFTS: 5 EQUIPM	MENT BAGS 1200 LBS (5)	LBS (5) A LARGEST 1800 I	LBS_CLASS OF
LOAD: EXTL CL B TYPE C	F ITEM LIFTING: POLE	☐ AERODYNAMIC ☑ NON-	AERODYNAMIC MAX
2000 LBS NO. OF LIFTS: 15	LONG LINE:(N	IO) XXX (YES) LESS TH	EN 100 FT (LENGTH)
OPERATIONAL ALTITUDE	$E: \leq 250$ STREET CLOSING	G:(N0)_XX(YES)	
DATE AND TIMES OPER			
FLIGHT DATES	TIME BEGIN	TIME END	TODAY'S DATE
2-13-2020	SUNRISE	SUNSET	1-24-2020
AGENCY NAME:	PHONE#:	PERSON NOTIFIED:	DATE:
LOS ANGELES COUNTY FIRE	661-268-0638	STATION 81	NOTIFY
PALMDALE SHERIFF STATION	661-272-2400	DISPATCH	NOTIFY
Evacuation	Crowd C	<u>Sontrol</u> <u>S</u>	treet Closure
☐No Evacuated Struc	tures	Operator	ĬYes □ No
☑ Evacuated Structu			☑ Contractor
	FAA APPROVED, VAN N	IUYS FSBO	Operator



SECTION 7

Part 135 GH 4A Part 133 GH 4L

Congested Area Plan

Operator:

Guardian Helicopters, Inc

67 D Street

Fillmore, California 93015

LIST OF BUILDINGS THAT SHALL EITHER BE PARTIALLY OR ENTIRELY UNOCCUPIED PERSONS ALSO HOMES THAT WILL BE NOTIFIED OF ACTIVITY:

TEDO HOMED HERE THE STATE OF TH		
BUILDING DESCRIPTION/ADDRESS	REMARKS	METHOD
WEST AVENUE W6 NUMBER UNKNOWN	VACANT DURING OPS	HAND DELIVER
HISEY RANCH ROAD NUMBER UNKNOWN	VACANT DURING OPS	HAND DELIVER
ALL HOMES WITHIN RED OPERATING AREA	VACANT DURING OPS	HAND DELIVER
SEE DIAGRAM = VACANT	VACANT DURING OPS	HAND DELIVER

Narrative description of pick-up site, route, delivery site, and plan for ceasing operation if unauthorized persons enter operational area or real hazard occurs.

SITE INSPECTION NOTES

ONLY PERSONNEL ESSENTIAL TO COMPLETING THE JOB SAFELY WILL BE PERMITTED TO PARTICIPATE IN THE EVOLUTION. ONLY PERSONNEL PARTICIPATING IN THE SAFETY BRIEF WILL BE PERMITTED TO BE IN THE AREA OF OPERATIONS. ONLY AUTHORIZED ESSENTIAL PERSONAL WILL BE PERMITTED IN THE IMMEDIATE AREA OF OPERATIONS. IN THE EVENT AN UNAUTHORIZED PERSON ENTERS THE OPERATIONS AREA OR A POTENTIAL HAZARD IS IDENTIFIED THE PILOT WILL HOLD THE AIRCRAFT IN RELATIVE POSITION. THIS WILL BE ACHIEVED WITHOUT OVER FLYING THE GROUND CREW. ALL OPERATIONS WILL BE CEASED UNTIL THE PROBLEM IS RECTIFIED. IN THE EVENT OF AN AIRCRAFT EMERGENCY, THE PILOT WILL RADIO GROUND PERSONNEL AND WILL ATTEMPT TO LAND IN THE EMERGENCY LANDING AREA.

DURING THE LIFT EVOLUTION THE AIRCRAFT AND GROUND CREW WILL ALL BE IN RADIO COMMUNICATIONS. IN THE EVENT OF LOSS COMMUNICATIONS, THE CREW WILL USE STANDARD HAND SIGNALS TO COMMUNICATE WITH THE PILOT. WHEN THE PILOT IS CLEAR HE WILL MOVE THE AIRCRAFT TO A SAFE LOCATION TO ALLOW THE COMMUNICATION PROBLEM TO BE RECTIFIED.

THE OPERATIONS AREA IS WITHIN THE SECURED AREA. ALL ESSENTIAL CREW WITHIN THE OPERATIONS AREA WILL NOT BE INVOLVED IN TAKING PICTURES OR ANY OTHER USE OF CELL PHONES.

PRIOR TO BEGINNING OPERATIONS, A TAILBOARD SAFETY BRIEF WILL BE CONDUCTED.

- HELICOPTER WILL LAND AT THE LZ TO CONNECT THE LONGLINE AND CONDUCT A TAILBOARD SAFETY BRIEF
- 2. POLES WILL BE STAGED AT STAGING AREA

3. FUELING WILL OCCUR AT THE LZ

4. EMERGENCY LANDING ZONE IS AT THE STAGING AREA AND ALONG THE FLIGHT PATH

5. TAILBOARD SAFETY BRIEF CONDUCTED AT THE LZ PRIOR TO FLIGHT


- 6. HUBBARD ROAD WILL EXPERIENCE INTERMITTENT CLOSURES
- 7. SEE DRAWING BELOW FOR LOCATIONS OF CLOSURES

8. WATER TRUCK IS REQUIRED


9. TWO HOMES WILL BE EVACUATED SEE DIAGRAM ALL HOMES WITHIN 300 FT OF OPERATION AREA WILL BE EVACUATED

10. THE CONTRACTOR WILL TRIM TREES IF REQUIRED THE HELICOPTER WILL LAND AT THE LANDINGS ZONE TO CONDUCT A SAFETY BRIEF. WHEN THE LINE CREW IS READY THE GROUND CREW WILL MAKE SURE THE TWO HOMES ARE EVACUATED. ONCE THE AREA IS CLEAR THE STREET CLOSURE CREW WILL CLOSE HUBBARD ROAD. THE HELICOPTER WILL DELIVER EQUIPMENT BAGS TO THE POLE SITES. WHEN THE CREW IS READY FOR THE POLES THE NEW POLES WILL BE SET IN PLACE AND ONCE ALL 5 POLES ARE SET POLE NUMBER ONE CREW SHOULD BE READY TO REMOVE THE OLD POLE. THE REMAINING 4 POLES WILL BE REMOVED IN ORDER. ONCE THE CREW IS COMPLETE THE HELICOPTER WILL REMOVE EQUIPMENT FOR THE POLE SITES. THE EQUIPMENT

AND OLD POLES WILL BE RETURNED TO THE LZ STAGING AREA. ONCE THE AIRCRAFT IS CLEAR THE ROAD











2-5-2020 DATE OF SUBMISSION

COMPANY OFFICIAL / TITLE

fg Callegan



Dear neighbor,

Guardian Helicopters Inc is a subcontractor of Southern California Edison (SCE). We will be working in your neighborhood to upgrade its electrical facilities to provide you a modern and reliable power grid. Your safety is our highest priority during this construction activity. We apologize for any inconvenience this may cause and will make every effort to minimize potential impacts during construction activities. Thank you for your patience as we complete these upgrades for you.

Upgrades in Your Area

We will be using a helicopter to set new utility pole.

What to Expect

- Federal Aviation Administration regulations require we take certain precautions to ensure the safety of the public during our operation. To do this your residence must be completely vacated while the helicopter sets the new utility pole. At no time will our helicopter over fly any residence with a load attached.
- HUBBARD ROAD WILL EXPERIENCE INTERMITTENT CLOSURES DURING OPERATIONS
- Guardian Helicopters primary concern during this operation is the general safety of the general public. We
 recommend measure to ensure the safety and control of any livestock during the period of helicopter
 operations.
- Work Timeline*
- Date: 2-13-2020
- Hours: 8:00 a.m. 6:00 p.m.

The timeframe for the evacuation is approximately 120 minutes once all residents have left.

A Guardian Helicopter Inc representative will make contact with you and/or any responsible persons at your residence with further instructions shortly before the aircraft operation is to take place. Please notify all family members, workers, or anyone who may be at your residence on this date of the evacuation. It is important to us that our activity presents as little inconvenience to you as possible.

Project Area

THE POLE BEING REPLACED IS OFF HISEY RANCH ROAD AND WEST AVENUE W 6 . THE POLES WILL BE STAGED OFF OF HUGHET PIN ROAD

LIST OF BUILDINGS THAT SHALL EITHER BE PARTIALLY OR ENTIRELY UNOCCUPIED PERSONS ALSO HOMES THAT WILL BE NOTIFIED OF ACTIVITY:

BUILDING DESCRIPTION/ADDRESS	REMARKS	METHOD
WEST AVENUE W6 NUMBER UNKNOWN	VACANT DURING OPS	HAND DELIVER
HISEY RANCH ROAD NUMBER UNKNOWN	VACANT DURING OPS	HAND DELIVER
ALL HOMES WITHIN RED OPERATING AREA	VACANT DURING OPS	HAND DELIVER
SEE DIAGRAM = VACANT	VACANT DURING OPS	HAND DELIVER





Safety Tips

- Please close and secure back yard umbrellas and canopies
- Close all doors and windows to prevent dust from entering your home
- If possible, ensure your animals are secure or clear of the area.

If you have any questions or concerns please feel free to give me a call. In addition, I will be on site and can be reached on my cell phone.

Best regards,

Jeffrey M. Teubner

Jeffrey M. Julia

Flight Coordinator

818-442-9904 office

818-621-3794 cell