

# **HELICOPTER LIFT OPERATIONS SAFETY BRIEF CHECKLIST**

PRIOR TO BEGINNING ANY HELICOPTER OPERATION	
WILL BE CONDUCTED UTILIZING THE FOLLOW CHECK	KLIST: GREEN Valley
☐ SAFETY BRIEF SIGN IN 2. 1-20	020
☐ GHI CREW INTRODUCTION (Z) pole	es largest 2800 LBS
☐ IS A TRANSLATOR REQUIRED	
☐ WORK STOP AUTHORITY  ☐ DESIGNATE A 911 CALLER  Now- c  ☐ D   2	thp
□ DESIGNATE A 911 CALLER	61404
☐ IDENTIFY CLOSEST EMERGENCY MEDICAL SERVIC	CES
☐ CREW FATIGUE AND HYDRATION	
☐ HELICOPTER LIFT LIMITATIONS	
☐ HAZMAT WILL OR WILL NOT BE CARRIED ON THE	HOOK
☐ NON GHI EMPLOYEES WILL NOT APPROACH HELI	
☐ HELICOPTER HAZARD AREA (TAIL/MAIN ROTOR)	
☐ EFFECT OF ROTOR DOWN WASH ON LOAD	
DUST MASK: BURN AREA, DUST, POLLEN EXPO	
☐ HELICOPTER DOOR REMOVAL AND FIRE EXTINGU	
☐ PPE REQUIREMENTS (GLOVES, EYE PROTECTION,	
☐ PILOT/GROUND CREW COMMUNICATIONS/ LOST	T COMMUNICATIONS
PROCEDURES	
□ POTENTIAL STATIC CHARGE CAUSED BY HELICOP	TER
☐ SITE PLAN /FLIGHT PATH	
☐ FALL, PINCH, CRUSH DANGER POINTS	
☐ RIGGING OPERATIONS CONNECTING AND DISCO	NNECTING CRANE HOOK AND
SPREADER BAR HOOK	
☐ PROPER SECURING OF EQUIPMENT / TOOLS IN SU	
☐ STREET CLOSURE / EVACUATION USE DIAGRAM 1	TO ENSURE ALL HOMES ARE
CLEAR	
<b>NO CELL PHONES OR CAMERA USED BY GROUND</b>	) CREW



Non-compliance with established procedures may result in your removal from the mission

Pilot:					
Support Crew:					
Location:					
Mission: Aircraft:					
DATE	PRINT NAME	SIGNATURE	COMPANY		

# Tailboard Briefing Guide Updated: January 17, 2019

AIRCRAFT	ENVIRONMENT	EXTERNAL LOAD
Approach and departure Main/tail rotor hazards Safe cargo loading/ unloading Loose articles: - Aircraft & LZ Hearing protection Door/seatbelt operation Headset/helmet/intercom Air-sickness In-flight emergencies Establish who will call 911  Location of:     First aid/survival kit     Fire extinguisher     Fuel and battery shut     off procedure     Radios, ELT, SAT     Phone Fueling Operations: - Duties & Safety Issues	Weather conditions  Wind direction  Fuel  Gross weight  Terrain  Landing zone hazards  Density altitude  Noise abatement  Congested area plan  Traffic/crowd control  COMMUNICATION IS CRITICAL  Standardized language  "Code Red" phrases  Sterile cockpit  Flight following/radio  procedures  Possible tasks for crew, e.g.,  switch/tune radios, maps  Hazard awareness, e.g., birds, other hazards  STOP work policy  Re-brief in case scope changes  IMSAFE Acronym  Pilot fatigue mitigation must be briefed prior to work	Ground crew PPE Long Line & Rigging Equipment Inspection Communication: Use of headset for lineman communicating with pilot Head/Hand Signals Pole set procedures: Brief how pole will be secured: 1) Taglines 2) Pikes 3) fill dirt Steps on pole Remote hook operations Ground crew hook up procedures Static discharge Emergency flyaway procedures Long line clearance (6'- 25'- 150% rule) No person under load Ground crew safety zone Pole removal with potential snag issues must be discussed Nylon straps (wood vs. glass) Load ratings (7:1 minimum) Dry Run/Play by play pole set Procedures Induced Voltage from: - Adjacent circuits, Underbuild, Parallel circuits etc. In case of Non-Company ground crew: Rigging procedures must be briefed No cell phone/camera use during external loads Essential crew only



# SCE Aircraft Operations Flight Request Form

Instructions: Please complete this form in its entirety and email to: <u>airops@sce.com</u> or fax to 909-974-4678. Once this form is received by Aircraft Operations, you will receive a response within 24 hours. For questions call SCE Aircraft Operations Dispatch at PAX 11676.

## **Requestor Information**

	requested by:*	WAYNE RHO	DDES			
Depar	rtment:*	HAMPTON TEDDER				
Pax:*		N/A				
Cell N	lumber:*	909-203-0737				
Email	Address:*	WAYNERHOD	DES@HAMPTONTEDDER	.COM		
SAP A	Accounting Number*	TD1261404				
			Flight Description	on		
Please	e choose a mission type	<b>:</b>				
			T . C.	_	D-14	
	Camera – HD/IR		Line String	×	Pole-set	
	Crew support		Passenger		Recon	
	External Load		Patrol		Training	
	HEC		Photo		Need more info, please	cont
				<b>1</b>	11 14	
Missi	on specific details (ex:	Passenger	name, pole size/weig	ght, exteri	ial load type, etc):	
REP	LACING POLES 1.1	154939E 4	45FT CL1 2300LB	S, Xtrm 5	50lbs.GPS CORD.	
04.00						
			154938E 50FT H1	2900LBS	6. GPS CORD.34 36	
	6 57.07N X 118 26 23 9N X 118 26 19.70W		154938E 50FT H1 ral Foreman: Heath	Johnson	@ 1-909 240-6139	
51.69	9N X 118 26 19.70W	Gener	ral Foreman: Heath	Johnsor	0 0 1-909 240-6139	
51.69 Gener	ON X 118 26 19.70W ral Operating Location	Gener	38215 SAN FRANCISQU	Johnsor	0 0 1-909 240-6139	
51.69 Gener	ON X 118 26 19.70W  ral Operating Location  ict	Gener	ral Foreman: Heath	Johnsor	0 0 1-909 240-6139	
Gener Distri	ON X 118 26 19.70W  ral Operating Location  ict  oordinates (if known)	Gener	38215 SAN FRANCISQU	Johnsor	0 0 1-909 240-6139	
Gener Distri LZ Co Pick-	on X 118 26 19.70W  ral Operating Location  oordinates (if known)  up location for passeng	Gener n ger flights	38215 SAN FRANCISQU	Johnsor	0 0 1-909 240-6139	
Gener Distri LZ Co Pick-	ON X 118 26 19.70W  ral Operating Location  ict  oordinates (if known)	Gener n ger flights	38215 SAN FRANCISQU	Johnsor	0 0 1-909 240-6139	
Gener Distri LZ Co Pick-u Drop-	on X 118 26 19.70W  ral Operating Location  ict  oordinates (if known)  up location for passeng  off location for passen	Gener ger flights ger flights	38215 SAN FRANCISQU 36	JOHNSOR	0. GREEN VALLEY	
General Distriction LZ Control Drop-Date(	PN X 118 26 19.70W  ral Operating Location  ordinates (if known)  up location for passeng- off location for passen  s) for which service is	Gener ger flights ger flights	38215 SAN FRANCISQU 36	JOHNSOR	0 0 1-909 240-6139	
Gener Distri LZ Co Pick- Drop- Date( Time	on X 118 26 19.70W  ral Operating Location  ordinates (if known)  up location for passeng- off location for passen  s) for which service is a  of Pick-up	Gener ger flights ger flights requested	38215 SAN FRANCISQU 36	JOHNSOR	0. GREEN VALLEY	
General Distriction LZ Control Drop-Date() Time Approx	on X 118 26 19.70W  ral Operating Location  ict  oordinates (if known)  up location for passeng  off location for passen  s) for which service is a  of Pick-up  ox. mission duration (i	General Genera	38215 SAN FRANCISQU 36	JOHNSOR	0. GREEN VALLEY	
General Distriction LZ Control Drop-Date() Time Approx	on X 118 26 19.70W  ral Operating Location  ordinates (if known)  up location for passeng- off location for passen  s) for which service is a  of Pick-up	General Genera	38215 SAN FRANCISQU 36	JOHNSOR	0. GREEN VALLEY	
General Distriction LZ Control Drop-Date() Time Appropriate Appropriate Control Date()	ral Operating Location ict oordinates (if known) up location for passeng off location for passen s) for which service is a of Pick-up ox. mission duration (if	General Genera	38215 SAN FRANCISQL 36  2-1-20 (NOTE THESE POLES ARI	JOHNSOR	0. GREEN VALLEY	
General Distriction LZ Control Drop-Date() Time Appropriate Approp	ral Operating Location ict coordinates (if known) up location for passeng-off location for passengs) for which service is of Pick-up ox. mission duration (if up date for mission (if orizer	General Genera	38215 SAN FRANCISQU 36  2-1-20 (NOTE THESE POLES ARI	JOHNSON	D. GREEN VALLEY  REA BEING REPLACED UNDER A PROJECT)	
General Distriction LZ Control Drop-Date() Time Appropagate Author Autho	ral Operating Location ict coordinates (if known) up location for passeng-off location for passengs) for which service is of Pick-up ox. mission duration (if up date for mission (if orizer PAX and cell nu	General Genera	38215 SAN FRANCISQL 36  2-1-20 (NOTE THESE POLES ARI	JOHNSON	D. GREEN VALLEY  REA BEING REPLACED UNDER A PROJECT)	
General Distriction LZ Control Drop-Date() Time Appropagate Author Autho	ral Operating Location ict coordinates (if known) up location for passeng-off location for passengs) for which service is of Pick-up ox. mission duration (if up date for mission (if orizer	General Genera	38215 SAN FRANCISQU 36  2-1-20 (NOTE THESE POLES ARI	JOHNSON	D. GREEN VALLEY  REA BEING REPLACED UNDER A PROJECT)	
General Distriction LZ Control Drop-Date() Time Appropriate Appropriate Appropriate Appropriate Author Section 1 To 1	ral Operating Location ict coordinates (if known) up location for passeng-off location for passengs) for which service is sof Pick-up ox. mission duration (in-up date for mission (if orizer PAX and cell numbered information ffice use only	General Genera	2-1-20 (NOTE THESE POLES ARI David B. Grigsby Pax 661 607-0549, Cell 6	JOHNSON  JITO CYN RE  E IN HIGH FIRE A	Click to e-mail form	1
General Distriction LZ Control Date() Time Approback- Author *required For of Date R	ral Operating Location ict coordinates (if known) up location for passeng- off location for passeng- off location for passeng s) for which service is a of Pick-up ox. mission duration (if- up date for mission (if- orizer orizer PAX and cell numbered information ffice use only Received by Aircraft Operation	General Genera	David B. Grigsby Pax 661 607-0549, Cell 6	JOHNSON  JITO CYN RE  E IN HIGH FIRE A  661 609-1817	Click to e-mail form	1
General Distriction LZ Control Date (Control	ral Operating Location ict coordinates (if known) up location for passeng- off location for passeng- off location for passeng s) for which service is a of Pick-up ox. mission duration (if- up date for mission (if- orizer orizer PAX and cell numired information ffice use only red to contractor: □ No □	General Genera	David B. Grigsby Pax 661 607-0549, Cell 6	JOHNSON  JITO CYN RE  E IN HIGH FIRE A  661 609-1817	D. GREEN VALLEY  REA BEING REPLACED UNDER A PROJECT)	1
General Distriction LZ Control Date (Control	ral Operating Location ict coordinates (if known) up location for passeng- off location for passeng- off location for passeng- s) for which service is a conference of Pick-up ox. mission duration (if- up date for mission (if- orizer orizer PAX and cell numbered information ffice use only Received by Aircraft Operated to contractor:  we up status:  week 1	General Genera	David B. Grigsby Pax 661 607-0549, Cell 6	EIN HIGH FIRE A	Click to e-mail form  Made:	1
General Distriction LZ Control Date (Control	ral Operating Location ict oordinates (if known) up location for passeng- off location for passeng- off location for passeng of Pick-up ox. mission duration (if- up date for mission (if- orizer orizer PAX and cell numbered information ffice use only Received by Aircraft Operated to contractor:  we wup status:  Week 1  Week 2	General Genera	David B. Grigsby Pax 661 607-0549, Cell 6	EIN HIGH FIRE A	Click to e-mail form  Made:	1



#### **SECTION 7**

### Part 135 GH 4A Part 133 GH 4L

NON Congested Area Plan

Operator:

Guardian Helicopters, Inc

67 D STREET

Fillmore CA. 93015 Phone (818) 442-9904 FAX (818) 442-9901

PROJECT: EDISON POLE REPLACEMENT WORK ORDER #: TD 1609151 TD 1619358

ADDRESS 38215 SAN FRANCISQUITO CANYON ROAD : GREEN VALLEY CA

LZ LATITUDE 34°36'36.93"N LONGITUDE 118°26'25.08"W

POLE STAGING LATITUDE 34°36'51.23"N LONGITUDE 118°26'20.58"W

1154938E LATITUDE 34°36'51.62"N LONGITUDE 118°26'19.68"W 50 H1 2800 LBS

1154939E LATITUDE 34°36'56.97"N LONGITUDE 118°26'23.56"W 45 CL 1 2300 LBS

CONTACT AT SITE: WAYNE RHODES PHONE#: 909-203-0737

PILOT'S NAME(S): 1. JOHN OLSON CERT #: 2769166

2. <u>BUCKEY MACKAY</u> CERT #: 2778051 3. MICHAEL KLINK CERT# 3018828

4. IAN GOODALE CERT# 3741973

TYPE OF AIRCRAFT:

BELL UH-1H N# N711GH A/C CATEGORY: RESTRICTED

BELL UH-1H N# N214KK A/C CATEGORY: RESTRICTED

BELL 407 N# N407GH A/C CATEGORY: STANDARD

BELL 205A1 N# N216GH A/C CATEGORY: STANDARD

AS350 B2 N# N498PT \_A/C CATEGORY: STANDARD

AS350 B3 N# N718GH\_A/C CATEGORY: STANDARD

AS350 B3 N# N215GH A/C CATEGORY: STANDARD

IF SAFETY DICTATES AND OR THE CUSTOMER REQUESTS ADDITIONAL LIFTS THE LIFTS WILL BE CONDUCTED REMAINING WITHIN THE APPROVED TIME PARAMETERS.

TYPE OF LIFTS: (2) POLES LOAD: EXTL CL B TYPE OF ITEM LIFTING: □ AERODYNAMIC ☑ NON-

AERODYNAMIC

**MAX 2800 LBS** 

NO. OF LIFTS: 6 \_\_\_\_LONG LINE:\_\_

(NO) XXX (YES) LESS THEN 150 FT (LENGTH)

OPERATIONAL ALTITUDE: < 250 STREET CLOSING: (N0) XX (YES)

DATE AND TIMES OPERATION WILL BEGIN AND TERMINATE:

FLIGHT DATES	TIME BEGIN	TIME END	TODAY'S DATE
2-1-2020	SUNRISE	SUNSET	1-20-2020
AGENCY NAME:	PHONE#:	PERSON NOTIFIED:	DATE:
SANTA CLARITA SHERIFF DEPARTMENT	661-255-1121	WATCH COMMANDER	NOTIFY
LOS ANGELES COUNTY FIRE	661-724-3331	STATION 157	NOTIFY



NON Congested Area Plan

Evacuation	Crowd Control	Street Closure
☐ No Evacuated Structures  ☐ Evacuated Structures	✓Operator ✓Contractor	
		Operator

LIST OF BUILDINGS THAT SHALL EITHER BE PA		JNOCCUPIED PERSONS
ALSO HOMES THAT WILL BE NOTIFIED OF ACT	IVITY:	
BUILDING DESCRIPTION/ADDRESS	REMARKS	METHOD
NONE		
ALL HOMES WITHIN RED OPERATING	VACANT DURING OPS	HAND DELIVER
AREA		
SEE DIAGRAM = VACANT	VACANT DURING OPS	HAND DELIVER
VACANT		



Narrative description of pick-up site, route, delivery site, and plan for ceasing operation if unauthorized persons enter operational area or real hazard occurs.

### SITE INSPECTION NOTES

ONLY PERSONNEL ESSENTIAL TO COMPLETING THE JOB SAFELY WILL BE PERMITTED TO PARTICIPATE IN THE EVOLUTION. ONLY PERSONNEL PARTICIPATING IN THE SAFETY BRIEF WILL BE PERMITTED TO BE IN THE AREA OF OPERATIONS. ONLY AUTHORIZED ESSENTIAL PERSONAL WILL BE PERMITTED IN THE IMMEDIATE AREA OF OPERATIONS. IN THE EVENT AN UNAUTHORIZED PERSON ENTERS THE OPERATIONS AREA OR A POTENTIAL HAZARD IS IDENTIFIED THE PILOT WILL HOLD THE AIRCRAFT IN RELATIVE POSITION. THIS WILL BE ACHIEVED WITHOUT OVER FLYING THE GROUND CREW. ALL OPERATIONS WILL BE CEASED UNTIL THE PROBLEM IS RECTIFIED. IN THE EVENT OF AN AIRCRAFT EMERGENCY, THE PILOT WILL RADIO GROUND PERSONNEL AND WILL ATTEMPT TO LAND IN THE EMERGENCY LANDING AREA.


DURING THE LIFT EVOLUTION THE AIRCRAFT AND GROUND CREW WILL ALL BE IN RADIO COMMUNICATIONS. IN THE EVENT OF LOSS COMMUNICATIONS, THE CREW WILL USE STANDARD HAND SIGNALS TO COMMUNICATE WITH THE PILOT. WHEN THE PILOT IS CLEAR HE WILL MOVE THE AIRCRAFT TO A SAFE LOCATION TO ALLOW THE COMMUNICATION PROBLEM TO BE RECTIFIED.


THE OPERATIONS AREA IS WITHIN THE SECURED AREA. ALL ESSENTIAL CREW WITHIN THE OPERATIONS AREA WILL NOT BE INVOLVED IN TAKING PICTURES OR ANY OTHER USE OF CELL PHONES.

# PRIOR TO BEGINNING OPERATIONS, A TAILBOARD SAFETY BRIEF WILL BE CONDUCTED.


- 1. HELICOPTER WILL LAND AT THE LZ TO CONNECT THE LONGLINE AND CONDUCT A SAFETY TAILBOARD
- 2. POLES WILL BE STAGED OFF OF FOREST SERVICE ROAD 7N02
- 3. FUELING WILL BE CONDUCTED AT THE LANDING ZONE
- 4. EMERGENCY LANDING ZONE IS AT THE STAGING AREA AND ALONG THE FLIGHT PATH
- 5. RADIOS WILL BE PROVIDED TO EACH POLE SITE
- WATER TRUCK REQUIRED AT LANDING ZONE
- 7. SAN FRANCISQUITO CANYON ROAD AND FOREST SERVICE ROAD 7N02 WILL EXPERIENCE INTERMITTENT CLOSURES
- 8. SEE DIAGRAM FOR STREET CLOSURE AND FLAGMAN REQUIREMENTS.
- 9. THE CONTRACTOR WILL TRIM TREES IF REQUIRED











1-20-2020 DATE OF SUBMISSION

COMPANY OFFICIAL / TITLE



### Dear neighbor,

Guardian Helicopters Inc is a subcontractor of Southern California Edison (SCE). We will be working in your neighborhood to upgrade its electrical facilities to provide you a modern and reliable power grid. Your safety is our highest priority during this construction activity. We apologize for any inconvenience this may cause and will make every effort to minimize potential impacts during construction activities. Thank you for your patience as we complete these upgrades for you.

### Upgrades in Your Area

We will be using a helicopter to set new utility pole.

### What to Expect

- Federal Aviation Administration regulations require we take certain precautions to ensure the safety of the public during our operation. To do this your residence must be completely vacated while the helicopter sets the new utility pole. At no time will our helicopter over fly any residence with a load attached.
- SAN FRANCISQUITO CANYON AND FOREST SERVICE RD 7N02 WILL EXPERIENCE INTERMITTENT CLOSURES DURING OPERATIONS
- Guardian Helicopters primary concern during this operation is the general safety of the general public. We recommend measure to ensure the safety and control of any livestock during the period of helicopter operations.
- Work Timeline\*
- Date: 2-1-2020
- Hours: 8:00 a.m. 6:00 p.m.

## The timeframe for the evacuation is approximately 120 minutes once all residents have left.

A Guardian Helicopter Inc representative will make contact with you and/or any responsible persons at your residence with further instructions shortly before the aircraft operation is to take place. Please notify all family members, workers, or anyone who may be at your residence on this date of the evacuation. It is important to us that our activity presents as little inconvenience to you as possible.


#### **Project Area**

THE POLE BEING REPLACED IS OFF OF FOREST SERVICE RD 7N02 . THE POLES WILL BE STAGED ON FOREST SERVICE RD 7N02

LIST OF BUILDINGS THAT SHALL EITHER BE PARTIALLY OR ENTIRELY UNOCCUPIED PERSONS ALSO HOMES THAT WILL BE NOTIFIED OF ACTIVITY:

BUILDING DESCRIPTION/ADDRESS	REMARKS	METHOD
ALL HOMES WITHIN RED OPERATING AREA	VACANT DURING OPS	HAND DELIVER
SEE DIAGRAM = VACANT	VACANT DURING OPS	HAND DELIVER





### Safety Tips

- Please close and secure back yard umbrellas and canopies
- Close all doors and windows to prevent dust from entering your home
- If possible, ensure your animals are secure or clear of the area.

If you have any questions or concerns please feel free to give me a call. In addition, I will be on site and can be reached on my cell phone.

Best regards,

Jeffrey M. Teubner

**Flight Coordinator** 

818-442-9904 office

818-621-3794 cell

