

SCE Aircraft Operations Flight Request Form

Instructions: Please complete this form in its entirety and email to: airops@sce.com or fax to 909-974-4678. Once this form is received by Aircraft Operations, you will receive a response within 24 hours. For questions call SCE Aircraft Operations Dispatch at PAX 11676.

Requestor Information

Flight requested by:*	
Department:*	
Pax:*	
Cell Number:*	
Email Address:*	

SAP Accounting Number*	
-------------------------------	--

Flight Description

Please choose a mission type:

- | | | |
|---|--------------------------------------|---|
| ☐ Camera – HD/IR | ☐ Line String | ☐ Pole-set |
| ☐ Crew support | ☐ Passenger | ☐ Recon |
| ☐ External Load | ☐ Patrol | ☐ Training |
| ☐ HEC | ☐ Photo | ☐ Need more info, please contact |

Mission specific details (ex: Passenger name, pole size/weight, external load type, etc):

General Operating Location	
District	
LZ Coordinates (if known)	
Pick-up location for passenger flights	
Drop-off location for passenger flights	

Date(s) for which service is requested	
Time of Pick-up	
Approx. mission duration (if known)	
Back-up date for mission (if known)	

Authorizer	
Authorizer PAX and cell number	

**required information*

For office use only

Date Received by Aircraft Operations: _____ Date Initial Contact Made: _____

Referred to contractor: ☐ No ☐ Yes, Date: _____ Company: _____

Follow up status: ☐ Week 1 _____

☐ Week 2 _____

☐ Week 3 _____

★ HELICOPTER SET ★

SANTA BARBARA CO. 25-51

* NEED ROAD CUT TO POLE LOCATION.

* NEED 4 ANCHOR HOLES ROD & PLATE

Rm: 468320E POLE ①
 Rm: 1-45' CL4 W.C. POLE
 Rm: 1-10' DOUBLE XARM WOOD 16KV
 Rm: 2- PORC DE INS - 16KV
 Rm: 1- 9/32" D.G. (Backing Buckarm)



IN: 468320E POLE ②
 IN: 1- 50' CI COMPOSITE POLE
 IN: 1- 10' XARM COMPOSITE
 IN: 2- POLY DE INS ACSR - 16KV
 IN: 2- 3/8" D.G. (FOR DUCK)
 IN 2 3/8" D.G. IN LINE WITH SLAV
 IN 2 10' ROD & ANCHOR PLATE

Rm: 468321E POLE ③
 Rm: 1-45' CL4 W.C. POLE
 Rm: 1- 20' DBL XARM WOOD - 16KV V.B.
 Rm: 6- PORC DE BELLS - 16KV
 Rm: 1- 9/32" D.G. (Dacking ANGLE)

IN: 468321E POLE ④
 IN: 1- 50' CI COMPOSITE POLE
 IN: 2- 20' COMPOSITE DOUBLE XARM - 16KV (SAP 10208033 x2)
 IN: 6- POLY DE INS - 16KV
 IN: 1- 3/8" D.G. (Backing ANGLE)
 IN 2 10' ROD & ANCHOR PLATE

OCI- POLE REPLACEMENT
 TD1521474

Calchuma 16KV - VEGAS SUB



CREW NOTES:
 - ENTER @ 2590 San Marcos Pass RD.
 - FOLLOW UP TO small meter pole & Tank then pole is up hill.

PROJECT REQUIREMENTS (Y/N)	
EMERGENCY REQUIRED	☒
WAD REQUIRED	☒
STILL ONLY WITH ORDER	☒
PERMIT REQUIRED	☒
PERMIT TYPE	
OUTAGE REQUIRED	☒
OUTAGE DATE	TIME
TRAFFIC CONTROL REQUIRED	☒
RED TRAFFIC CONTROL REQUIRED	☒
CONVENIENT LETTER REQUIRED	☒
ENVIRONMENTAL CLEARANCE REQUIRED	☒
NO. AND TYPE TEST	☒

PLANNER: Lukie Smaud	JOB NAME: OCI- POLE REPLACEMENT	FOREMAN:	DISTRICT: 49- S.B.
DWO:	JOB LOCATION: 2590 San Marcos Pass	TRUCK	P/E:
A.I. NO.:	TLM-CSD 140 REQUIRED YES NO	DATE SENT TO R/W:	
J.P.A. NO.:	GRID NO. THOMAS MAP	DIST. SKETCH #	
RELATED W.O.:	T.L.M. DATA: SIZE KVA CUST. LOAD	DRAWN BY:	INV. MAP NO.'S
	EXIST. PROP. VOLTAGE DROP PRI. CIRC.	WORKED BY:	25-51
		INV. MAP NO.'S VERIFIED: (1)	







2890 San Marcos Pass Rd

154

Kinevan Rd

W Camino Cielo

© 2018 Google

Google Earth

1994

Imagery Date: 8/11/2018 34°30'24.99" N 119°49'01.63" W elev 2123 ft eye alt 3758 ft