

SCE Aircraft Operations Flight Request Form

Instructions: Please complete this form in its entirety and email to: airops@sce.com or fax to 909-974-4678. Once this form is received by Aircraft Operations, you will receive a response within 24 hours. For questions call SCE Aircraft Operations Dispatch at PAX 11676.

Requestor Information

Flight requested by:*	
Department:*	
Pax:*	
Cell Number:*	
Email Address:*	

SAP Accounting Number*	
-------------------------------	--

Flight Description

Please choose a mission type:

- | | | |
|---|--------------------------------------|---|
| ☐ Camera – HD/IR | ☐ Line String | ☐ Pole-set |
| ☐ Crew support | ☐ Passenger | ☐ Recon |
| ☐ External Load | ☐ Patrol | ☐ Training |
| ☐ HEC | ☐ Photo | ☐ Need more info, please contact |

Mission specific details (ex: Passenger name, pole size/weight, external load type, etc):

General Operating Location	
District	
LZ Coordinates (if known)	
Pick-up location for passenger flights	
Drop-off location for passenger flights	

Date(s) for which service is requested	
Time of Pick-up	
Approx. mission duration (if known)	
Back-up date for mission (if known)	

Authorizer	
Authorizer PAX and cell number	

**required information*

For office use only

Date Received by Aircraft Operations: _____ Date Initial Contact Made: _____

Referred to contractor: ☐ No ☐ Yes, Date: _____ Company: _____

Follow up status: ☐ Week 1 _____

☐ Week 2 _____

☐ Week 3 _____

GPS:

34°-27'-11.69"

117°-56'-24.79"

TD#1535592-PLANT BETTERMENT/UPGRADING DISTRIBUTION FACILITIES

EX:

1200617E

14

40' (WESTERN)

Class C5

RM: 275' 2-1/C - CD #4 STR AL BARE ACSR NON-GREASED (0617E TO 6380E)

2- XA SNGL FB 10' STEEL PINS

1- INS GLASS & PIN 12KV CLMP #4-336 ACSR

2- INS GLASS DE 12KV W/L-GUARD #4

2- INS POLY DE 12KV RIG #4

IN: 275' 2-1/C - 1/0 ATW XLHDPPE INS CABLE 17kV (0617E TO 6380E)

2- XA DBL HD DE COMP 10'

1- INS POLY PIN 12KV VRT VICE NYLON

4- INS POLY DE 12KV HOT SHOE #4 & 1/0

4- KADDAS WILDLIFE CVD CND DEAD END COVER

GPS:

34'-27'-08.22"

117'-56'-24.85"

TD#1535592-PLANT BETTERMENT/UPGRADING DISTRIBUTION FACILITIES

RM:

699122E

12

40'

Class C5

RM: 1- POLE 40' CLASS 5 WOOD FULL TREAT

281' 2-1/C - CD #4 STR AL BARE ACSR NON-GREASED (9122E TO 0617E)

1- XA DBLE FB 10' WOOD PINS

5- INS GLASS DE 12KV W/L-GUARD #4

1- AG DOWN GUY 3/8" - 50' LESS THAN 22.5KV

TD#1535592-PLANT BETTERMENT/UPGRADING DISTRIBUTION FACILITIES
(SET POLE HARD SET SOUTH)

IN:

699122E

13

50' (COMPOSITE)

Class C1

IN: 1- POLE 50' CLASS 1 RS COMP SEC POLE

281' 2-1/C - 1/0 ATW XLHDPE INS CABLE 17kV (9122E TO 0617E)

1- XA DBL HD DE COMP 10'

2- INS POLY PIN 12KV VRT VICE NYLON

5- INS POLY DE 12KV HOT SHOE #4 & 1/0

5- KADDAS WILDLIFE CVD CND DEAD END COVER

1- AG DOWN GUY 3/8" - 50' LESS THAN 22.5KV

RM: 1-3/8" DG (SCE)

IN: 1-3/8" DG (SCE)

699122E

40

Untitled Map

Write a description for your map.

Legend

Feature 1

1200617E 34°27'11.69"N 117°56'24.79"W

699122E N34 27' 08.22" W117 56' 24.85"