

HELICOPTER LIFT OPERATIONS SAFETY BRIEF CHECKLIST

PRIOR TO BEGINNING ANY HELICOPTER OPERATION A THOROUGH SAFETY BRIEF
WILL BE CONDUCTED UTILIZING THE FOLLOW CHECKLIST: Alleghany CA
SAFETY BRIEF SIGN IN PGE 21-01144
GHI CREW INTRODUCTION
□ IS A TRANSLATOR REQUIRED (3) 40' CLI 1700 LBS @ 5000 FT
□ WORK STOP AUTHORITY Water truck
□ DESIGNATE A 911 CALLER
☐ IDENTIFY CLOSEST EMERGENCY MEDICAL SERVICES
☐ CREW FATIGUE AND HYDRATION
☐ HELICOPTER LIFT LIMITATIONS
☐ HAZMAT WILL OR WILL NOT BE CARRIED ON THE HOOK
□ NON GHI EMPLOYEES WILL NOT APPROACH HELICOPTER WITH ROTORS ENGAGED
☐ HELICOPTER HAZARD AREA (TAIL/MAIN ROTOR)
☐ EFFECT OF ROTOR DOWN WASH ON LOAD
DUST MASK: BURN AREA, DUST, POLLEN EXPOSURE
☐ HELICOPTER DOOR REMOVAL AND FIRE EXTINGUISHER LOCATION
☐ PPE REQUIREMENTS (GLOVES, EYE PROTECTION, HARD HAT WITH CHIN STRAP
☐ PILOT/GROUND CREW COMMUNICATIONS/ LOST COMMUNICATIONS
PROCEDURES
□ POTENTIAL STATIC CHARGE CAUSED BY HELICOPTER
☐ SITE PLAN /FLIGHT PATH
☐ FALL, PINCH, CRUSH DANGER POINTS
☐ RIGGING OPERATIONS CONNECTING AND DISCONNECTING CRANE HOOK AND
SPREADER BAR HOOK
☐ PROPER SECURING OF EQUIPMENT / TOOLS IN SUPER SACK AND ON LONG LINE
☐ STREET CLOSURE / EVACUATION USE DIAGRAM TO ENSURE ALL HOMES ARE
CLEAR
□ NO CELL PHONES OR CAMERA USED BY GROUND CREW



Non-compliance with established procedures may result in your removal from the mission

Pilot:

Support Cr	ew:						
Location:							
Mission:							
Aircraft:							
Note: By signing	ng this document you acknowledg	ge you understood all items brief ured when working under a helico	ed to you and that you are				
DATE	Note: By signing this document you acknowledge you understood all items briefed to you and that you are responsible for insuring all loose items are secured when working under a helicopter. DATE PRINT NAME SIGNATURE COMPANY						

Tailboard Briefing Guide Updated: January 17, 2019

AIRCRAFT	ENVIRONMENT	EXTERNAL LOAD
Approach and departure Main/tail rotor hazards Safe cargo loading/ unloading Loose articles: - Aircraft & LZ Hearing protection Door/seatbelt operation Headset/helmet/intercom Air-sickness In-flight emergencies Establish who will call 911 Location of: First aid/survival kit Fire extinguisher Fuel and battery shut off procedure Radios, ELT, SAT Phone Fueling Operations: - Duties & Safety Issues	Weather conditions Wind direction Fuel Gross weight Terrain Landing zone hazards Density altitude Noise abatement Congested area plan Traffic/crowd control Traffic/crowd control Standardized language "Code Red" phrases Sterile cockpit Flight following/radio procedures Possible tasks for crew, e.g., switch/tune radios, maps Hazard awareness, e.g., birds, other hazards STOP work policy Re-brief in case scope changes IMSAFE Acronym Pilot fatigue mitigation must be briefed prior to work	Ground crew PPE Long Line & Rigging Equipment Inspection Communication: Use of headset for lineman communicating with pilot Head/Hand Signals Pole set procedures: Brief how pole will be secured: 1) Taglines 2) Pikes 3) fill dirt Steps on pole Remote hook operations Ground crew hook up procedures Static discharge Emergency flyaway procedures Long line clearance (6'- 25'- 150% rule) No person under load Ground crew safety zone Pole removal with potential snag issues must be discussed Nylon straps (wood vs. glass) Load ratings (7:1 minimum) Dry Run/Play by play pole set Procedures Induced Voltage from: - Adjacent circuits, Underbuild, Parallel circuits etc. In case of Non-Company ground crew: Rigging procedures must be briefed No cell phone/camera use during external loads Essential crew only

21-01144 Request Summary



Work Dates 06/09/2021 BELL 205 Requestor LAN ID Phone Cell

LOB

Vendor

Ashley M Bloom AQB0 (707) 449-5832

Guardian Helicopters

(707) 449-5832 Lift V (707) 317-3009 For C

Request Date 06/04/2021
Work Type Lift Work Type Cargo
Yes

HENKELS & MCCOY

Approver

Supervisor Robert D Mitchell (R3MD)

R3MD@PGE.COM

(C) (530) 906-5685

Scope of Work

SIERRA COUNTY ALLEGHANY 1101

CAP - NIL

DISPATCH NOTIFICATIONS - NIL

USFS/NATIONAL PARK TERRITORY - TAHOE NF

NOTIFICATIONS MADE - YES

THIRD PARTY - HENKELS & MCCOY

CONTACTS -

REQUESTOR - RYAN OBERG - 530.312.5536 FOREMAN - MATT KORPI - 530.812.7718 PGE PM - ADRIANA AFONG A4A8

SCOPE - CARGO || TRANSPORT POLES AND ROCK BAGS FROM LZ TO WORK LOCATIONS FOR REPLACEMENT. REMOVE OLD POLES. 40' CL1 WOOD - 1700LBS.

HEC SHIP ON SITE - R1017

LZ/WORK LOCATION INFORMATION -

LZ OK, NO OBSTRUCTIONS. LZ DIAMETER VERIFIED FOR TYPE 3 AIRCRAFTS - 160FT.

WORK LOCATIONS OK, NO OBSTRUCTIONS.

REQUESTOR TO ENSURE TRAFFIC MITIGATION IS IN PLACE AS NEEDED.

Daily Information

06/09/2021

Asset Category: MEDIUM Asset Type: BELL 205

Locations

08:00 - LZ LZ - S180

39 27.99'N 120 53.56'W <no headquarters>

<no county>

4800 ft

21-01144 Request Summary

Work Location	า						
ALLEGHANY 1101	12KV	39 31.82'N 120 49.91'W	Line #:	100093528	SIERRA	<no county=""></no>	5350 ft
Work Location	า						
ALLEGHANY 1101	12KV	39 31.04'N 120 50.32'W	Line #:	100093476	SIERRA	<no county=""></no>	5400 ft
Work Location	1						
ALLEGHANY 1101	12KV	39 30.76'N 120 50.46'W	Line #:	100093452	SIERRA	<no county=""></no>	5550 ft
Est. Use Hours	8.00			Vendor	Guard	ian Helicopters	
Contract				Over Water	No		
Fuel Truck	Yes			Cargo Weight	1800.0		
Special Equipment				Billing Number		723-5300 100%	
Comments	-					884-5300 100%	
						858-5300 100%	
						888-5300 100%	
				Req. Notification	1S		
Talk About #	H&M Ch8 RX 451.8000 DF 712 UHF	X/TX Talk Group PL		H&M Ch8 RX/TX 451.8000 DPL 712 UHF	₹ Talk Radi	451.	1 Ch8 RX/TX 8000 DPL UHF

21-01144 - June 2021

Saturday		12	61	56		
Friday	.co					
Thursday	4					
Wednesday	3	9 08:00 -16:00 BELL 205 LZ - S180 39 27.99'N 120 53.56'W	17	23	30	
Tuesday	2	8	15	22	59	
Monday			14	21	28	
Sunday	(1)	9	13	20	27	



SECTION 7

Part 135 GH 4A Part 133 GH 4L

NON- Congested Area Plan

Operator:

Guardian Helicopters, Inc

67 D STREET

Fillmore CA. 93015

Phone (818) 442-9904

FAX (818) 442-9901

PROJECT: PG&E HEC POLE SET

WORK ORDER #: 21-01144

ADDRESS: RIDGE RD CITY ALLEGHANY STATE: CA ZIP: 95910

LZ STAGING AREA LATITUDE 39°27'59.07"N LONGITUDE 120°53'33.82"W. ELEV 4650 FT

100093452 LATITUDE 39°30'45.60"N LONGITUDE 120°50'27.60"W ELEV 5250 FT 40 FT CL 1 1700 LBS 100093476 LATITUDE 39°31'2.40"N LONGITUDE 120°50'19.20"W ELEV 5050 FT 40 FT CL 1 1700 LBS 100093528 LATITUDE 39°31'48.82"N LONGITUDE 120°49'54.68"W ELEV 4850 FT 40 FT CL 1 1700 LBS

CONTACT REQUESTOR: RYAN OBERG

PHONE#: 530-312-5536

CONTACT FORMAN:

MATT KORPI

PHONE#: 530-812-7718

PILOT'S NAME(S):

1. JOHN OLSON	CERT #: <u>2769166</u>
2. BUCKEY MACKAY	CERT #: 2778051
3. MICHAEL KLINK	CERT#: 3018828
4. IAN GOODALE	CERT#: 3741973
5. ROSS GOULET	CERT#: 3396777

TYPE OF AIRCRAFT:

N# N211GH A/C CATEGORY: STANDARD BHT 205

IF SAFETY DICTATES AND OR THE CUSTOMER REQUESTS ADDITIONAL LIFTS THE LIFTS WILL BE CONDUCTED REMAINING WITHIN THE APPROVED TIME PARAMETERS.

TYPE OF LIFTS: (3) \checkmark (3) \spadesuit 40 FT CL 1 1700 LBS LOAD: EXT CL B

TYPE OF ITEM LIFTING: □ AERODYNAMIC ☑ NON- AERODYNAMIC LONG LINE: (NO) XXX (YES)

LESS 100 FT (LENGTH) OPERATIONAL ALTITUDE: < 250 AGL STREET CLOSING: (N0)

XX (YES)

DATE AND TIMES OPERATION WILL BEGIN AND TERMINATE:

TIME BEGIN	TIME END	TODAY'S DATE
SUNRISE	SUNSET	6-1-2021
PHONE#:	PERSON NOTIFIED:	DATE:
530-289-3700	DISPATCH	NOTIFIED
530-287-3700	DISPATCH	NOTIFIED
	PHONE#: 530-289-3700	PHONE#: PERSON NOTIFIED: 530-289-3700 DISPATCH



NON Congested Area Plan

Evacuation	Crowd Control	Street Closure
No Evacuated Structures	 ✓Operator	☑Yes ☐No
☐ Evacuated Structures	 ✓Contractor	☑ Contractor
		Operator

LIST OF BUILDINGS THAT SHALL BE UNOCCUPIED DURING OPERATIONS:

BUILDING DESCRIPTION/ADDRESS	REMARKS	METHOD
NONE		
ALL HOMES WITHIN RED OPERATING AREA	VACANT DURING OPS	HAND DELIVER
SEE DIAGRAM = VACANT	VACANT DURING OPS	HAND DELIVER

Narrative description of pick-up site, route, delivery site, and plan for ceasing operation if unauthorized persons enter operational area or real hazard occurs.

SITE INSPECTION NOTES


ONLY PERSONNEL ESSENTIAL TO COMPLETING THE JOB SAFELY WILL BE PERMITTED TO PARTICIPATE IN THE EVOLUTION. ONLY PERSONNEL PARTICIPATING IN THE SAFETY BRIEF WILL BE PERMITTED TO BE IN THE AREA OF OPERATIONS. ONLY AUTHORIZED ESSENTIAL PERSONAL WILL BE PERMITTED IN THE IMMEDIATE AREA OF OPERATIONS. IN THE EVENT AN UNAUTHORIZED PERSON ENTERS THE OPERATIONS AREA OR A POTENTIAL HAZARD IS IDENTIFIED THE PILOT WILL HOLD THE AIRCRAFT IN RELATIVE POSITION. THIS WILL BE ACHIEVED WITHOUT OVER FLYING THE GROUND CREW. ALL OPERATIONS WILL BE CEASED UNTIL THE PROBLEM IS RECTIFIED. IN THE EVENT OF AN AIRCRAFT EMERGENCY, THE PILOT WILL RADIO GROUND PERSONNEL AND WILL


ATTEMPT TO LAND IN THE EMERGENCY LANDING AREA.
DURING THE LIFT EVOLUTION THE AIRCRAFT AND GROUND CREW WILL ALL BE IN RADIO COMMUNICATIONS. IN
THE EVENT OF LOSS COMMUNICATIONS, THE CREW WILL USE STANDARD HAND SIGNALS TO COMMUNICATE
WITH THE PILOT. WHEN THE PILOT IS CLEAR HE WILL MOVE THE AIRCRAFT TO A SAFE LOCATION TO ALLOW THE
COMMUNICATION PROBLEM TO BE RECTIFIED.


THE OPERATIONS AREA IS WITHIN THE SECURED AREA. ALL ESSENTIAL CREW WITHIN THE OPERATIONS AREA WILL NOT BE INVOLVED IN TAKING PICTURES OR ANY OTHER USE OF CELL PHONES.

PRIOR TO BEGINNING OPERATIONS, A TAILBOARD SAFETY BRIEF WILL BE CONDUCTED.

- 1. HELICOPTER WILL LAND AT THE LANDING ZONE TO CONDUCT TAILBOARD.
- 2. HEC WILL BE STAGED AT THE LZ
- 3. TAILBOARD WILL BE CONDUCTED AT LANDING ZONE
- 4. WATER TRUCK IS REQUIRED AT LANDING AREAS
- 5. NO EVACUATIONS
- 6. STREET CLOSURE AT LZ STAGING AREA SEE DIAGRAM
- 7. TREE TRIMMING IF REQUIRED







LEGEND

SITE PLAN SYMBOLS: EVACUATION FLIGHT PATH				
LANDING AREA = (LZ)	STREET BLOCKED = XXXX	TOP TWO FLOORS = UBT2		
ATTACH AREA = (A)	RELEASE AREA = (R)			
FLIGHT PATH = >>>	EMERGENCY LAND = (ELZ)			
UNOCCUPIED BUILDING = (UB)	UNOCCUPIED BUILDING TOP FLOOR = (UBT1)			

6-4-2021

DATE OF SUBMISSION

Jeffrey M. Julia

COMPANY OFFICIAL / TITLE
Jeffrey M. Teubner Flight Coordinator