

HELICOPTER LIFT OPERATIONS SAFETY BRIEF CHECKLIST

PRIOR TO BEGINNING ANY HELICOPTER OPERATION A THOROUGH SAFETY BRIEF
WILL BE CONDUCTED UTILIZING THE FOLLOW CHECKLIST: [Vatsonville /montereyCoo
SAFETY BRIEF SIGN IN PEE Z1-03063
GHI CREW INTRODUCTION 2-1-202
□ IS A TRANSLATOR REQUIRED NOW CAP
WORK STOP AUTHORITY HEC 1CArgo
☐ DESIGNATE A 911 CALLER
☐ IDENTIFY CLOSEST EMERGENCY MEDICAL SERVICES
☐ CREW FATIGUE AND HYDRATION
☐ HELICOPTER LIFT LIMITATIONS
☐ HAZMAT WILL OR WILL NOT BE CARRIED ON THE HOOK
□ NON GHI EMPLOYEES WILL NOT APPROACH HELICOPTER WITH ROTORS ENGAGED
☐ HELICOPTER HAZARD AREA (TAIL/MAIN ROTOR)
☐ EFFECT OF ROTOR DOWN WASH ON LOAD
DUST MASK: BURN AREA, DUST, POLLEN EXPOSURE
☐ HELICOPTER DOOR REMOVAL AND FIRE EXTINGUISHER LOCATION
☐ PPE REQUIREMENTS (GLOVES, EYE PROTECTION, HARD HAT WITH CHIN STRAP
☐ PILOT/GROUND CREW COMMUNICATIONS/ LOST COMMUNICATIONS
PROCEDURES
□ POTENTIAL STATIC CHARGE CAUSED BY HELICOPTER
☐ SITE PLAN /FLIGHT PATH
☐ FALL, PINCH, CRUSH DANGER POINTS
☐ RIGGING OPERATIONS CONNECTING AND DISCONNECTING CRANE HOOK AND
SPREADER BAR HOOK
☐ PROPER SECURING OF EQUIPMENT / TOOLS IN SUPER SACK AND ON LONG LINE
☐ STREET CLOSURE / EVACUATION USE DIAGRAM TO ENSURE ALL HOMES ARE
CLEAR
□ NO CELL PHONES OR CAMERA USED BY GROUND CREW



HELICOPTER HEC OPERATIONS SAFETY BRIEF CHECKLIST

PRIOR TO BEGINNING ANY HELICOPTER HEC OPERATIONS A THOROUGH SAFETY BRIEF WILL BE CONDUCTED UTILIZING THE FOLLOW CHECKLIST THIS DOES NOT SUPERSEDE INITIAL HEC TRAINING REQUIREMENTS

☐ CONDUCT STANDARD HELICOPTER LIFT SAFETY BRIEF PRIOR TO HEC SAFETY BRIEF
☐ HEC SAFETY BRIEF SIGN IN
☐ INITIAL HEC TRAINING VERIFIED ISSUE STICKER DISPLAYED ON HELMET
□ WORK STOP AUTHORITY
☐ PPE REQUIREMENTS (HELMETS, EYEWEAR, GLOVES AND FOOTWEAR)
☐ HARNESS, FITMENT, CONDITION AND LOAD LIMIT
☐ PROPER USE OF ATTACHMENT EQUIPMENT (CARABINERS)
□ BUDDY /SELF CHECK
☐ COMMUNICATIONS REQUIREMENTS VIA RADIO OR HEAD AND HAND SIGNALS (RADIO WILL BE TETHERED OR SECURED)
☐ NO EQUIPMENT WILL BE TRANSPORTED DURING HEC
☐ HEC SHORT HAUL OPERATIONS PLAN, DAILY MISSION
☐ INSERTION POINT AND AREA HAZARDS
☐ HEC ATTACH ZONE AND WAITING AREA
☐ EMERGENCY PROCEDURES; ENGINE FAILURE, TR FAILURE, HOOK FAILURE, LINE ENTANGLEMENT)
IT NO CELL PHONE OR CAMERA USED DURING HEC

21-03063 Request Summary



Requestor LAN ID

Kristopher Jay Banzon Request Date

Work Type Lift Work Type

11/20/2021 Lift Work HEC -

Phone Cell LOB

(707) 835-4153 (707) 835-4153

For Contractor Electric Transmission

Non-Energized

Line

kjbs

Vendor

Guardian Helicopters

Yes PAR

Work Dates 12/01/2021 - 12/02/2021 BELL 407

Approver

Superintendent David E Bales (DeBO)

DEBO@PGE.COM (P) (816) 604-0883

(C) (559) 906-7497

Foreman

Charles Burton (C0BT)

(C) (816) 604-0883

Scope of Work

MONTEREY COUNTY

MOSS LANDING-LOS BANOS 500 KV

CAP-NIL

RQD NOTIFICATIONS- MOSS LANDING

USFS/NATIONAL PARK TERRITORY- NIL

NOTIFICATIONS MADE- NIL

SCOPE- HELICOPTER TO TRANSPORT WORKERS, MATERIALS, AND TOOLS TO VARIOUS WORK LOCATION FOR MAINENANCE WORK ON STRUCTURES. HELICOPTER TO SERVE AS AIR SUPPORT UNTIL WORK IS COMPLETED.

LZ/WORK LOCATION INFORMATION-

LZ-OK, WITHIN PROXIMITY TO TRANSMISSION/DISTRIBUTION CIRCUITS AND ROAD. HELICOPTER TO REMAIN 300 FT FROM ROAD AND HOMES/BUILDINGS. LZ DIAMETER VERIFIED FOR TYPE 3 AIRCRAFT- 75 FEET DIAMETER

WL- OK, NO OBSTRUCTIONS WILL REQUIRE HELICOPTER TO CROSS ROAD AND LITTLE BODIES OF WATER IN PROXIMITY. STRUCTURE 1/8 OVER WORK SITE AND REQUESTER TO ENSURE CLEARED AND STRUCTURE 2/14 OVER MARSH.

REQUESTER TO ENSURE DUST & TRAFFIC MITIGATION IN PLACE, AS NEEDED

Information

12/01/2021 - 12/02/2021

Asset Category: LIGHT Asset Type: BELL 407

Locations 08:00 - LZ

LZ-DOLAN (ELEVATION 71 FT)

36 47.89'N 121 44.83'W <no headquarters>

<no county>

Dust/Snow Mitigation Plan:

Surface will have water applied prior to landing.

21-03063 Request Summary

--- - Work Location

50011 MOSS LANDING-LOS BANOS 500 KV

Line #: 0/5 36 47.64'N

MOSSLNDG <no county>

3 ft

121 46.12'W

Dust/Snow Mitigation Plan:

Surface is composed of low vegetative cover.

--- - Work Location

50011 MOSS LANDING-LOS BANOS 500 KV

36 47.05'N Line #: 1/8 MOSSLNDG

3 ft <no county>

121 46.05'W

Dust/Snow Mitigation Plan:

Surface is composed of low vegetative cover.

--- - Work Location

50011 MOSS LANDING-LOS BANOS 500 KV

36 46.97'N Line #: 1/11

MOSSLNDG

4 ft <no county>

121 45.86'W

Dust/Snow Mitigation Plan:

Surface is composed of low vegetative cover.

--- - Work Location

50011 MOSS LANDING-LOS BANOS 500 KV

36 46.98'N

121 45.63'W

Line #: 2/12 MOSSLNDG

<no county>

14 ft

Dust/Snow Mitigation Plan:

Surface is composed of low vegetative cover.

--- - Work Location

50011 MOSS LANDING-LOS BANOS 500 KV

36 47.00'N

Line #: 2/14 MOSSLNDG

<no county> 2ft

121 45.06'W

Dust/Snow Mitigation Plan:

Surface is composed of low vegetative cover.

Vendor

Est. Use Hours

Contract

8.00

Over Water

Guardian Helicopters No

Yes

Cargo Weight

1000.0 lbs 45066424 20%

Fuel Truck Special Equipment Comments

HEC Gear, Grapple Request pilot to contact Buck Burton (816 604 0883) 2-3 days before the scheduled work.

Billing Number 45066423 20% 45066422 20% 44986431 20% 44983612 10%

44992027 10%

Req. Notifications

Talk About # **CC Recipients** 105

Talk Group

105

Talk Radio #

105

C0BT@PGE.COM;DEBO@PGE.COM;KJBS@pge.com;MCB9@pge.com;MEWk@pge.com;PXD

1@PGE.COM

21-03063 - December 2021

Saturday		1	8 1	2.5		
Friday	4					
Thursday	2 08:00 -16:00 BELL 407 LZ- DOLAN 36 47.89'N 121 44.83'W	9	17		30	\$
Wednesday	1 08:00 -16:00 BELL 407 LZ- DOLAN 36 47.89'N 121 44.83'W	000	15	22	29	W.
Tuesday	0		41	21	28	
Monday			13	20	27	
Sunday	<u>~</u>	S	12	19	26	F1



SECTION 7

Part 135 GH 4A Part 133 GH 4L

NON- Congested Area Plan

Operator:

Guardian Helicopters, Inc

67 D STREET

Phone (818) 442-9904

Fillmore CA. 93015

FAX (818) 442-9901

PROJECT: PG&E HEC POLE SET WORK ORDER #: 21-03063 ADDRESS: DOLAN RD CITY: WATSONVILLE STATE: CA

LZ STAGING AREA 36°47'53.32"N 121°44'49.82"W SEE ATTACHED FLIGHT REQUEST AND KMZ FILE

CONTACT REQUESTOR: DAVID BALES

PHONE#: 559-906-7497

CONTACT FORMAN:

CHARLES BURTON

PHONE#: 816-604-0883

PILOT'S NAME(S):

1. JOHN OLSON	CERT #: <u>2769166</u>
2. BUCKEY MACKAY	CERT #: 2778051
3. MICHAEL KLINK	CERT#: 3018828
4. IAN GOODALE	CERT#: 3741973
5. ROSS GOULET	CERT#: 3396777

TYPE OF AIRCRAFT:

BELL UH-1H N# N777GH A/C CATEGORY: RESTRICTED BELL 407 N# N407GH A/C CATEGORY: STANDARD N# N447GH A/C CATEGORY: STANDARD **BELL 407** BELL 205A1 N# N216GH A/C CATEGORY: STANDARD BELL 205A1 N# N211GH A/C CATEGORY: STANDARD N# N498PT A/C CATEGORY: STANDARD AS350 B2 N# N718GH A/C CATEGORY: STANDARD AS350 B3 N# N215GH A/C CATEGORY: STANDARD AS350 B3

IF SAFETY DICTATES AND OR THE CUSTOMER REQUESTS ADDITIONAL LIFTS THE LIFTS WILL BE CONDUCTED REMAINING WITHIN THE APPROVED TIME PARAMETERS.

TYPE OF LIFTS: HEC CARGO LOAD: EXT CL B TYPE OF ITEM LIFTING: □ AERODYNAMIC ☑ NON-AERODYNAMIC LONG LINE: (NO) XXX (YES) LESS 200 FT (LENGTH) OPERATIONAL ALTITUDE: <

(N0) XX (YES) 250 AGL STREET CLOSING:__

DATE AND TIMES OPERATION WILL BEGIN AND TERMINATE:

FLIGHT DATES	TIME BEGIN	TIME END	TODAY'S DATE
12-1-2021	SUNRISE	SUNSET	11-22-2021
12-2-2021	SUNRISE	SUNSET	11-22-2021
AGENCY NAME:	PHONE#:	PERSON NOTIFIED:	DATE:
WATSONVILLE POLICE DEPARTMENT	831-768-3300	DISPATCH	NOTIFIED
NORTH COLINTY FIRE DISTRICT	831-633-2578	DISPATCH	NOTIFIED



Part 135 GH 4A Part 133 GH 4L

Evacuation NON Congested Area Plan
Crowd Control

Street Closure

No Evacuated Structures

✓Operator

✓ Yes

☐ No

☐Evacuated Structures

Contractor

✓ Contractor

Operator

LIST OF BUILDINGS THAT SHALL EITHER BE PARTIALLY OR ENTIRELY UNOCCUPIED PERSONS ALSO HOMES THAT WILL BE NOTIFIED OF ACTIVITY:

BUILDING DESCRIPTION/ADDRESS	REMARKS	METHOD
NO EVACUATIONS	VACANT DURING OPS	HAND DELIVER

Narrative description of pick-up site, route, delivery site, and plan for ceasing operation if unauthorized persons enter operational area or real hazard occurs.

SITE INSPECTION NOTES

ONLY PERSONNEL ESSENTIAL TO COMPLETING THE JOB SAFELY WILL BE PERMITTED TO PARTICIPATE IN THE EVOLUTION. ONLY PERSONNEL PARTICIPATING IN THE SAFETY BRIEF WILL BE PERMITTED TO BE IN THE AREA OF OPERATIONS. ONLY AUTHORIZED ESSENTIAL PERSONAL WILL BE PERMITTED IN THE IMMEDIATE AREA OF OPERATIONS. IN THE EVENT AN UNAUTHORIZED PERSON ENTERS THE OPERATIONS AREA OR A POTENTIAL HAZARD IS IDENTIFIED THE PILOT WILL HOLD THE AIRCRAFT IN RELATIVE POSITION. THIS WILL BE ACHIEVED WITHOUT OVER FLYING THE GROUND CREW. ALL OPERATIONS WILL BE CEASED UNTIL THE PROBLEM IS RECTIFIED. IN THE EVENT OF AN AIRCRAFT EMERGENCY, THE PILOT WILL RADIO GROUND PERSONNEL AND WILL

ATTEMPT TO LAND IN THE EMERGENCY LANDING AREA.
DURING THE LIFT EVOLUTION THE AIRCRAFT AND GROUND CREW WILL ALL BE IN RADIO COMMUNICATIONS. IN
THE EVENT OF LOSS COMMUNICATIONS, THE CREW WILL USE STANDARD HAND SIGNALS TO COMMUNICATE
WITH THE PILOT. WHEN THE PILOT IS CLEAR HE WILL MOVE THE AIRCRAFT TO A SAFE LOCATION TO ALLOW THE
COMMUNICATION PROBLEM TO BE RECTIFIED.


THE OPERATIONS AREA IS WITHIN THE SECURED AREA. ALL ESSENTIAL CREW WITHIN THE OPERATIONS AREA WILL NOT BE INVOLVED IN TAKING PICTURES OR ANY OTHER USE OF CELL PHONES.


PRIOR TO BEGINNING OPERATIONS, A TAILBOARD SAFETY BRIEF WILL BE CONDUCTED.


- 1. BOTH HELICOPTERS WILL LAND AT LZ TO CONDUCT A TAILBOARD AND HEC TRAINING
- 2. IF REQUIRED A WATER TRUCK WILL BE PROVIDED FOR THE LZ
- 3. POLE AND CARGO WILL BE SET IN OPEN AREA NEAR LZ
- 4. NO EVACUATIONS
- 5. DOLAN RD WILL EXPERIENCE INTERMITTENT CLOSURE

LEGEND

SITE P	LAN SYMBOLS: EVACUATION FLIGHT PAT	CH
LANDING AREA = (LZ)		TOP TWO FLOORS = UBT2
ATTACH AREA = (A)	RELEASE AREA = (R)	
FLIGHT PATH =>>>	EMERGENCY LAND = (ELZ)	
UNOCCUPIED BUILDING = (UB)	UNOCCUPIED BUILDING TOP FLOOR = (UBT1)	







11-16-2021 DATE OF SUBMISSION

COMPANY OFFICIAL / TITLE
Jeffrey M. Teubner Flight Coordinator