

# **HELICOPTER LIFT OPERATIONS SAFETY BRIEF CHECKLIST**

PRIOR TO BEGINNING ANY HELICOPTER OPERATION A THOROUGH SAFETY BRIEF
WILL BE CONDUCTED UTILIZING THE FOLLOW CHECKLIST: San MATEO / MOTET
SAFETY BRIEF SIGN IN POE 22-0237
GHI CREW INTRODUCTION 5/31 mob
□ IS A TRANSLATOR REQUIRED
WORK STOP AUTHORITY 6/3 Demob
□ DESIGNATE A 911 CALLER NON-CAP
□ IDENTIFY CLOSEST EMERGENCY MEDICAL SERVICES Tailboard Newark Subst
CREW FATIGUE AND HYDRATION  43320 Nobel Dr  Fremont, CA 94538
HELICOPTER LIFT LIMITATIONS + CAP 94538
☐ HAZMAT WILL OR WILL NOT BE CARRIED ON THE HOOK
□ NON GHI EMPLOYEES WILL NOT APPROACH HELICOPTER WITH ROTORS ENGAGED
☐ HELICOPTER HAZARD AREA (TAIL/MAIN ROTOR)
☐ EFFECT OF ROTOR DOWN WASH ON LOAD
DUST MASK: BURN AREA, DUST, POLLEN EXPOSURE
☐ HELICOPTER DOOR REMOVAL AND FIRE EXTINGUISHER LOCATION
☐ PPE REQUIREMENTS (GLOVES, EYE PROTECTION, HARD HAT WITH CHIN STRAP
☐ PILOT/GROUND CREW COMMUNICATIONS/ LOST COMMUNICATIONS
PROCEDURES
☐ POTENTIAL STATIC CHARGE CAUSED BY HELICOPTER
☐ SITE PLAN /FLIGHT PATH
☐ FALL, PINCH, CRUSH DANGER POINTS
☐ RIGGING OPERATIONS CONNECTING AND DISCONNECTING CRANE HOOK AND
SPREADER BAR HOOK
☐ PROPER SECURING OF EQUIPMENT / TOOLS IN SUPER SACK AND ON LONG LINE
☐ STREET CLOSURE / EVACUATION USE DIAGRAM TO ENSURE ALL HOMES ARE
CLEAR
□ NO CELL PHONES OR CAMERA USED BY GROUND CREW



## HELICOPTER HEC OPERATIONS SAFETY BRIEF CHECKLIST

PRIOR TO BEGINNING ANY HELICOPTER HEC OPERATIONS A THOROUGH SAFETY BRIEF WILL BE CONDUCTED UTILIZING THE FOLLOW CHECKLIST THIS DOES NOT SUPERSEDE INITIAL HEC TRAINING REQUIREMENTS

☐ CONDUCT STANDARD HELICOPTER LIFT SAFETY BRIEF PRIOR TO HEC SAFETY BRIEF
☐ HEC SAFETY BRIEF SIGN IN
☐ INITIAL HEC TRAINING VERIFIED ISSUE STICKER DISPLAYED ON HELMET
□ WORK STOP AUTHORITY
☐ PPE REQUIREMENTS (HELMETS, EYEWEAR, GLOVES AND FOOTWEAR)
☐ HARNESS, FITMENT, CONDITION AND LOAD LIMIT
☐ PROPER USE OF ATTACHMENT EQUIPMENT (CARABINERS)
□ BUDDY /SELF CHECK
☐ COMMUNICATIONS REQUIREMENTS VIA RADIO OR HEAD AND HAND SIGNALS (RADIO WILL BE TETHERED OR SECURED)
☐ NO EQUIPMENT WILL BE TRANSPORTED DURING HEC
☐ HEC SHORT HAUL OPERATIONS PLAN, DAILY MISSION
☐ INSERTION POINT AND AREA HAZARDS
☐ HEC ATTACH ZONE AND WAITING AREA
☐ EMERGENCY PROCEDURES; ENGINE FAILURE, TR FAILURE, HOOK FAILURE, LINE ENTANGLEMENT)
TI NO CELL PHONE OR CAMERA USED DURING HEC



Non-compliance with established procedures may result in your removal from the mission

Pilot:			
Support Cro	ew:		
Location:			
Mission:			
Aircraft:			
Note: By signir	ng this document you acknowledg	ge you understood all items briefe	ed to you and that you are
DATE	r insuring all loose items are secu	SIGNATURE	COMPANY

## Tailboard Briefing Guide Updated: January 17, 2019

AIRCRAFT	ENVIRONMENT	EXTERNAL LOAD
Approach and departure   Main/tail rotor hazards   Safe cargo loading/ unloading   Loose articles: - Aircraft & LZ   Hearing protection   Door/seatbelt operation   Headset/helmet/intercom   Air-sickness   In-flight emergencies   Establish who will call   911   Location of: ○ First aid/survival kit ○ Fire extinguisher ○ Fuel and battery shut off procedure ○ Radios, ELT, SAT Phone   Fueling Operations: - Duties & Safety Issues	Weather conditions Wind direction Fuel Gross weight Terrain Landing zone hazards Density altitude Noise abatement Congested area plan Traffic/crowd control  COMMUNICATION IS CRITICAL Standardized language "Code Red" phrases Sterile cockpit Flight following/radio procedures Possible tasks for crew, e.g., switch/tune radios, maps Hazard awareness, e.g., birds, other hazards STOP work policy Re-brief in case scope changes MISAFE Acronym  Pilot fatigue mitigation must be briefed prior to work	Ground crew PPE Long Line & Rigging Equipment Inspection Communication: Use of headset for lineman communicating with pilot Head/Hand Signals Pole set procedures: Brief how pole will be secured: 1) Taglines 2) Pikes 3) fill dirt Steps on pole Remote hook operations Ground crew hook up procedures Static discharge Emergency flyaway procedures Long line clearance (6'- 25'- 150% rule) No person under load Ground crew safety zone Pole removal with potential snag issues must be discussed Nylon straps (wood vs. glass) Load ratings (7:1 minimum) Dry Run/Play by play pole set Procedures Induced Voltage from: - Adjacent circuits, Underbuild, Parallel circuits etc. In case of Non-Company ground crew: Rigging procedures must be briefed No cell phone/camera use during external loads Essential crew only



05/27/2022 Kristopher Jay Banzon Request Date Requestor Lift Work **KJBS** Work Type LAN ID Lift Work Type HEC -(707) 835-4153 Phone

Non-Energized Cell (707) 835-4153 Yes

Electric Transmission For Contractor PAR Line

Guardian Helicopters Vendor

**Work Dates** 05/31/2022 - 06/03/2022 BELL 407

(C) (916) 804-4526 Superintendent Michael E Willey (MEWK) MEWk@pge.com **Approver** (C) (707) 815-6506 (P) (707) 815-6506 Jerod Downing (JZDA) **Foreman** 

SAN MATEO COUNTY Scope of Work

**RAVENSWOOD-AMES #2 115 KV** 

LOB

CAP- NIL

**RQD NOTIFICATIONS- NUQ & PAO TOWER** 

USFS/NATIONAL PARK TERRITORY- NIL

NOTIFICATIONS MADE- NIL

SCOPE- HELICOPTER TO TRANSPORT WORKERS, TOOLS, AND MATERIALS TO NUMEROUS WL'S FOR BIRD/NEST REMOVAL AND POTENTIALLY AN INSULATOR CHANGE OUT. WORK WILL BE OVER THE BAY BUT NO MIDSPAN WORK TO BE PERFORMED. \*\*PAIRS WITH 2 PJS LIGHTS ON R1231, THEY WILL BE WORKING OUT OF THE NEWARK SUBSTATION\*\*

LZ/WORK LOCATION INFORMATION-

LZ-OK, AT SUBSTATION WITH NUMEROUS TRANSMISSION CIRCUITS AND IS WITHIN 300

FT OF ROAD. PER REQUESTER, LZ APPROVAL RECIEVED

LZ DIAMETER VERIFIED FOR TYPE 3 AIRCRAFT- 75 FEET DIAMETER

WL- OK, OTHER TRANSMISSION CIRCUITS RUNNING PARALLEL AND WILL BE OVER

WATER.

\*\*PER REQUESTER, TRAFFIC MITIGATION WILL BE IN PLACE\*\*

## Daily Information

#### 05/31/2022

Reason for Request in Less than 10 Days:

Other

Reason for Request in Less than 10 Days Explained:

EXTENSION TO R1231, DUE TO ENVIRONMENTAL REQUIRING BIRDS/NEST REMOVAL

Asset Category: LIGHT Asset Type: BELL 407

Locations

13:00 - LZ POSITION LEG <no lat/lon> <no headquarters>

Est. Use Hours
Contract
Fuel Truck
Special Equipment
Comments

Dust/Snow Mitigation Plan:

3.00

PSPS GUARDIAN (407)

Yes

Request Pilot to contact the

following personnel 1 day before the scheduled start.Kris Banzon- 707

835 4153

structures (12 Towers): 3/25, 3/26, 4/27, 4/28, 4/29, 4/30, 4/31, 4/32,

5/33, 5/34, 5/35 and 5/36

Ravenswood-Ames #2 115KV Line.

Vendor Over Water Cargo Weight Billing Number Reg. Notifications

Guardian Helicopters

Yes

1000.0 lbs 31533811 100%

---

#### 06/01/2022

Reason for Request in Less than 10 Days:

Other

Reason for Request in Less than 10 Days Explained:

EXTENSION TO R1231, DUE TO ENVIRONMENTAL REQUIRING BIRDS/NEST REMOVAL

Asset Category: LIGHT Asset Type: BELL 407

Locations

Locations							
Work Location							
0800- HELICOPTER TO LAND AT NEWARK TAILBOARD WITH PG&E CREW ON R1231				37 30.12'N 121 58.84'W		<no headquarter s&gt;</no 	<no county&gt;</no 
Dust/Snow Mitigation	n Plan:	Surface is com	nposed of low	vegetative	cover.		
09:00 - LZ LZ- /	AMES SUBSTATION	37 25 122 04		<no headq<="" td=""><td>uarters&gt;</td><td><no c<="" td=""><td>ounty&gt;</td></no></td></no>	uarters>	<no c<="" td=""><td>ounty&gt;</td></no>	ounty>
Dust/Snow Mitigation	n Plan:	(Wester)					
Work Location 10271 RAVENSWOO	OD-AMES #2 115 KV			37 27.23'\ 122 05.53'\	N 3/25	METCALF	<no 5<br="">county&gt; ft</no>
Dust/Snow Mitigation	n Plan:	<u> 1985)</u>					
Work Location 10271 RAVENSWOO	OD-AMES #2 115 KV			37 26.92'l 122 04.79'\	N 4/30	METCALF	<no 5<br="">county&gt; ft</no>
Dust/Snow Mitigation	n Plan:	***					
Work Location 10271 RAVENSWO	OD-AMES #2 115 KV			37 26.19'l 122 04.28'\	N 5/36	METCALF	<no 5<br="">county&gt; ft</no>
Dust/Snow Mitigation	n Plan:						
Work Location SEE COMMENTS FOR ADDTIONAL WL'S				<no lat/lon</no 	>	<no headquarte s&gt;</no 	r
Dust/Snow Mitigation	n Plan:	-					
Est. Use Hours Contract Fuel Truck Special Equipment Comments	8.00 PSPS GUARDIAN (49 Yes Request Pilot to conta following personnel 1	act the	Vendor Over Water Cargo Weig Billing Num Req. Notific	ht ber	Guardian Yes 1000.0 lbs 31533811		

scheduled start.Kris Banzon- 707

835 4153

structures (12 Towers): 3/25, 3/26, 4/27, 4/28, 4/29, 4/30, 4/31, 4/32, 5/33, 5/34, 5/35 and 5/36 Ravenswood-Ames #2 115KV Line.

#### 06/02/2022

Reason for Request in Less than 10 Days:

Reason for Request in Less than 10 Days Explained:

EXTENSION TO R1231, DUE TO ENVIRONMENTAL REQUIRING BIRDS/NEST REMOVAL

**Asset Category: LIGHT** Asset Type: BELL 407

Locations							
Work Location							
0800- HELICOPTER TO LAND AT NEWARK TAILBOARD WITH PG&E CREW ON R1231				37 30.12'N 037 30.12'W		<no headquarter s&gt;</no 	<no county&gt;</no 
Dust/Snow Mitigation	n Plan:	Surface is con	nposed of low v	egetative/	cover.		
09:00 - LZ LZ- /	9:00 - LZ LZ- AMES SUBSTATION		.11'N <r .00'W</r 	no headqu	arters>	<no county=""></no>	
Dust/Snow Mitigation	n Plan:	(apa):					
Work Location							
10271 RAVENSWOO	OD-AMES #2 115 KV			37 27.23'N 122 05.53'W	3/25	METCALF	<no 5="" county=""> ft</no>
Dust/Snow Mitigation	n Plan:	X444X					
Work Location 10271 RAVENSWO	OD-AMES #2 115 KV			37 26.92'N 122 04.79'W	4/30	METCALF	<no 5<br="">county&gt; ft</no>
Dust/Snow Mitigation	n Plan:	(1 <del>22-</del> )					
Work Location							
10271 RAVENSWOOD-AMES #2 115 KV				37 26.19'N 122 04.28'W	5/36	METCALF	<no 5="" county=""> ft</no>
Dust/Snow Mitigation	n Plan:	444					
Work Location SEE COMMENTS F	OR ADDTIONAL WL'S			<no lat/lon&gt;</no 		<no headquarter s&gt;</no 	r
Dust/Snow Mitigation	n Plan:						
Est. Use Hours Contract Fuel Truck Special Equipment Comments	8.00 PSPS GUARDIAN (40 Yes Request Pilot to conta following personnel 1 scheduled start.Kris B	act the day before the	Vendor Over Water Cargo Weigh Billing Numbe Req. Notificat	t 10 er 3	es 000.0 lbs 1533811		

835 4153

structures (12 Towers): 3/25, 3/26, 4/27, 4/28, 4/29, 4/30, 4/31, 4/32, 5/33, 5/34, 5/35 and 5/36 Ravenswood-Ames #2 115KV Line.

#### 06/03/2022

Reason for Request in Less than 10 Days:

Other

Reason for Request in Less than 10 Days Explained:

EXTENSION TO R1231, DUE TO ENVIRONMENTAL REQUIRING BIRDS/NEST REMOVAL

Asset Category: LIGHT Asset Type: BELL 407

Locations

13:00 - LZ	POSITION LEG		at/lon>	<no headquarte<="" th=""><th>rs&gt;</th><th></th></no>	rs>	
<b>Dust/Snow Mitigation</b>	on Plan:	Surface is cor	nposed of low vege	tative cover.		
Est. Use Hours Contract Fuel Truck Special Equipment Comments	3.00 PSPS GUARDIAN Yes Request Pilot to co following personne scheduled start.Kr 835 4153 structures (12 Tow 4/27, 4/28, 4/29, 4 5/33, 5/34, 5/35 ar Ravenswood-Ame	ontact the el 1 day before the is Banzon- 707 vers): 3/25, 3/26, /30, 4/31, 4/32, nd 5/36	Vendor Over Water Cargo Weight Billing Number Req. Notifications	Guardian Helio Yes 1000.0 lbs 31533811 100		
Γalk About #	105 <b>T</b>	alk Group	105	Talk Radio #	105	

# 22-01237 - May 2022

Saturday				20		
Friday		13 14	21	27	13:00 -16:00 BELL 407 POSITION LEG	01
Thursday	9		19	26	2 09:00 -17:00 BELL 407   08:00- HELICOPTER TO  37 30,12:N 037 30,12:W	6
Wednesday		11	18	2.5	99:00 -17:00 BELL 407 0800- HELICOPTER TO. 37 30.12°N 121 58.84°W	06
Tuesday	4	10	17	24	31 13:00 -16:00 BELL 407 0800- HELICOPTER TO 37 30.12'N 037 30.12'W	
Monday	3	6	16	23	30	(M)
Sunday	<b></b>	l∞	15	22	29	ю.

# 22-01237 - June 2022

Saturday						
Friday	3 13:00 -16:00 BELL 407 POSITION LEG	110	17	24	c1	o-
Thursday	1 09:00 -17:00 BELL 407   09:00 -17:00 BELL 407   13:00 -16:00 BELL 407   18:00 BELL 407	6	16	23	30	
Wednesday	1 09:00 -17:00 BELL 407 0800- HELICOPTER TO 37 30.12'N 121 58.84'W	8	15	22	53	SS
Tuesday	31 13:00 -16:00 BELL 407 0800- HELICOPTER TO. 37 30,12°N 037 30,12°W		14	21	28	
Monday			13	20	27	
Sunday	60	9	12	19	26	



#### **SECTION 7**

### Part 135 GH 4A Part 133 GH 4L

NON- Congested Area Plan

Operator:

Guardian Helicopters, Inc

67 D STREET Fillmore CA. 93015 Phone (818) 442-9904

FAX (818) 442-9901

PROJECT: PG&E HEC CARGO WORK ORDER #: 22-01237

ADDRESS: STEVENS CREEK TRAIL CITY: MOUNTAIN VIEW

STATE: CA

LZ STAGING AREA 37°25'6.50"N 122° 3'59.73"W

SEE ATTACHED FLIGHT REQUEST AND KMZ FILE

CONTACT FORMAN:

CONTACT REQUESTOR: MICHAEL WILLEY JEROD DOWNING

PHONE#: 916-804-4526 PHONE#: 707-815-6506

PILOT'S NAME(S):

1. MICHAEL KLINK	CERT#: <u>3018828</u>
2. BUCKEY MACKAY	CERT #: 2778051
3. IAN GOODALE	CERT#: 3741973
4. ROSS GOULET	CERT#: 3396777
5 TREVOR NEEDHAM	CERT#: 3597688

#### TYPE OF AIRCRAFT:

BELL UH-1H N# N777GH A/C CATEGORY: RESTRICTED BELL 407 N# N407GH A/C CATEGORY: STANDARD N# N447GH A/C CATEGORY: STANDARD BELL 407 BELL 407 N# N111GH A/C CATEGORY: STANDARD BELL 205A1\_N# N216GH\_A/C CATEGORY: STANDARD BELL 205A1 N# N211GH A/C CATEGORY: STANDARD AS350 B2 N# N498PT A/C CATEGORY: STANDARD

## IF SAFETY DICTATES AND OR THE CUSTOMER REQUESTS ADDITIONAL LIFTS THE LIFTS WILL BE CONDUCTED REMAINING WITHIN THE APPROVED TIME PARAMETERS.

TYPE OF LIFTS:  $\underline{\mathsf{HEC}}$  LOAD:  $\underline{\mathsf{EXT}}$  CL  $\underline{\mathsf{B}}$  TYPE OF ITEM LIFTING:  $\square$  AERODYNAMIC  $\square$  NON-

AERODYNAMIC LONG LINE: (NO) XXX (YES) LESS 200 FT (LENGTH) OPERATIONAL ALTITUDE: <

250 AGL STREET CLOSING: \_\_\_\_(N0) XX (YES)

## DATE AND TIMES OPERATION WILL BEGIN AND TERMINATE:

FLIGHT DATES	TIME BEGIN	TIME END	TODAY'S DATE
6-1 THRU 6-2 AGENCY NAME:	SUNRISE PHONE#:	SUNSET PERSON NOTIFIED:	5-26-2022 <u>DATE:</u>
MOUNTAIN VIEW POLICE DEPARTMENT	650-903-6344	DISPATCH	NOTIFIED
MOUNTAIN VIEW FIRE DEPARTMENT	650-903-6365	STATION 5	NOTIFIED
NASA AMES FIRE DEPARTMENT	650-604-6953	MOFFET	MONITOR
MOFFET FEDERAL ARIFIELD	650-386-0677	MOFFET	MONITOR



#### Part 135 GH 4A Part 133 GH 4L

NON Congested Area Plan

Street Closure

Evacuation	Clowd Control		
✓ No Evacuated Structures		☑ Yes ☐ No	,
☐Evacuated Structures		☑ Contractor	
		☐ Operator	

LIST OF BUILDINGS THAT SHALL EITHER BE PARTIALLY OR ENTIRELY UNOCCUPIED PERSONS ALSO HOMES THAT WILL BE NOTIFIED OF ACTIVITY:

BUILDING DESCRIPTION/ADDRESS	REMARKS	METHOD
NO EVACUATIONS	VACANT DURING OPS	HAND DELIVER

Narrative description of pick-up site, route, delivery site, and plan for ceasing operation if unauthorized persons enter operational area or real hazard occurs.

#### SITE INSPECTION NOTES

ONLY PERSONNEL ESSENTIAL TO COMPLETING THE JOB SAFELY WILL BE PERMITTED TO PARTICIPATE IN THE EVOLUTION. ONLY PERSONNEL PARTICIPATING IN THE SAFETY BRIEF WILL BE PERMITTED TO BE IN THE AREA OF OPERATIONS. ONLY AUTHORIZED ESSENTIAL PERSONAL WILL BE PERMITTED IN THE IMMEDIATE AREA OF OPERATIONS. IN THE EVENT AN UNAUTHORIZED PERSON ENTERS THE OPERATIONS AREA OR A POTENTIAL HAZARD IS IDENTIFIED THE PILOT WILL HOLD THE AIRCRAFT IN RELATIVE POSITION. THIS WILL BE ACHIEVED WITHOUT OVER FLYING THE GROUND CREW. ALL OPERATIONS WILL BE CEASED UNTIL THE PROBLEM IS RECTIFIED. IN THE EVENT OF AN AIRCRAFT EMERGENCY, THE PILOT WILL RADIO GROUND PERSONNEL AND WILL

ATTEMPT TO LAND IN THE EMERGENCY LANDING AREA.

DURING THE LIFT EVOLUTION THE AIRCRAFT AND GROUND CREW WILL ALL BE IN RADIO COMMUNICATIONS, IN THE EVENT OF LOSS COMMUNICATIONS, THE CREW WILL USE STANDARD HAND SIGNALS TO COMMUNICATE WITH THE PILOT. WHEN THE PILOT IS CLEAR HE WILL MOVE THE AIRCRAFT TO A SAFE LOCATION TO ALLOW THE COMMUNICATION PROBLEM TO BE RECTIFIED.

THE OPERATIONS AREA IS WITHIN THE SECURED AREA. ALL ESSENTIAL CREW WITHIN THE OPERATIONS AREA WILL NOT BE INVOLVED IN TAKING PICTURES OR ANY OTHER USE OF CELL PHONES.

### PRIOR TO BEGINNING OPERATIONS, A TAILBOARD SAFETY BRIEF WILL BE CONDUCTED.


- 1. HELICOPTERS WILL LAND AT LZ TO CONDUCT A TAILBOARD AND HEC TRAINING
- 2. IF REQUIRED A WATER TRUCK WILL BE PROVIDED FOR THE LZ
- 3. FLYERS AND CARGO WILL BE LIFTED FROM LZ
- 4. NO EVACUATIONS

Everation

5. STEVENS CREEK TRAIL AND DIRT ROAD TRAILS ALONG STEVENS CREEK WILL BE CLOSED

#### LEGEND

SITE PLAN SYMBOLS: EVACUATION FLIGHT PATH			
LANDING AREA = (LZ)	STREET BLOCKED = XXXX	TOP TWO FLOORS = UBT2	
ATTACH AREA = (A)	RELEASE AREA = (R)		
FLIGHT PATH =>>>	EMERGENCY LAND = (ELZ)		
UNOCCUPIED BUILDING = (UB)	UNOCCUPIED BUILDING TOP FLOOR = (UBT1)		











5-31-2022 DATE OF SUBMISSION

COMPANY OFFICIAL / TITLE
Jeffrey M. Teubner Flight Coordinator