

HELICOPTER LIFT OPERATIONS SAFETY BRIEF CHECKLIST

PRIOR TO BEGINNING ANY HELICOPTER OPERATION A THOROUGH SAFETY BRIEF
WILL BE CONDUCTED UTILIZING THE FOLLOW CHECKLIST: Bass LAke
□ SAFETY BRIEF SIGN IN PGE 22-01276
GHI CREW INTRODUCTION N7776H NON-CAP
IS A TRANSLATOR REQUIRED 40 C/2 1500CBS 2500LB ROOKBag
□ WORK STOP AUTHORITY
☐ DESIGNATE A 911 CALLER
□ IDENTIFY CLOSEST EMERGENCY MEDICAL SERVICES
☐ CREW FATIGUE AND HYDRATION
☐ HELICOPTER LIFT LIMITATIONS
☐ HAZMAT WILL OR WILL NOT BE CARRIED ON THE HOOK
□ NON GHI EMPLOYEES WILL NOT APPROACH HELICOPTER WITH ROTORS ENGAGED
☐ HELICOPTER HAZARD AREA (TAIL/MAIN ROTOR)
☐ EFFECT OF ROTOR DOWN WASH ON LOAD
DUST MASK: BURN AREA, DUST, POLLEN EXPOSURE
☐ HELICOPTER DOOR REMOVAL AND FIRE EXTINGUISHER LOCATION
☐ PPE REQUIREMENTS (GLOVES, EYE PROTECTION, HARD HAT WITH CHIN STRAP
☐ PILOT/GROUND CREW COMMUNICATIONS/ LOST COMMUNICATIONS
PROCEDURES
☐ POTENTIAL STATIC CHARGE CAUSED BY HELICOPTER
☐ SITE PLAN /FLIGHT PATH
☐ FALL, PINCH, CRUSH DANGER POINTS
☐ RIGGING OPERATIONS CONNECTING AND DISCONNECTING CRANE HOOK AND
SPREADER BAR HOOK
☐ PROPER SECURING OF EQUIPMENT / TOOLS IN SUPER SACK AND ON LONG LINE
☐ STREET CLOSURE / EVACUATION USE DIAGRAM TO ENSURE ALL HOMES ARE
CLEAR
□ NO CELL PHONES OR CAMERA USED BY GROUND CREW



Non-compliance with established procedures may result in your removal from the mission

Pilot:			
Support Cr	ew:		
Location:			
Mission:			
Aircraft:			
Note: Ry signir	ng this document you acknowled	ge you understood all items briefe	ed to you and that you are
responsible for	r insuring all loose items are secu PRINT NAME	ured when working under a helico	COMPANY
	E 1000		

Tailboard Briefing Guide Updated: January 17, 2019

AIRCRAFT	ENVIRONMENT	EXTERNAL LOAD
Approach and departure Main/tail rotor hazards Safe cargo loading/ unloading Loose articles: - Aircraft & LZ Hearing protection Door/seatbelt operation Headset/helmet/intercom Air-sickness In-flight emergencies Establish who will call 911 Location of: First aid/survival kit Fire extinguisher Fuel and battery shut off procedure Radios, ELT, SAT Phone Fueling Operations: - Duties & Safety Issues	Weather conditions Wind direction Fuel Gross weight Terrain Landing zone hazards Density altitude Noise abatement Congested area plan Traffic/crowd control COMMUNICATION IS CRITICAL Standardized language "Code Red" phrases Sterile cockpit Flight following/radio procedures Possible tasks for crew, e.g., switch/tune radios, maps Hazard awareness, e.g., birds, other hazards STOP work policy Re-brief in case scope changes IMSAFE Acronym Pilot fatigue mitigation must be briefed prior to work	Ground crew PPE Long Line & Rigging Equipment Inspection Communication: Use of headset for lineman communicating with pilot Head/Hand Signals Pole set procedures: Brief how pole will be secured: 1) Taglines 2) Pikes 3) fill dirt Steps on pole Remote hook operations Ground crew hook up procedures Static discharge Emergency flyaway procedures Long line clearance (6'- 25'- 150% rule) No person under load Ground crew safety zone Pole removal with potential snag issues must be discussed Nylon straps (wood vs. glass) Load ratings (7:1 minimum) Dry Run/Play by play pole set Procedures Induced Voltage from: - Adjacent circuits, Underbuild, Parallel circuits etc. In case of Non-Company ground crew: Rigging procedures must be briefed No cell phone/camera use during external loads Essential crew only

22-01276 Request Summary (Guardian Helicopters)



Requestor LAN ID Phone

SDE9 (707) 564-5073

Shelby D Eastom-Plum Request Date **Work Type Lift Work Type For Contractor** 06/01/2022 Lift Work Cargo Yes

SUMMIT LINE

Cell LOB (707) 564-5073 Electric GC

Transmission Line

Vendor

Guardian Helicopters

Work Dates 06/16/2022 UH-1H

Approver

Supervisor James D Hunter (JDHF)

JDHf@pge.com

(C) (559) 903-3893

Scope of Work

MADERA COUNTY **OAKHURST 1103**

CAP-NIL

RQD NOTIFICATIONS- AUBERRY HYDRO

USFS/NATIONAL PARK TERRITORY- SIERRA NF

NOTIFICATIONS MADE-YES

CONTACTS-

REQUESTOR- DAVID DYAS 385-250-6982 FOREMAN- LOREN YOUNG 435-300-6163

PGE PM- WALEEP BURRELL (W1BX) & JIM HUNTER (JDHF)

SCOPE- HELCOPTER TO TRANSPORT TOOLS, MATERIALS, 2500 LB ROCK BACKS, AND POLE TO WL FOR POLE SET. FRAMED WOOD POLE- 40 FT, CL 2- 1500 LBS.

LZ/WORK LOCATION INFORMATION-

LZ-OK, NO OBSTRUCTIONS BUT IS RIGHT NEXT TO BASS LAKE. VERIFIED PER HYDRO DATA PLATE GOOD TO USE FOR UP TO TYPE 1 HELICOPTERS. PER REQUESTER, LZ APPROVAL IN WORKS WITH HYDRO.

LZ DIAMETER VERIFIED FOR TYPE 2 AIRCRAFT- 100 FEET DIAMETER

PICK SITE- OK, TREES AND ROAD IN PROXIMITY.

WL- OK, WILL HAVE TO CROSS MULTIPLE ROADS AND BASS LAKE FROM PICK SITE TO WL. WITHIN TERRIAN AND TREES IN PROXIMITY.

PER REQUESTER, TRAFFIC & WATER TRAFFIC MITIGATION WILL BE IN PLACE

Daily Information

22-01276 Request Summary (Guardian Helicopters)

06/16/2022

Asset Category: MEDIUM **Asset Type:** UH-1H

Locations

07:30 - LZ	_Z 37 17.49' 119 31.70"		no headquarters>	<no county<="" th=""><th>/> 3375 ft</th><th></th></no>	/> 3375 ft	
Work Location						
PICK SITE		37 19.77'N 119 35.02'W		<no headquarters=""></no>	<no county=""> 34</no>	40 ft
Work Location						
10033B OAKHURS	T TAP 115 KV	37 19.99'N 119 34.27'W	Line #: 101020003	FRESNO	<no county=""> 34</no>	80 ft
Est. Use Hours Contract Undergrounding Project Cargo Weight Billing Number Req. Notifications	8.00 No 2500.0 lbs 35086209-530	0 100%	Vendor Over Water Fuel Truck Special Equ Comments	Guardian H Yes Yes ipment	elicopters	
	CH 2 RX/TX 464.5 TONE CODE 131.8 T A	Talk Group /A	CH 2 RX/T 464.5 TON CODE 131.8 A	E	CH 2 RX/TX 464.5 TON CODE 131.8 A	E

22-01276 (Guardian Helicopters) - June 2022

Saturday		11	18	2.5		
Friday	4			24		5C
Thursday		1	16 07:30 -15:30 UH-1H LZ 37 17.49'N 119 31.70'W		30	
Wednesday	2		15		50	1 9
Tuesday	T.	&	4I	21	28	V.
Monday	er,		13	20	27	
Sunday	6. 6.	9	12	19	26	m



SECTION 7

Part 135 GH 4A Part 133 GH 4L

NON- Congested Area Plan

Operator

Guardian Helicopters, Inc

67 D STREET

Fillmore CA. 93015

Phone (818) 442-9904

FAX (818) 442-9901

PROJECT: PG&E POLE SET

WORK ORDER #: 22-01276

ADDRESS: SOUTH SHORE ROAD

CITY: BASS LAKE STATE: CA.

LZ 37°17'29.68"N 119°31'41.99"W

PICK SITE 37°19'46.25"N 119°35'1.22"W 101020003 37°19'59.89"N 119°34'16.17"W 40 FT CL 2 1500 LS 2500 LBS ROCK BAG

SEE ATTACHED FLIGHT REQUEST AND KMZ FILE

CONTACT REQUESTOR: DAVID DYAS

PHONE#: 385-250-6982

CONTACT FORMAN:

LOREN YOUNG

PHONE#: 435-300-6163.

PILOTS:

1. MICHAEL KLINK	CERT#: 3018828
2. BUCKEY MACKAY	CERT #: <u>2778051</u>
3. IAN GOODALE	CERT#: <u>3741973</u>
4. ROSS GOULET	CERT#: 3396777
5. TREVOR NEEDHAM	CERT#: 3597688

TYPE OF AIRCRAFT:

BELL UH-1H		A/C CATEGORY: RESTRICTED
BELL 407	N# <u>N407GH</u>	_A/C CATEGORY: <u>STANDARD</u>
BELL 407	N# N447GH	_A/C CATEGORY: <u>STANDARD</u>
BELL 407HP	N# N111GH	A/C CATEGORY: STANDARD
BELL 205A1	N# N216GH	A/C CATEGORY: STANDARD
BELL 205A1	N# N211GH	A/C CATEGORY: STANDARD
AS350 B2	N# N498PT	A/C CATEGORY: STANDARD

IF SAFETY DICTATES AND OR THE CUSTOMER REQUESTS ADDITIONAL LIFTS THE LIFTS WILL BE CONDUCTED REMAINING WITHIN THE APPROVED TIME PARAMETERS.

TYPE OF LIFTS: 40 FT CL 2 15000 LBS 2500 LBS ROCK BAG LOAD: EXT CL B TYPE OF ITEM LIFTING: □ AERODYNAMIC ☑ NON- AERODYNAMIC LONG LINE: (NO) XXX (YES) LESS 150 FT (LENGTH)

OPERATIONAL ALTITUDE: < 250 AGL STREET CLOSING: (N0) XX (YES)

DATE AND TIMES OPERATION WILL BEGIN AND TERMINATE:

FLIGHT DATES	TIME BEGIN	TIME END	TODAY'S DATE
6-16-2022	SUNRISE	SUNSET	6-9-2022
AGENCY NAME:	PHONE#:	PERSON NOTIFIED:	DATE:
MADERA COUNTY SHERIFF	559-658-2555	DISPATCH	NOTIFIED
BASE I AKE FIRE DEPARTMENT	559-642-3616	DISPATCH	NOTIFIED

Evacuation_	Crowd Control	Street Closure
✓No Evacuated Structures		☑Yes □ No
☐Evacuated Structures	☑ Contractor	☑Contractor
		Operator



LIST OF BUILDINGS THAT SHALL EITHER BE PARTIALLY OR ENTIRELY UNOCCUPIED PERSONS ALSO HOMES THAT WILL BE NOTIFIED OF ACTIVITY:

BUILDING DESCRIPTION/ADDRESS	REMARKS	METHOD
NONE	VACANT DURING OPS	HAND DELIVER

Narrative description of pick-up site, route, delivery site, and plan for ceasing operation if unauthorized persons enter operational area or real hazard occurs.

SITE INSPECTION NOTES

ONLY PERSONNEL ESSENTIAL TO COMPLETING THE JOB SAFELY WILL BE PERMITTED TO PARTICIPATE IN THE EVOLUTION. ONLY PERSONNEL PARTICIPATING IN THE SAFETY BRIEF WILL BE PERMITTED TO BE IN THE AREA OF OPERATIONS. ONLY AUTHORIZED ESSENTIAL PERSONAL WILL BE PERMITTED IN THE IMMEDIATE AREA OF OPERATIONS. IN THE EVENT AN UNAUTHORIZED PERSON ENTERS THE OPERATIONS AREA OR A POTENTIAL HAZARD IS IDENTIFIED THE PILOT WILL HOLD THE AIRCRAFT IN RELATIVE POSITION. THIS WILL BE ACHIEVED WITHOUT OVER FLYING THE GROUND CREW. ALL OPERATIONS WILL BE CEASED UNTIL THE PROBLEM IS RECTIFIED. IN THE EVENT OF AN AIRCRAFT EMERGENCY, THE PILOT WILL RADIO GROUND PERSONNEL AND WILL ATTEMPT TO LAND IN THE EMERGENCY LANDING AREA.


DURING THE LIFT EVOLUTION THE AIRCRAFT AND GROUND CREW WILL ALL BE IN RADIO COMMUNICATIONS. IN THE EVENT OF LOSS COMMUNICATIONS, THE CREW WILL USE STANDARD HAND SIGNALS TO COMMUNICATE WITH THE PILOT. WHEN THE PILOT IS CLEAR HE WILL MOVE THE AIRCRAFT TO A SAFE LOCATION TO ALLOW THE COMMUNICATION PROBLEM TO BE RECTIFIED.

THE OPERATIONS AREA IS WITHIN THE SECURED AREA. ALL ESSENTIAL CREW WITHIN THE OPERATIONS AREA WILL NOT BE INVOLVED IN TAKING PICTURES OR ANY OTHER USE OF CELL PHONES.

PRIOR TO BEGINNING OPERATIONS, A TAILBOARD SAFETY BRIEF WILL BE CONDUCTED.

- 1. HELICOPTER WILL LAND AT LZ TO CONDUCT TAILBOARD
- 2. WATER TRUCK IS REQUIRED AT LZ
- 3. POLE WILL BE STAGED AT THE PICK UP SITE
- 4. STREET CLOSURE PER DIAGRAM
- 5. A BOAT WILL BE PROVIDED TO KEEP OTHER VESSELS CLEAR OF FLIGHT PATH LEGEND

SITE PLAN SYMBOLS: EVACUATION FLIGHT PATH				
LANDING AREA = (LZ)	STREET BLOCKED = XXXX	TOP TWO FLOORS = UBT2		
ATTACH AREA = (A)	RELEASE AREA = (R)			
FLIGHT PATH =>>>	EMERGENCY LAND = (ELZ)			
UNOCCUPIED BUILDING = (UB)	UNOCCUPIED BUILDING TOP FLOOR = (UBT1)			







6-9-2022 DATE OF SUBMISSION Jeffrey M. Julia

COMPANY OFFICIAL / TITLE
Jeffrey M. Teubner Flight Coordinator