

Jennifer L Dreyer Requestor LAN ID JYD9

Phone (707) 365-2539 (707) 365-2539 Cell

Electric Transmission For Contractor

**Request Date** 

**Lift Work Type** 

**Work Type** 

09/14/2023

Non-Energized Michels

Lift Work

HEC -

Vendor **Guardian Helicopters** Region South Bay & Central

Coast

**Work Dates** 

10/16/2023 - 10/21/2023 BK117, BELL 407

**Approver** Superintendent Pete M Dominguez (PXD1) PXD1@PGE.COM (C) (805) 459-6255

SAN LUIS OBISPO COUNTY Scope of Work

TEMBLOR-SAN LUIS OBISPO

LOB

CAP- NIL

**RQD NOTIFICATIONS-SBP** 

USFS/NATIONAL PARK TERRITORY- LOS PADRES NATIONAL FOREST

NOTIFICATIONS MADE- YES, IN PROCESS

REQUESTOR-LOGAN DOMINGUES 559-974-1141

FOREMAN- JEFF KLEINT 920-579-7283 PGE PM- ALBERTO MANCERO A9MR

SCOPE- HEC CREW AND MATERAIL TO TOWER FOR SHUNT SPLICE REPAIR AND REPLACEMENT.

LZ/WORK LOCATION INFORMATION-

LZ 1- OK, IN LARGE GRASS HILL WITH SLOPPED AREAS. TREES IN VICINITY. RURAL ROAD LESS THAN 300 FEET. LOOK AND GO METHOD TO BE USED. OK FOR (2) LIGHT SHIPS.

LZ 2- OK, IN LARGE DIRT FIELD. WATER TRUCK TO BE ON SITE PER REQUESTOR. TRANSMISSION LINES 500 FEET TO THE NORTH. OK FOR (2) LIGHT SHIPS.

LZ 3- OK, IN DIRT FIELD. WATER TRUCK TO BE ON SITE PER REQUESTOR. TREES IN VICINITY, DISTRIBUTION LINE 200 FEET TO THE NORTHWEST, LESS THAN 300 FEET FROM RURAL ROAD. LOOK AND GO METHOD TO BE USED. OK FOR (2) LIGHT SHIPS. LZ 4-OK, IN LARGE DIRT FIELD. WATER TRUCK TO BE ON SITE PER REQUESTOR. LESS THAN 300 FEET FROM RURAL ROAD. LOOK AND GO METHOD TO BE USED.

DISTRIBUTION LINE 80 FEET TO THE WEST. OK FOR (2) LIGHT SHIPS.

LZ 5- IN LARGE DIRT FIELD. WATER TRUCK TO BE ON SITE PER REQUESTOR. LESS THAN 300 FEET FROM RURAL ROAD. LOOK AND GO METHOD TO BE USED. OK FOR (2) LIGHT SHIPS.

LZ 6-IN LARGE DIRT FIELD. WATER TRUCK TO BE ON SITE PER REQUESTOR. LESS THAN 300 FEET FROM SOLAR FARM.TRANSMISSION LINES 400 FEET TO THE WEST. LESS THAN 300 FEET FROM RURAL ROAD. LOOK AND GO METHOD TO BE USED. OK FOR (2) LIGHT SHIPS.

LZ 7- IN LARGE DIRT FIELD. WATER TRUCK TO BE ON SITE PER REQUESTOR. LESS THAN 300 FEET FROM RURAL ROAD. LOOK AND GO METHOD TO BE USED. TRANSMISSION LINE IN CLOSE PROXIMITY. OK FOR (2) LIGHT SHIPS.

LZ DIAMETER VERIFIED FOR (2) TYPE 3 AIRCRAFT- 75 FEET DIAMETER WITH A 100 FEET DIAMETER

WL-ALL WL'S IN RURAL LOCATION. CROSSES OVER MANY RURAL ROADS. LOOK AND GO METHOD TO BE USED. TRANSMISSION AND DISTRIBUTION LINE RUNS PARRELL IN MULTIPLE LOCATIONS. MANY LOCATIONS IN STEEP TERRAIN. WORK LOCATIONS 23/140, 22/130, 21/126 ARE LESS THAN 300 FEET FROM SOLAR FARM. CONFIRMED WITH REQUESTOR NO ONE WILL BE AT SITE.WORK LOCATION 46/267 TO HAVE FLAGGER ON SITE.

Is this work related to a storm or other event? No

Daily Information										
0/16/2023 -	10/21/2023		_							
Asset Categ Asset Type: Locations										
08:00 - LZ	LZ 1	35 17.19'N 120 36.70'W	<no he<="" td=""><td>adquarters&gt;</td><td><no county=""></no></td></no>	adquarters>	<no county=""></no>					
	Mitigation Plan: pint a company fa	cility or permitted Heli	Surface is composed of low vegetative cover. Yes							
Additio	nal LZ									
LZ 2	35 21.25'N 120 32.62'W	· · · · · · · · · · · · · · · · · · ·		<no county=""></no>						
	Mitigation Plan: pint a company fa	cility or permitted Heli	Surface is composed of low vegetative cover Yes							
Additio	nal LZ									
LZ 3	35 22.01'N 120 26.98'W	<no h<="" td=""><td>eadquarters&gt;</td><td></td><td><no county=""></no></td></no>	eadquarters>		<no county=""></no>					
	Mitigation Plan: pint a company fa	cility or permitted Heli	Surface is composed of low vegetative cover. Yes							
Additio	nal LZ									
LZ 4	35 20.83'N 120 21.32'W	<no h<="" td=""><td>eadquarters&gt;</td><td></td><td><no county=""></no></td></no>	eadquarters>		<no county=""></no>					
	Mitigation Plan: pint a company fa	cility or permitted Heli	Surface is composed of low vegetative cover. Yes							
Additio	nal LZ									
LZ 5	35 22.19'N 120 12.23'W	<no h<="" td=""><td>eadquarters&gt;</td><td></td><td><no county=""></no></td></no>	eadquarters>		<no county=""></no>					
	Mitigation Plan: oint a company fa	cility or permitted Heli	Surface is composed of low vegetative cover. Yes							

#### --- - Additional LZ

LZ 6 35 22.95'N <no headquarters> <no county>

120 05.02'W

Dust/Snow Mitigation Plan: ---

Is this waypoint a company facility or permitted Heliport? Yes

--- - Additional LZ

LZ 7 35 22.74'N <no headquarters> <no county>

119 43.49'W

Dust/Snow Mitigation Plan: Surface is composed of low vegetative cover.

Is this waypoint a company facility or permitted Heliport?

Yes

--- - Work Location

10332 TEMBLOR-SAN LUIS OBISPO 115 35 22.99'N Line #: PISMOBCH <no county>855 ft

KV(START) 119 001/009

43.20'W

Dust/Snow Mitigation Plan: ---

--- - Work Location

10332 TEMBLOR-SAN LUIS OBISPO 115 35 16.86'N Line #: PISMOBCH <no county>2128 ft

KV(END) 120 054/303

35.19'W

Dust/Snow Mitigation Plan: ---

--- - Work Location

SEE ADDITIONAL WORK LOCATIONS BELOW <no lat/lon> <no

headquarters>

Dust/Snow Mitigation Plan: --

Est. Use Hours 8.00 Vendor Guardian Helicopters

Contract PSPS GUARDIAN 2 (BK117) Over Water No

Fuel Truck Yes Cargo Weight 1000.0 lbs

Special Equipment ARS Air Chair Billing Number 45706709 100%

Comments 35.38313363 -119.7199464 45945177 100% 001/009 45706708 100%

35.38001048 -119.9503524 015/090 45945137 100% 35.38001048 -119.9503524 015/090 74049810-6900 100%

35.3805974 -119.9623344 Req. Notifications ---

015/094

35.38078096 -120.0155881

019/112

35.3810093 -120.0556381

021/126

35.38106649 -120.0675414 022/130

35.38117063 -120.0968561

023/140

35.37975413 -120.2053781

029/176

35.3737708 -120.2378927

031/184

35.37131335 -120.2713902

033/194

35.3703177 -120.281239

034/197

35.37033658 -120.313548

035/206

35.3688933 -120.3233069

036/209

35.36630425 -120.3299204

036/212

35.35779446 -120.3449524 037/218

35.35593287 -120.3488394

038/219

35.35230264 -120.3569022

038/221

35.35601513 -120.3851589 040/231

35.36131446 -120.3931407

041/234

35.3657213 -120.3998334

041/237

35.36525846 -120.4616459

045/255

35.35212333 -120.4889871

046/267

35.34466837 -120.5164144

048/275

35.32751452 -120.5392143

050/283

35.30871703 -120.5557926

052/291

35.30339605 -120.560298

052/294

35.2809669 -120.5864577

054/303

Asset Category: LIGHT Asset Type: BELL 407

Locations

**08:00 - LZ** LZ 1 35 17.19'N <no headquarters> <no county>

120 36.70'W

Dust/Snow Mitigation Plan: Surface is composed of low vegetative cover.

Is this waypoint a company facility or permitted Heliport? Yes

--- - Additional LZ

LZ 2 35 21.25'N <no headquarters> <no county>

120 32.62'W

Dust/Snow Mitigation Plan: Surface is composed of low vegetative cover.

Is this waypoint a company facility or permitted Heliport?

Yes

--- - Additional LZ

LZ 3 35 22.01'N <no headquarters> <no county>

120 26.98'W

Dust/Snow Mitigation Plan: Surface is composed of low vegetative cover.

Is this waypoint a company facility or permitted Heliport?

Yes

--- - Additional LZ

LZ 4 35 20.83'N <no headquarters> <no county>

120 21.32'W

**Dust/Snow Mitigation Plan:** Surface is composed of low vegetative cover.

Is this waypoint a company facility or permitted Heliport?

--- - Additional LZ

LZ 5 35 22.19'N <no headquarters> <no county>

120 12.23'W

**Dust/Snow Mitigation Plan:** Surface is composed of low vegetative cover.

Is this waypoint a company facility or permitted Heliport?

--- - Additional LZ

LZ 6 35 22.95'N <no headquarters> <no county>

120 05.02'W

**Dust/Snow Mitigation Plan:** Surface is composed of low vegetative cover.

Is this waypoint a company facility or permitted Heliport? Yes

--- - Additional LZ

LZ7 35 22.74'N <no headquarters> <no county>

119 43.49'W

**Dust/Snow Mitigation Plan:** Surface is composed of low vegetative cover.

Is this waypoint a company facility or permitted Heliport? Yes

--- - Work Location

10332 TEMBLOR-SAN LUIS OBISPO 115 35 22.99'N Line #: **PISMOBCH** <no county>855 ft

KV(START) 119 001/009

43.20'W

**Dust/Snow Mitigation Plan:** 

--- - Work Location

10332 TEMBLOR-SAN LUIS OBISPO 115 35 16.86'N Line #: **PISMOBCH** <no county>2128 ft

KV(END) 120 054/303

35.19'W

**Dust/Snow Mitigation Plan:** 

--- - Work Location

SEE ADDITIONAL WORK LOCATIONS BELOW <no lat/lon> <no

headquarters>

**Dust/Snow Mitigation Plan:** 

Est. Use Hours Vendor **Guardian Helicopters** 

PSPS GUARDIAN 1 (407) Contract Over Water No

Fuel Truck Yes Cargo Weight 1000.0 lbs

45706709 100% Special Equipment **ARS Air Chair** Billing Number

Comments 35.38313363 -119.7199464 45945177 100%

001/009 45706708 100% 35.38001048 -119.9503524 015/090 45945137 100% 35.38001048 -119.9503524 015/090 74049810-6900 100%

35.3805974 -119.9623344 Req. Notifications

015/094

35.38078096 -120.0155881

019/112

35.3810093 -120.0556381

021/126

35.38106649 -120.0675414 022/130

35.38117063 -120.0968561

023/140

35.37975413 -120.2053781

029/176

35.3737708 -120.2378927

031/184

35.37131335 -120.2713902

033/194

35.3703177 -120.281239

034/197

35.37033658 -120.313548

035/206

35.3688933 -120.3233069

036/209

35.36630425 -120.3299204

036/212

35.35779446 -120.3449524 037/218

35.35593287 -120.3488394

038/219

35.35230264 -120.3569022

038/221

35.35601513 -120.3851589 040/231

35.36131446 -120.3931407

041/234

35.3657213 -120.3998334

041/237

35.36525846 -120.4616459

045/255

35.35212333 -120.4889871

046/267

35.34466837 -120.5164144

048/275

35.32751452 -120.5392143

050/283

35.30871703 -120.5557926

052/291

35.30339605 -120.560298

052/294

35.2809669 -120.5864577

054/303

**Talk About #** 151.76 **Talk Group** 151.76 **Talk Radio #** 151.76

# 23-03902 (Guardian Helicopters) - October 2023

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16 <b>08:00 -16:00 BK117</b> LZ 1	17 <b>08:00 -16:00 BK117</b> LZ 1	18 <b>08:00 -16:00 BK117</b> LZ 1		20 <b>08:00 -16:00 BK117</b> LZ 1	21 <b>08:00 -16:00 BK117</b> LZ 1
	35 17.19'N 120 36.70'W	35 17.19'N 120 36.70'W 08:00 -16:00 BELL 407	35 17.19'N 120 36.70'W	35 17.19'N 120 36.70'W	35 17.19'N 120 36.70'W	35 17.19'N 120 36.70'W <b>08:00 -16:00 BELL 407</b>
	LZ 1 35 17.19'N 120 36.70'W	LZ 1 35 17.19'N 120 36.70'W	LZ 1 35 17.19'N 120 36.70'W		LZ 1	LZ 1 35 17.19'N 120 36.70'W
22	23	24	25	26	27	28
29	30	31	1	2	3	4
5	6	7	8	9	10	11